

**SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven**

Section 912 Page 583P
Date December 19, 2017
Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
250 GPM	40	2950	3-481-10
	45	2950	3-481-10
	50	2950	3-481-10
	51	2950	2-1/2-481-10B
	55	2950	2-1/2-481-10B
		2950	3-481-10
	60	2950	2-1/2-481-10B
		2950	3-481-10
	65	2950	2-1/2-481-10B
		2950	3-481-10
	70	2950	2-1/2-481-10B
		2950	3-481-10
	75	2950	2-1/2-481-10B
		2950	3-481-10
	80	2950	2-1/2-481-10B
		2950	3-481-10
	85	2950	2-1/2-481-10B
		2950	3-481-10
	90	2950	2-1/2-481-10B
		2950	3-481-10
	95	2950	2-1/2-481-10B
		2950	3-481-10
	100	2950	2-1/2-481-10B
		2950	3-481-10
105	2950	2-1/2-481-10B	
	2950	3-481-10	
110	2950	2-1/2-481-10B	
	2950	3-481-10	
115	2950	2-1/2-481-10B	
	2950	3-481-10	
120	2950	3-481-10	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 584P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
400	121	2950	5-481-15A
	125	2950	5-481-15A
	130	2950	5-481-15A
	135	2950	5-481-15A
	140	2950	5-481-15A
	145	2950	5-481-15A
	150	2950	5-481-15A
	155	2950	5-481-15A
	160	2950	5-481-15A
	165	2950	5-481-15A
	170	2950	5-481-15A
	175	2950	5-481-15A
	180	2950	5-481-15A
	185	2950	5-481-15A
	190	2950	5-481-15A
	195	2950	5-481-15A
	200	2950	5-481-15A
	205	2950	5-481-15A
	210	2950	5-481-15A
	215	2950	5-481-15A
	220	2950	5-481-15A
	225	2950	5-481-15A
	230	2950	5-481-15A
	235	2950	5-481-15A
	240	2950	5-481-15A
	245	2950	5-481-15A
250	2950	5-481-15A	
255	2950	5-481-15A	
260	2950	5-481-15A	
265	2950	5-481-15A	
450	120	2950	5-481-15A
	125	2950	5-481-15A
	130	2950	5-481-15A
	135	2950	5-481-15A
	140	2950	5-481-15A
	145	2950	5-481-15A
	150	2950	5-481-15A
	155	2950	5-481-15A
	160	2950	5-481-15A
	165	2950	5-481-15A
	170	2950	5-481-15A
	175	2950	5-481-15A
	180	2950	5-481-15A
	185	2950	5-481-15A
	190	2950	5-481-15A
	195	2950	5-481-15A
	200	2950	5-481-15A
	205	2950	5-481-15A
	210	2950	5-481-15A
	215	2950	5-481-15A
	220	2950	5-481-15A
	225	2950	5-481-15A
	230	2950	5-481-15A
	235	2950	5-481-15A
	240	2950	5-481-15A
	245	2950	5-481-15A
250	2950	5-481-15A	
255	2950	5-481-15A	
260	2950	5-481-15A	
265	2950	5-481-15A	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 585P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
500 GPM	55	2950	4-481-11C
	60	2950	4-481-11C
	61	2950	4-481-11D
	65	2950	4-481-11D
	68	1480	5-485-15
	70	1480	5-485-15
		2950	4-481-11D
	75	1480	5-485-15
		2950	4-481-11D
	80	1480	5-485-15
		2950	4-481-11D
	85	1480	5-485-15
		2950	4-481-11D
	90	1480	5-485-15
		2950	4-481-11D
	95	1480	5-485-15
		2950	4-481-11D
	100	1480	5-485-15
		2950	4-481-11D
	105	1480	5-485-15
		2950	4-481-11D
	110	1480	5-485-15
		2950	4-481-11D
	115	1480	5-485-15
		2950	4-481-11D
	119	2950	5-481-15A
	120	1480	5-485-15
		2950	5-481-15A
		2950	4-481-11D
	125	1480	5-485-15
		2950	5-481-15A
		2950	4-481-11D
	130	1480	5-485-15
		2950	5-481-15A
		2950	4-481-11D
	134	2950	4-481-11D
	135	2950	5-481-15A
		1480	5-485-15
	140	2950	5-481-15A
		1480	5-485-15
145	2950	5-481-15A	
150	2950	5-481-15A	
155	2950	5-481-15A	
157	2950	6-491-12A	
160	2950	5-481-15A	
	2950	6-491-12A	
165	2950	5-481-15A	
	2950	6-491-12A	
170	2950	5-481-15A	
	2950	6-491-12A	
175	2950	5-481-15A	
	2950	6-491-12A	
180	2950	5-481-15A	
	2950	6-491-12A	
185	2950	5-481-15A	
	2950	6-491-12A	
190	2950	5-481-15A	
	2950	6-491-12A	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 586P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
500 GPM	195	2950	5-481-15A
		2950	5-485-12
	200	2950	5-481-15A
		2950	5-485-12
	205	2950	5-481-15A
		2950	5-485-12
	210	2950	5-481-15A
		2950	5-485-12
	215	2950	5-481-15A
		2950	5-485-12
	220	2950	5-481-15A
		2950	5-485-12
	225	2950	5-481-15A
		2950	5-485-12
	230	2950	5-481-15A
		2950	5-485-12
	235	2950	5-481-15A
		2950	5-485-12
	240	2950	5-481-15A
		2950	5-485-12
	243	2950	6-485-16
	245	2950	5-485-12
		2950	5-481-15A
		2950	6-485-16
	250	2950	5-485-12
		2950	5-481-15A
		2950	6-485-16
	255	2950	5-485-12
		2950	5-481-15A
	260	2950	6-485-16
		2950	5-485-12
		2950	5-481-15A
	265	2950	6-485-16
		2950	5-485-12
		2950	5-481-15A
	270	2950	5-485-12
		2950	6-485-16
	275	2950	5-485-12
		2950	6-485-16
	280	2950	5-485-12
		2950	6-485-16
	285	2950	5-485-12
		2950	6-485-16
	290	2950	5-485-12
		2950	6-485-16
	295	2950	5-485-12
		2950	6-485-16
	300	2950	5-485-12
2950		6-485-16	
305	2950	5-485-12	
	2950	6-485-16	
310	2950	5-485-12	
	2950	6-485-16	
315	2950	5-485-12	
	2950	6-485-16	
319	2950	5-485-12	

**SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven**

Section 912 Page 587P
Date December 19, 2017
Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
5 0 0 G P M	320	2950	6-485-16
	325	2950	6-485-16
	330	2950	6-485-16
	335	2950	6-485-16
	340	2950	6-485-16
	345	2950	6-485-16
	350	2950	6-485-16
	355	2950	6-485-16
	360	2950	6-485-16
	365	2950	6-485-16
	370	2950	6-485-16
	375	2950	6-485-16
	380	2950	6-485-16
	385	2950	6-485-16
	390	2950	6-485-16
	395	2950	6-485-16
	400	2950	6-485-16
	405	2950	6-485-16
	410	2950	6-485-16
	415	2950	6-485-16
420	2950	6-485-16	
425	2950	6-485-16	
430	2950	6-485-16	
431	2950	6-485-16	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 588P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
7 5 0 G P M	66	2950	4-491-8A
	70	2950	4-491-8A
	80	1480	6-485-17A
	85	1480	6-485-17A
	90	1480	6-485-17A
	95	1480	6-485-17A
	96	2950	4-491-11A
	100	1480	6-485-17A
		2950	4-491-11A
	105	1480	6-485-17A
		2950	5-481-11C
	110	2950	4-491-11A
		1480	6-485-17A
		2950	5-481-11C
	115	2950	4-491-11A
		1480	6-485-17A
		2950	5-481-15A
		2950	5-481-11C
	120	2950	4-491-11A
		1480	6-485-17A
		2950	5-481-15A
		2950	5-481-11C
		2950	4-491-11A
	125	2950	4-491-11C
		1480	6-485-17A
		2950	5-481-15A
		2950	5-481-11C
		2950	4-491-11A
	130	2950	4-491-11C
		1480	6-485-17A
		2950	5-481-15A
		2950	5-481-11C
		2950	4-491-11A
	135	2950	4-491-11C
		1480	6-485-17A
		2950	5-481-15A
		2950	5-481-11C
		2950	4-491-11A
	140	2950	4-491-11C
		2950	4-491-11A
		1480	6-485-17A
		2950	5-481-15A
142	2950	5-481-11C	
	2950	6-491-12A	
	1480	6-485-17A	
	2950	5-481-11C	
	2950	4-491-11A	
145	2950	5-481-15A	
	2950	6-491-12A	
	2950	4-491-11A	
	1480	6-485-17A	
	2950	5-481-11C	
150	2950	5-481-15A	
	2950	6-491-12A	
	1480	6-485-17A	
	2950	5-481-11C	
154	2950	5-481-11C	
155	1480	6-485-17A	
	2950	5-481-15A	
	2950	6-491-12A	

**SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven**

Section 912 Page 589P
Date December 19, 2017
Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
750	160	1480	6-485-17A
		2950	5-481-15A
		2950	6-491-12A
	165	1480	6-485-17A
		2950	5-481-15A
		2950	6-491-12A
	170	1480	6-485-17A
		2950	5-481-15A
		2950	6-491-12A
	175	1480	6-485-17A
		2950	5-481-15A
		2950	6-491-12A
	180	2950	5-481-15A
	185	2950	5-481-15A
	190	2950	5-481-15A
	195	2950	5-481-15A
	196	2950	6-485-12
		2950	5-481-15A
	200	2950	6-485-12
		2950	5-481-15A
	205	2950	5-481-15A
	206	2950	6-485-12
	210	2950	5-481-15A
		2950	6-485-12
	215	2950	5-481-15A
		2950	6-485-12
	220	2950	5-481-15A
		2950	6-485-12
	225	2950	5-481-15A
		2950	6-485-12
	230	2950	5-481-15A
		2950	6-485-12
	235	2950	5-481-15A
		2950	6-485-12
	237	2950	6-485-16
	240	2950	6-485-12
		2950	5-481-15A
	245	2950	6-485-16
		2950	6-485-12
		2950	5-481-15A
250	2950	6-485-16	
	2950	5-481-15A	
255	2950	6-485-12	
	2950	5-481-15A	
	2950	6-485-16	
260	2950	6-485-12	
	2950	6-485-16	
265	2950	6-485-12	
	2950	6-485-16	
270	2950	6-485-12	
	2950	6-485-16	
275	2950	6-485-12	
	2950	6-485-16	
280	2950	6-485-12	
	2950	6-485-16	
285	2950	6-485-12	
	2950	6-485-16	
290	2950	6-485-12	
	2950	6-485-16	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 590P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
7 5 0 G P M	295	2950	6-485-12
		2950	6-485-16
	300	2950	6-485-12
		2950	6-485-16
	305	2950	6-485-12
		2950	6-485-16
	310	2950	6-485-12
		2950	6-485-16
	315	2950	6-485-12
		2950	6-485-16
	320	2950	6-485-12
		2950	6-485-16
	325	2950	6-485-12
		2950	6-485-16
	330	2950	6-485-12
		2950	6-485-16
	335	2950	6-485-12
		2950	6-485-16
	340	2950	6-485-12
		2950	6-485-16
	345	2950	6-485-12
		2950	6-485-16
	350	2950	6-485-16
	355	2950	6-485-16
	360	2950	6-485-16
	365	2950	6-485-16
	368	2950	6-485-16B
		2950	6-485-16B
	370	2950	6-485-16
		2950	6-485-16B
	375	2950	6-485-16
		2950	6-485-16B
	380	2950	6-485-16B
		2950	6-485-16
	385	2950	6-485-16B
		2950	6-485-16
	390	2950	6-485-16B
		2950	6-485-16
	395	2950	6-485-16B
		2950	6-485-16
	400	2950	6-485-16B
		2950	6-485-16
405	2950	6-485-16B	
	2950	6-485-16	
410	2950	6-485-16B	
	2950	6-485-16	
415	2950	6-485-16B	
	2950	6-485-16	
420	2950	6-485-16B	
	2950	6-485-16	
421	2950	6-485-16	
425	2950	6-485-16B	
430	2950	6-485-16B	
435	2950	6-485-16B	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 591P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
1000 GPM	81	1480	6-481-18C
	85	1480	6-481-18C
	90	1480	6-481-18C
	93	2950	6-481-11HH
	95	1480	6-481-18C
		2950	6-481-11HH
	97	2950	5-481-11C
		1480	6-481-18C
	100	2950	5-481-11C
		2950	6-481-11HH
	102	2950	6-481-14HH
	104	2950	5-481-15A
	105	1480	6-481-18C
		2950	5-481-11C
		2950	5-481-15A
		2950	6-481-11HH
	108	2950	6-481-14HH
		1480	6-481-18C
		2950	5-481-11C
	110	2950	5-481-15A
		2950	6-481-11HH
		2950	6-481-14HH
		2950	5-481-11C
	115	2950	6-481-11HH
		2950	5-481-15A
		2950	6-481-14HH
	120	2950	5-481-11C
		2950	5-481-15A
		2950	6-481-11HH
		2950	6-481-14HH
	125	2950	5-481-11C
		2950	5-481-15A
		2950	6-481-11HH
		2950	6-481-14HH
	130	2950	5-481-11C
		2950	5-481-15A
		2950	6-481-11HH
		2950	6-481-14HH
	135	2950	5-481-11C
		2950	5-481-15A
		2950	6-481-11HH
		2950	6-481-14HH
140	2950	5-481-11C	
	2950	5-481-15A	
	2950	6-481-11HH	
	2950	6-481-14HH	
145	2950	5-481-11C	
	2950	5-481-15A	
	2950	6-481-11HH	
	2950	6-481-14HH	
150	2950	6-481-11HH	
	2950	5-481-15A	
	2950	6-481-14HH	
155	2950	5-481-15A	
	2950	6-481-14HH	
160	2950	5-481-15A	
	2950	6-481-14HH	
165	2950	5-481-15A	
	2950	6-481-14HH	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 592P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
1000 GPM	170	2950	5-481-15A
		2950	6-481-14HH
	175	2950	5-481-15A
		2950	6-481-14HH
	180	2950	5-481-15A
		2950	6-481-14HH
	185	2950	5-481-15A
		2950	6-481-14HH
	190	2950	5-481-15A
		2950	6-481-14HH
	195	2950	5-481-15A
		2950	6-481-14HH
	200	2950	5-481-15A
		2950	6-481-14HH
	205	2950	5-481-15A
		2950	6-481-14HH
	210	2950	5-481-15A
		2950	6-481-14HH
	215	2950	5-481-15A
		2950	6-481-14HH
	220	2950	5-481-15A
		2950	6-481-14HH
	225	2950	5-481-15A
		2950	6-481-14HH
	228	2950	6-485-16
		2950	5-481-15A
	230	2950	6-481-14HH
		2950	6-485-16
		2950	6-485-16B
	235	2950	6-485-16B
		2950	5-481-15A
		2950	6-481-14HH
		2950	6-485-16
	240	2950	6-485-16B
		2950	5-481-15A
		2950	6-481-14HH
		2950	6-485-16
	245	2950	6-485-16B
		2950	5-481-15A
		2950	6-481-14HH
		2950	6-485-16
	250	2950	6-485-16B
		2950	6-481-14HH
		2950	6-485-16
	255	2950	6-485-16B
		2950	6-481-14HH
		2950	6-485-16
	260	2950	6-485-16B
		2950	6-481-14HH
		2950	6-485-16
265	2950	6-485-16B	
	2950	6-485-16	
270	2950	6-485-16B	
	2950	6-485-16	
275	2950	6-485-16B	
	2950	6-485-16	
280	2950	6-485-16B	
	2950	6-485-16	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 593P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
1 0 0 0 G P M	285	2950	6-485-16B
		2950	6-485-16
	290	2950	6-485-16B
		2950	6-485-16
	295	2950	6-485-16B
		2950	6-485-16
	300	2950	6-485-16B
		2950	6-485-16
	305	2950	6-485-16B
		2950	6-485-16
	310	2950	6-485-16B
		2950	6-485-16
	315	2950	6-485-16B
		2950	6-485-16
	320	2950	6-485-16B
		2950	6-485-16
	325	2950	6-485-16B
		2950	6-485-16
	330	2950	6-485-16B
		2950	6-485-16
	335	2950	6-485-16B
		2950	6-485-16
	340	2950	6-485-16B
		2950	6-485-16
	345	2950	6-485-16B
		2950	6-485-16
	350	2950	6-485-16B
		2950	6-485-16
	355	2950	6-485-16B
		2950	6-485-16
	360	2950	6-485-16B
		2950	6-485-16
	365	2950	6-485-16B
		2950	6-485-16
	370	2950	6-485-16B
		2950	6-485-16
	375	2950	6-485-16B
		2950	6-485-16
	380	2950	6-485-16B
		2950	6-485-16
	385	2950	6-485-16B
		2950	6-485-16
390	2950	6-485-16B	
	2950	6-485-16	
395	2950	6-485-16B	
	2950	6-485-16	
400	2950	6-485-16B	
	2950	6-485-16	
405	2950	6-485-16B	
	2950	6-485-16	
410	2950	6-485-16B	
415	2950	6-485-16B	
420	2950	6-485-16B	
425	2950	6-485-16B	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 594P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
1 2 5 0 G P M	78	1480	6-481-18C
	80	1480	6-481-18C
	85	1480	6-481-18C
	90	1480	6-481-18C
		1480	8-481-21
	95	1480	6-481-18C
		1480	8-481-21
	98	2950	6-481-11HH
	100	2950	6-481-11HH
		1480	6-481-18C
		1480	8-481-21
	105	2950	6-481-11HH
		1480	6-481-18C
		1480	8-481-21
	110	2950	6-481-11HH
		2950	6-481-14HH
		1480	8-481-21
	115	2950	6-481-11HH
		2950	6-481-14HH
		1480	8-481-21
	120	2950	6-481-11HH
		2950	6-481-14HH
		1480	8-481-21
	125	2950	6-481-11HH
		2950	6-481-14HH
		1480	8-481-21
	130	2950	6-481-11HH
		2950	6-481-14HH
		1480	8-481-21
	135	2950	6-481-11HH
		2950	6-481-14HH
		1480	8-481-21
	140	2950	6-481-11HH
		2950	6-481-14HH
		1480	8-481-21
	145	2950	6-481-11HH
		2950	6-481-14HH
	150	2950	6-481-14HH
	155	2950	6-481-14HH
	160	2950	6-481-14HH
	165	2950	6-481-14HH
	170	2950	6-481-14HH
	175	2950	6-481-14HH
	180	2950	6-481-14HH
	185	2950	6-481-14HH
	190	2950	6-481-14HH
	195	2950	6-481-14HH
	200	2950	6-481-14HH
205	2950	6-481-14HH	
210	2950	6-481-14HH	
215	2950	6-481-14HH	
	2950	6-485-16	
220	2950	6-481-14HH	
	2950	6-485-16	
225	2950	6-481-14HH	
	2950	6-485-16	
230	2950	6-481-14HH	
	2950	6-485-16	
235	2950	6-481-14HH	
	2950	6-485-16	
240	2950	6-481-14HH	
	2950	6-485-16	
245	2950	6-481-14HH	
	2950	6-485-16	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 595P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
1 2 5 0 G P M	250	2950	6-481-14HH
		2950	6-485-16
	255	2950	6-481-14HH
		2950	6-485-16
	260	2950	6-485-16B
		2950	6-481-14HH
	265	2950	6-485-16B
		2950	6-485-16
	270	2950	6-485-16B
		2950	6-485-16
	275	2950	6-485-16B
		2950	6-485-16
	280	2950	6-485-16B
		2950	6-485-16
	285	2950	6-485-16B
		2950	6-485-16
	290	2950	6-485-16B
		2950	6-485-16
	295	2950	6-485-16B
		2950	6-485-16
	300	2950	6-485-16B
		2950	6-485-16
	305	2950	6-485-16B
		2950	6-485-16
	310	2950	6-485-16B
		2950	6-485-16
	315	2950	6-485-16B
		2950	6-485-16
	320	2950	6-485-16B
		2950	6-485-16
	325	2950	6-485-16B
		2950	6-485-16
	330	2950	6-485-16B
		2950	6-485-16
	335	2950	6-485-16B
		2950	6-485-16
	340	2950	6-485-16B
		2950	6-485-16
	345	2950	6-485-16B
		2950	6-485-16
	350	2950	6-485-16B
		2950	6-485-16
	355	2950	6-485-16B
		2950	6-485-16
	360	2950	6-485-16B
		2950	6-485-16
	365	2950	6-485-16B
		2950	6-485-16
370	2950	6-485-16B	
	2950	6-485-16	
375	2950	6-485-16B	
	2950	6-485-16	
380	2950	6-485-16B	
	2950	6-485-16	
385	2950	6-485-16B	
	2950	6-485-16	
390	2950	6-485-16B	
	2950	6-485-16	
395	2950	6-485-16B	
400	2950	6-485-16B	
405	2950	6-485-16B	
410	2950	6-485-16B	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 596P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
1500 GPM	75	1480	6-481-18C
	80	1480	6-481-18C
	85	1480	6-481-18C
	88	1480	8-481-21
	90	1480	6-481-18C
		1480	8-481-21
	95	1480	6-481-18C
		1480	8-481-21
	100	1480	6-481-18C
		1480	8-481-21
	103	1480	6-481-18C
	105	1480	8-481-21
	110	1480	8-481-21
	115	1480	8-481-21
	120	1480	8-481-21
	121	2950	6-481-11HH
		2950	6-481-11HH
	125	1480	8-481-21
		2950	6-481-11HH
	130	1480	8-481-21
		2950	6-481-11HH
	135	2950	6-481-11HH
		1480	8-481-21
	137	2950	6-481-11HH
	140	1480	8-481-21
	153	2950	6-481-14HH
	155	2950	6-481-14HH
	160	2950	6-481-14HH
	165	2950	6-481-14HH
	170	2950	6-481-14HH
	175	2950	6-481-14HH
	180	2950	6-481-14HH
	185	2950	6-481-14HH
	190	2950	6-481-14HH
	195	2950	6-481-14HH
	200	2950	6-481-14HH
	205	2950	6-481-14HH
	210	2950	6-481-14HH
	215	2950	6-481-14HH
	220	2950	6-481-14HH
225	2950	6-481-14HH	
230	2950	6-481-14HH	
235	2950	6-481-14HH	
240	2950	6-481-14HH	
245	2950	6-481-14HH	
250	2950	6-481-14HH	
255	2950	6-481-14HH	
336	2950	6-485-16	
340	2950	6-485-16	
345	2950	6-485-16	
350	2950	6-485-16	
355	2950	6-485-16	
360	2950	6-485-16	
365	2950	6-485-16	
370	2950	6-485-16	
375	2950	6-485-16	
379	2950	6-485-16	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 597P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
2000 GPM	52	1480	8-481-17B
	55	1480	8-481-17B
	60	1480	8-481-17B
	65	1480	8-481-17B
	70	1480	8-481-17B
	75	1480	8-481-17B
	80	1480	8-481-17B
	85	1480	8-481-17B
	90	1480	8-481-17B
		1480	8-481-21
	95	1480	8-481-21
	100	1480	8-481-21
	105	1480	8-481-21
	110	1480	8-481-21
	112	1480	8-481-24
	115	1480	8-481-21
		1480	8-481-24
	120	1480	8-481-21
		1480	8-481-24
	125	1480	8-481-21
		1480	8-481-24
	130	1480	8-481-21
		1480	8-481-24
	135	1480	8-481-21
		1480	8-481-24
	140	1480	8-481-24
	145	1480	8-481-24
	150	1480	8-481-24
155	1480	8-481-24	
160	1480	8-481-24	
165	1480	8-481-24	
170	1480	8-481-24	
172	1480	8-481-24	

**SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven**

Section 912 Page 598P
Date December 19, 2017
Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
2500 GPM	63	1480	10-481-18D
	65	1480	10-481-18
		1480	10-481-18D
	70	1480	10-481-18
		1480	10-481-18D
	75	1480	10-481-18
		1480	10-481-18D
	80	1480	10-481-18
		1480	10-481-18D
	85	1480	10-481-18
		1480	10-481-18D
	90	1480	10-481-18
		1480	10-481-18D
	95	1480	10-481-18
		1480	10-481-18D
	96	1480	10-481-18D
	100	1480	10-481-18
		1480	8-481-21A
	105	1480	8-481-21A
	110	1480	8-481-21A
	115	1480	8-481-21A
		1480	8-481-24
	120	1480	8-481-21A
		1480	8-481-24
	125	1480	8-481-21A
		1480	8-481-24
	130	1480	8-481-24
	135	1480	8-481-24
140	1480	8-481-24	
145	1480	8-481-24	
150	1480	8-481-24	
155	1480	8-481-24	
160	1480	8-481-24	
165	1480	8-481-24	
167	1480	8-481-24	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 599P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
3000	61	1480	10-481-18D
	63	1480	10-481-18
	65	1480	10-481-18
		1480	10-481-18D
	70	1480	10-481-18
		1480	10-481-18D
	75	1480	10-481-18
		1480	10-481-18D
	80	1480	10-481-18
		1480	10-481-18D
	85	1480	10-481-18
		1480	10-481-18D
90	1480	10-481-18	
	1480	10-481-18D	
95	1480	10-481-18	
	1480	10-481-18D	
100	1480	10-481-18	

3500	59	1480	10-481-18D
	60	1480	10-481-18
		1480	10-481-18D
	65	1480	10-481-18
		1480	10-481-18D
	70	1480	10-481-18
		1480	10-481-18D
	75	1480	10-481-18
		1480	10-481-18D
	80	1480	10-481-18
		1480	10-481-18D
	85	1480	10-481-18
1480		10-481-18D	
90	1480	10-481-18	
	1480	10-481-18D	
94	1480	10-481-18D	
95	1480	10-481-18	
97	1480	10-481-18	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 600P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
4000	63	1480	10-491-20
	64	1480	10-481-18D
	65	1480	10-491-20
		1840	10-481-18D
	70	1480	10-481-18D
		1480	10-491-20
	75	1480	10-481-18D
		1480	10-491-20
	80	1480	10-481-18D
		1480	10-491-20
	85	1480	10-481-18D
		1480	10-491-20
	90	1480	10-481-18D
		1480	10-491-20
	92	1480	10-481-18D
	95	1480	10-491-20
	100	1480	10-491-20
	105	1480	10-491-20
110	1480	10-491-20	
115	1480	10-491-20	
120	1480	10-491-20	
125	1480	10-491-20	
130	1480	10-491-20	
134	1480	10-491-20	
4500	75	1480	10-491-20
	80	1480	10-491-20
	85	1480	10-491-20
	90	1480	10-491-20
	95	1480	10-491-20
	100	1480	10-491-20
	105	1480	10-491-20
	110	1480	10-491-20
	115	1480	10-491-20
	120	1480	10-491-20
	125	1480	10-491-20
130	1480	10-491-20	
133	1480	10-491-20	
5000	95	1480	10-491-20
	100	1480	10-491-20
	105	1480	10-491-20
	110	1480	10-491-20
	115	1480	10-491-20
	120	1480	10-491-20
	125	1480	10-491-20
	130	1480	10-491-20
132	1480	10-491-20	