

**SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven**

Section 912 Page 583P
Date December 19, 2017
Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
250 GPM	40	2950	3" 1824F
	45	2950	3" 1824F
	50	2950	3" 1824F
	51	2950	2.5" 1823BF
	55	2950	2.5" 1823BF
		2950	3" 1824F
	60	2950	2.5" 1823BF
		2950	3" 1824F
	65	2950	2.5" 1823BF
		2950	3" 1824F
	70	2950	2.5" 1823BF
		2950	3" 1824F
	75	2950	2.5" 1823BF
		2950	3" 1824F
	80	2950	2.5" 1823BF
		2950	3" 1824F
	85	2950	2.5" 1823BF
		2950	3" 1824F
	90	2950	2.5" 1823BF
		2950	3" 1824F
	95	2950	2.5" 1823BF
		2950	3" 1824F
	100	2950	2.5" 1823BF
		2950	3" 1824F
105	2950	2.5" 1823BF	
	2950	3" 1824F	
110	2950	2.5" 1823BF	
	2950	3" 1824F	
115	2950	2.5" 1823BF	
	2950	3" 1824F	
120	2950	3" 1824F	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 584P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
400	121	2950	5"-1823AF
	125	2950	5"-1823AF
	130	2950	5"-1823AF
	135	2950	5"-1823AF
	140	2950	5"-1823AF
	145	2950	5"-1823AF
	150	2950	5"-1823AF
	155	2950	5"-1823AF
	160	2950	5"-1823AF
	165	2950	5"-1823AF
	170	2950	5"-1823AF
	175	2950	5"-1823AF
	180	2950	5"-1823AF
	185	2950	5"-1823AF
	190	2950	5"-1823AF
	195	2950	5"-1823AF
	200	2950	5"-1823AF
	205	2950	5"-1823AF
	210	2950	5"-1823AF
	215	2950	5"-1823AF
	220	2950	5"-1823AF
	225	2950	5"-1823AF
	230	2950	5"-1823AF
	235	2950	5"-1823AF
	240	2950	5"-1823AF
	245	2950	5"-1823AF
250	2950	5"-1823AF	
255	2950	5"-1823AF	
260	2950	5"-1823AF	
265	2950	5"-1823AF	
450	120	2950	5"-1823AF
	125	2950	5"-1823AF
	130	2950	5"-1823AF
	135	2950	5"-1823AF
	140	2950	5"-1823AF
	145	2950	5"-1823AF
	150	2950	5"-1823AF
	155	2950	5"-1823AF
	160	2950	5"-1823AF
	165	2950	5"-1823AF
	170	2950	5"-1823AF
	175	2950	5"-1823AF
	180	2950	5"-1823AF
	185	2950	5"-1823AF
	190	2950	5"-1823AF
	195	2950	5"-1823AF
	200	2950	5"-1823AF
	205	2950	5"-1823AF
	210	2950	5"-1823AF
	215	2950	5"-1823AF
	220	2950	5"-1823AF
	225	2950	5"-1823AF
	230	2950	5"-1823AF
	235	2950	5"-1823AF
	240	2950	5"-1823AF
	245	2950	5"-1823AF
250	2950	5"-1823AF	
255	2950	5"-1823AF	
260	2950	5"-1823AF	
265	2950	5"-1823AF	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 585P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
500 GPM	55	2950	4"-1823CF
	60	2950	4"-1823CF
	61	2950	4"-1823DF
	65	2950	4"-1823DF
	68	1480	5"-1922F
		1480	5"-1922F
	70	2950	4"-1823DF
		1480	5"-1922F
	75	2950	4"-1823DF
		1480	5"-1922F
	80	1480	5"-1922F
		2950	4"-1823DF
	85	1480	5"-1922F
		2950	4"-1823DF
	90	1480	5"-1922F
		2950	4"-1823DF
	95	1480	5"-1922F
		2950	4"-1823DF
	100	1480	5"-1922F
		2950	4"-1823DF
	105	1480	5"-1922F
		2950	4"-1823DF
	110	1480	5"-1922F
		2950	4"-1823DF
	115	1480	5"-1922F
		2950	4"-1823DF
	119	2950	5"-1823AF
		1480	5"-1922F
	120	2950	5"-1823AF
		2950	4"-1823DF
		1480	5"-1922F
	125	2950	5"-1823AF
		2950	4"-1823DF
		1480	5"-1922F
	130	2950	5"-1823AF
		2950	4"-1823DF
		1480	5"-1922F
	134	2950	4"-1823DF
		2950	5"-1823AF
	135	1480	5"-1922F
		2950	5"-1823AF
	140	1480	5"-1922F
2950		5"-1823AF	
145	2950	5"-1823AF	
	2950	5"-1823AF	
150	2950	5"-1823AF	
	2950	5"-1823AF	
155	2950	5"-1823AF	
	2950	6"-2876AF	
160	2950	5"-1823AF	
	2950	6"-2876AF	
165	2950	5"-1823AF	
	2950	6"-2876AF	
170	2950	5"-1823AF	
	2950	6"-2876AF	
175	2950	5"-1823AF	
	2950	6"-2876AF	
180	2950	5"-1823AF	
	2950	6"-2876AF	
185	2950	5"-1823AF	
	2950	6"-2876AF	
190	2950	5"-1823AF	
	2950	6"-2876AF	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 586P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
500 GPM	195	2950	5"-1823AF
		2950	5"-1924F
	200	2950	5"-1823AF
		2950	5"-1924F
	205	2950	5"-1823AF
		2950	5"-1924F
	210	2950	5"-1823AF
		2950	5"-1924F
	215	2950	5"-1823AF
		2950	5"-1924F
	220	2950	5"-1823AF
		2950	5"-1924F
	225	2950	5"-1823AF
		2950	5" 1924F
	230	2950	5"-1823AF
		2950	5" 1924F
	235	2950	5"-1823AF
		2950	5" 1924F
	240	2950	5"-1823AF
		2950	5" 1924F
	243	2950	6"-1923F
		2950	5" 1924F
	245	2950	5"-1823AF
		2950	6"-1923F
		2950	5" 1924F
	250	2950	5"-1823AF
		2950	6"-1923F
		2950	5" 1924F
	255	2950	5"-1823AF
		2950	6"-1923F
		2950	5" 1924F
	260	2950	5" 1924F
		2950	5"-1823AF
		2950	6"-1923F
	265	2950	5" 1924F
		2950	5"-1823AF
		2950	6"-1923F
	270	2950	5" 1924F
		2950	6"-1923F
	275	2950	5" 1924F
		2950	6"-1923F
	280	2950	5" 1924F
2950		6"-1923F	
285	2950	5" 1924F	
	2950	6"-1923F	
290	2950	5" 1924F	
	2950	6"-1923F	
295	2950	5" 1924F	
	2950	6"-1923F	
300	2950	5" 1924F	
	2950	6"-1923F	
305	2950	5" 1924F	
	2950	6"-1923F	
310	2950	5" 1924F	
	2950	6"-1923F	
315	2950	5" 1924F	
	2950	6"-1923F	
319	2950	5" 1924F	

**SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven**

Section 912 Page 587P
Date December 19, 2017
Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
500 GPM	320	2950	6"-1923F
	325	2950	6"-1923F
	330	2950	6" 1923F
	335	2950	6" 1923F
	340	2950	6" 1923F
	345	2950	6" 1923F
	350	2950	6" 1923F
	355	2950	6" 1923F
	360	2950	6" 1923F
	365	2950	6" 1923F
	370	2950	6" 1923F
	375	2950	6" 1923F
	380	2950	6" 1923F
	385	2950	6" 1923F
	390	2950	6" 1923F
	395	2950	6" 1923F
	400	2950	6" 1923F
	405	2950	6" 1923F
	410	2950	6" 1923F
	415	2950	6" 1923F
420	2950	6" 1923F	
425	2950	6"-1923F	
430	2950	6"-1923F	
431	2950	6"-1923F	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 588P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
750 GPM	66	2950	4"-2873AF
	70	2950	4"-2873AF
	80	1480	6"-1922AF
	85	1480	6"-1922AF
	90	1480	6"-1922AF
	95	1480	6"-1922AF
	96	2950	4"-2876AF
	100	1480	6"-1922AF
		2950	4"-2876AF
	105	1480	6"-1922AF
		2950	5"-1822CF
	110	2950	4"-2876AF
		1480	6"-1922AF
	115	2950	5"-1823AF
		2950	5"-1822CF
	120	2950	4"-2876AF
		1480	6"-1922AF
		2950	5"-1823AF
		2950	5"-1822CF
	125	2950	4"-2876AF
		2950	4"-2876CF
		1480	6"-1922AF
		2950	5"-1823AF
	130	2950	5"-1822CF
		2950	4"-2876AF
		2950	4"-2876CF
		1480	6"-1922AF
	135	2950	5"-1823AF
		2950	5"-1822CF
		2950	4"-2876AF
		1480	6"-1922AF
	140	2950	4"-2876CF
		2950	4"-2876AF
		1480	6"-1922AF
		2950	5"-1823AF
	142	2950	5"-1822CF
		2950	6"-2876AF
		1480	6"-1922AF
	145	2950	5"-1822CF
		2950	4"-2876AF
		2950	5"-1823AF
		2950	6"-2876AF
	150	2950	4"-2876AF
		1480	6"-1922AF
		2950	5"-1822CF
		2950	5"-1823AF
	154	2950	6"-2876AF
		2950	5"-1822CF
155	1480	6"-1922AF	
	2950	5"-1823AF	
	2950	6"-2876AF	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 589P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
750 GPM	160	1480	6"-1922AF
		2950	5"-1823AF
		2950	6"-2876AF
	165	1480	6"-1922AF
		2950	5"-1823AF
		2950	6"-2876AF
	170	1480	6"-1922AF
		2950	5"-1823AF
		2950	6" 2876AF
	175	1480	6"-1922AF
		2950	5"-1823AF
		2950	6"-2876AF
	180	2950	5"-1823AF
	185	2950	5"-1823AF
	190	2950	5"-1823AF
	195	2950	5"-1823AF
	196	2950	6"-1924F
	200	2950	5"-1823AF
		2950	6"-1924F
	205	2950	5"-1823AF
	206	2950	6"-1924F
	210	2950	5"-1823AF
		2950	6"-1924F
	215	2950	5"-1823AF
		2950	6"-1924F
	220	2950	5"-1823AF
		2950	6"-1924F
	225	2950	5"-1823AF
		2950	6"-1924F
	230	2950	5"-1823AF
		2950	6"-1924F
	235	2950	5"-1823AF
		2950	6"-1924F
	237	2950	6"-1923F
	240	2950	6"-1924F
		2950	5"-1823AF
		2950	6"-1923F
	245	2950	6"-1924F
		2950	5"-1823AF
		2950	6"-1923F
250	2950	5"-1823AF	
	2950	6"-1923F	
255	2950	6"-1924F	
	2950	5"-1823AF	
	2950	6"-1923F	
260	2950	6"-1924F	
	2950	6"-1923F	
265	2950	6"-1924F	
	2950	6"-1923F	
270	2950	6"-1924F	
	2950	6"-1923F	
275	2950	6"-1924F	
	2950	6"-1923F	
280	2950	6"-1924F	
	2950	6"-1923F	
285	2950	6"-1924F	
	2950	6"-1923F	
290	2950	6"-1924F	
	2950	6"-1923F	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 590P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
750 GPM	295	2950	6"-1924F
		2950	6"-1923F
	300	2950	6"-1924F
		2950	6"-1923F
	305	2950	6"-1924F
		2950	6"-1923F
	310	2950	6"-1924F
		2950	6"-1923F
	315	2950	6"-1924F
		2950	6"-1923F
	320	2950	6"-1924F
		2950	6"-1923F
	325	2950	6"-1924F
		2950	6"-1923F
	330	2950	6"-1924F
		2950	6"-1923F
	335	2950	6"-1924F
		2950	6"-1923F
	340	2950	6"-1924F
		2950	6"-1923F
	345	2950	6"-1924F
		2950	6"-1923F
	350	2950	6" 1923F
		2950	6" 1923F
	365	2950	6" 1923F
		2950	6" 1923F
	370	2950	6"-1923BF
		2950	6" 1923F
	375	2950	6"-1923BF
		2950	6"-1923F
	380	2950	6"-1923BF
		2950	6"-1923F
	385	2950	6"-1923BF
		2950	6"-1923F
	390	2950	6"-1923BF
		2950	6"-1923F
395	2950	6"-1923BF	
	2950	6"-1923F	
400	2950	6"-1923BF	
	2950	6"-1923F	
405	2950	6"-1923BF	
	2950	6"-1923F	
410	2950	6"-1923BF	
	2950	6"-1923F	
415	2950	6"-1923BF	
	2950	6"-1923F	
420	2950	6"-1923BF	
	2950	6"-1923F	
421	2950	6"-1923F	
425	2950	6"-1923BF	
430	2950	6"-1923BF	
435	2950	6"-1923BF	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 591P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
1000 GPM	81	1480	6"-1824CF
	85	1480	6"-1824CF
	90	1480	6"-1824CF
	93	2950	6"-1822HHF
	95	1480	6"-1824CF
		2950	6"-1822HHF
	97	2950	5"-1822CF
	100	1480	6"-1824CF
		2950	5"-1822CF
		2950	6"-1822HHF
	102	2950	6"-1823HHF
	104	2950	5"-1823AF
	105	1480	6"-1824CF
		2950	5"-1822CF
		2950	5"-1823AF
		2950	6"-1822HHF
		2950	6"-1823HHF
	108	1480	6"-1824CF
	110	2950	5"-1822CF
		2950	5"-1823AF
		2950	6"-1822HHF
		2950	6"-1823HHF
	115	2950	5"-1822CF
		2950	6"-1822HHF
		2950	5"-1823AF
		2950	6"-1823HHF
		2950	5"-1822CF
	120	2950	5"-1823AF
		2950	6"-1822HHF
		2950	6"-1823HHF
		2950	5"-1822CF
	125	2950	5"-1823AF
		2950	6"-1822HHF
		2950	6"-1823HHF
		2950	5"-1822CF
	130	2950	5"-1823AF
		2950	6"-1822HHF
		2950	6"-1823HHF
		2950	5"-1822CF
	135	2950	5"-1823AF
		2950	6"-1822HHF
		2950	6"-1823HHF
2950		5"-1822CF	
140	2950	5"-1823AF	
	2950	6"-1822HHF	
	2950	6"-1823HHF	
	2950	5"-1822CF	
145	2950	5"-1823AF	
	2950	6"-1822HHF	
	2950	6"-1823HHF	
	2950	5"-1822CF	
150	2950	6"-1822HHF	
	2950	5"-1823AF	
	2950	6"-1823HHF	
155	2950	5"-1823AF	
	2950	6"-1823HHF	
160	2950	5"-1823AF	
	2950	6"-1823HHF	
165	2950	5"-1823AF	
	2950	6"-1823HHF	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 592P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model	
1000	170	2950	5"-1823AF	
		2950	6"-1823HHF	
	175	2950	5"-1823AF	
		2950	6"-1823HHF	
	180	2950	5"-1823AF	
		2950	6"-1823HHF	
	185	2950	5"-1823AF	
		2950	6"-1823HHF	
	190	2950	5"-1823AF	
		2950	6"-1823HHF	
	195	2950	5"-1823AF	
		2950	6"-1823HHF	
	200	2950	5"-1823AF	
		2950	6"-1823HHF	
	205	2950	5"-1823AF	
		2950	6"-1823HHF	
	210	2950	5"-1823AF	
		2950	6" 1823HHF	
	215	2950	5"-1823AF	
		2950	6"-1823HHF	
	220	2950	5"-1823AF	
		2950	6"-1823HHF	
	225	2950	5"-1823AF	
		2950	6"-1823HHF	
	230	230	2950	6"-1923F
			2950	6"-1823HHF
			2950	6"-1923F
	234	234	2950	6"-1923BF
			2950	6"-1923BF
	235	235	2950	5"-1823AF
			2950	6"-1823HHF
			2950	6"-1923F
	240	240	2950	6"-1923BF
			2950	5"-1823AF
			2950	6"-1823HHF
	245	245	2950	6"-1923F
			2950	6"-1923BF
			2950	5"-1823AF
	250	250	2950	6"-1823HHF
			2950	6"-1923F
			2950	6"-1923BF
	255	255	2950	6"-1923BF
			2950	6"-1823HHF
			2950	6"-1923F
	260	260	2950	6"-1923BF
			2950	6"-1823HHF
			2950	6"-1923F
	265	265	2950	6"-1923BF
2950			6"-1923F	
270	270	2950	6"-1923BF	
		2950	6" 1923F	
275	275	2950	6"-1923BF	
		2950	6" 1923F	
280	280	2950	6"-1923BF	
		2950	6" 1923F	

**SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven**

Section 912 Page 593P
Date December 19, 2017
Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
1000	285	2950	6"-1923BF
		2950	6" 1923F
	290	2950	6"-1923BF
		2950	6" 1923F
	295	2950	6"-1923BF
		2950	6" 1923F
	300	2950	6"-1923BF
		2950	6" 1923F
	305	2950	6"-1923BF
		2950	6" 1923F
	310	2950	6"-1923BF
		2950	6" 1923F
	315	2950	6"-1923BF
		2950	6" 1923F
	320	2950	6"-1923BF
		2950	6" 1923F
	325	2950	6"-1923BF
		2950	6" 1923F
	330	2950	6"-1923BF
		2950	6" 1923F
	335	2950	6"-1923BF
		2950	6" 1923F
	340	2950	6"-1923BF
		2950	6" 1923F
	345	2950	6"-1923BF
		2950	6" 1923F
	350	2950	6"-1923BF
		2950	6" 1923F
	355	2950	6"-1923BF
		2950	6" 1923F
	360	2950	6"-1923BF
		2950	6" 1923F
	365	2950	6"-1923BF
		2950	6" 1923F
	370	2950	6"-1923BF
		2950	6" 1923F
	375	2950	6"-1923BF
		2950	6" 1923F
	380	2950	6"-1923BF
		2950	6" 1923F
	385	2950	6"-1923BF
		2950	6" 1923F
390	2950	6"-1923BF	
	2950	6" 1923F	
395	2950	6"-1923BF	
	2950	6" 1923F	
400	2950	6"-1923BF	
	2950	6" 1923F	
405	2950	6"-1923BF	
	2950	6" 1923F	
410	2950	6"-1923BF	
415	2950	6"-1923BF	
420	2950	6"-1923BF	
425	2950	6"-1923BF	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 594P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
1 2 5 0 G P M	78	1480	6"-1824CF
	80	1480	6"-1824CF
	85	1480	6"-1824CF
	90	1480	6"-1824CF
		1480	8"-1825F
	95	1480	6"-1824CF
		1480	8"-1825F
	98	2950	6"-1822HHF
	100	2950	6"-1822HHF
		1480	6"-1824CF
		1480	8"-1825F
	105	2950	6"-1822HHF
		1480	6"-1824CF
		1480	8"-1825F
	110	2950	6"-1822HHF
		2950	6"-1823HHF
	115	1480	8"-1825F
		2950	6"-1822HHF
		2950	6"-1823HHF
	120	1480	8"-1825F
		2950	6"-1822HHF
		2950	6"-1823HHF
	125	1480	8"-1825F
		2950	6"-1822HHF
		2950	6"-1823HHF
	130	2950	6"-1822HHF
		2950	6"-1823HHF
		1480	8"-1825F
	135	2950	6"-1822HHF
		2950	6"-1823HHF
		1480	8"-1825F
	140	2950	6"-1822HHF
		2950	6"-1823HHF
		1480	8"-1825F
	145	2950	6"-1822HHF
		2950	6"-1823HHF
	150	2950	6"-1823HHF
	155	2950	6"-1823HHF
	160	2950	6"-1823HHF
	165	2950	6"-1823HHF
	170	2950	6"-1823HHF
	175	2950	6"-1823HHF
180	2950	6"-1823HHF	
185	2950	6"-1823HHF	
190	2950	6"-1823HHF	
195	2950	6" 1823HHF	
200	2950	6" 1823HHF	
205	2950	6" 1823HHF	
210	2950	6" 1823HHF	
215	2950	6" 1823HHF	
	2950	6"-1923F	
220	2950	6"-1823HHF	
	2950	6"-1923F	
225	2950	6"-1823HHF	
	2950	6"-1923F	
230	2950	6"-1823HHF	
	2950	6"-1923F	
235	2950	6"-1823HHF	
	2950	6"-1923F	
240	2950	6"-1823HHF	
	2950	6" 1923F	
245	2950	6"-1823HHF	
	2950	6" 1923F	



FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 595P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
1 2 5 0 G P M	250	2950	6"-1823HHF
		2950	6" 1923F
	255	2950	6"-1823HHF
		2950	6" 1923F
	260	2950	6"-1923BF
		2950	6"-1823HHF
	265	2950	6"-1923BF
		2950	6" 1923F
	270	2950	6"-1923BF
		2950	6" 1923F
	275	2950	6"-1923BF
		2950	6" 1923F
	280	2950	6"-1923BF
		2950	6" 1923F
	285	2950	6"-1923BF
		2950	6" 1923F
	290	2950	6"-1923BF
		2950	6" 1923F
	295	2950	6"-1923BF
		2950	6" 1923F
	300	2950	6"-1923BF
		2950	6" 1923F
	305	2950	6"-1923BF
		2950	6" 1923F
	310	2950	6"-1923BF
		2950	6" 1923F
	315	2950	6"-1923BF
		2950	6" 1923F
	320	2950	6"-1923BF
		2950	6" 1923F
	325	2950	6"-1923BF
		2950	6" 1923F
	330	2950	6"-1923BF
		2950	6" 1923F
	335	2950	6"-1923BF
		2950	6"-1923F
	340	2950	6"-1923BF
		2950	6" 1923F
	345	2950	6"-1923BF
		2950	6" 1923F
	350	2950	6"-1923BF
		2950	6" 1923F
	355	2950	6"-1923BF
		2950	6" 1923F
	360	2950	6"-1923BF
		2950	6" 1923F
	365	2950	6"-1923BF
		2950	6" 1923F
370	2950	6"-1923BF	
	2950	6" 1923F	
375	2950	6"-1923BF	
	2950	6" 1923F	
380	2950	6"-1923BF	
	2950	6" 1923F	
385	2950	6"-1923BF	
	2950	6"-1923F	
390	2950	6"-1923BF	
	2950	6"-1923F	
395	2950	6"-1923BF	
400	2950	6"-1923BF	
405	2950	6"-1923BF	
410	2950	6"-1923BF	



FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 596P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
1500 GPM	75	1480	6"-1824CF
	80	1480	6"-1824CF
	85	1480	6"-1824CF
	88	1480	8"-1825F
	90	1480	6"-1824CF
		1480	8"-1825F
	95	1480	6"-1824CF
		1480	8"-1825F
	100	1480	6"-1824CF
		1480	8"-1825F
	103	1480	6"-1824CF
	105	1480	8"-1825F
	110	1480	8"-1825F
	115	1480	8"-1825F
	120	1480	8"-1825F
	121	2950	6"-1822HHF
	125	2950	6"-1822HHF
		1480	8"-1825F
	130	2950	6"-1822HHF
		1480	8"-1825F
	135	2950	6"-1822HHF
		1480	8"-1825F
	137	2950	6"-1822HHF
	140	1480	8"-1825F
	153	2950	6"-1823HHF
	155	2950	6"-1823HHF
	160	2950	6" 1823HHF
	165	2950	6" 1823HHF
	170	2950	6" 1823HHF
	175	2950	6" 1823HHF
	180	2950	6" 1823HHF
	185	2950	6" 1823HHF
	190	2950	6"-1823HHF
	195	2950	6"-1823HHF
	200	2950	6"-1823HHF
	205	2950	6" 1823HHF
	210	2950	6" 1823HHF
	215	2950	6" 1823HHF
	220	2950	6" 1823HHF
	225	2950	6" 1823HHF
230	2950	6" 1823HHF	
235	2950	6" 1823HHF	
240	2950	6" 1823HHF	
245	2950	6" 1823HHF	
250	2950	6" 1823HHF	
255	2950	6" 1823HHF	
336	2950	6"-1923F	
340	2950	6"-1923F	
345	2950	6"-1923F	
350	2950	6"-1923F	
355	2950	6"-1923F	
360	2950	6"-1923F	
365	2950	6"-1923F	
370	2950	6"-1923F	
375	2950	6"-1923F	
379	2950	6"-1923F	

**SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven**

Section 912 Page 597P
Date December 19, 2017
Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
2000 GPM	52	1480	8"-1824BF
	55	1480	8"-1824BF
	60	1480	8"-1824BF
	65	1480	8"-1824BF
	70	1480	8"-1824BF
	75	1480	8"-1824BF
	80	1480	8"-1824BF
	85	1480	8"-1824BF
	90	1480	8"-1824BF
		1480	8"-1825F
	95	1480	8"-1825F
		1480	8" 1825F
	100	1480	8" 1825F
	105	1480	8" 1825F
	110	1480	8" 1825F
	112	1480	8"-1826F
	115	1480	8" 1825F
		1480	8"-1826F
	120	1480	8" 1825F
		1480	8"-1826F
	125	1480	8" 1825F
		1480	8"-1826F
	130	1480	8" 1825F
		1480	8"-1826F
	135	1480	8" 1825F
		1480	8"-1826F
	140	1480	8"-1826F
	145	1480	8"-1826F
150	1480	8"-1826F	
155	1480	8"-1826F	
160	1480	8"-1826F	
165	1480	8"-1826F	
170	1480	8"-1826F	
172	1480	8"-1826F	



**SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven**

Section 912 Page 598P
Date December 19, 2017
Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
2500 GPM	63	1480	10"-1824DF
	65	1480	10"-1824F
		1480	10"-1824DF
	70	1480	10"-1824F
		1480	10"-1824DF
	75	1480	10"-1824F
		1480	10"-1824DF
	80	1480	10"-1824F
		1480	10"-1824DF
	85	1480	10"-1824F
		1480	10"-1824DF
	90	1480	10"-1824F
		1480	10"-1824DF
	95	1480	10"-1824F
		1480	10" 1824DF
	96	1480	10"-1824DF
		100	1480
	105	1480	8"-1825AF
		110	1480
	115	1480	8"-1825AF
		1480	8"-1826F
	120	1480	8"-1825AF
		1480	8"-1826F
	125	1480	8"-1825AF
		1480	8"-1826F
	130	1480	8"-1826F
	135	1480	8"-1826F
	140	1480	8"-1826F
145	1480	8"-1826F	
150	1480	8"-1826F	
155	1480	8"-1826F	
160	1480	8"-1826F	
165	1480	8"-1826F	
167	1480	8"-1826F	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 599P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
3000	61	1480	10"-1824DF
	63	1480	10"-1824F
	65	1480	10"-1824F
		1480	10"-1824DF
	70	1480	10"-1824F
		1480	10"-1824DF
	75	1480	10"-1824F
		1480	10"-1824DF
	80	1480	10"-1824F
		1480	10"-1824DF
	85	1480	10"-1824F
		1480	10"-1824DF
	90	1480	10" 1824F
		1480	10"-1824DF
95	1480	10" 1824F	
	1480	10"-1824DF	
100	1480	10" 1824F	

3500	59	1480	10"-1824DF
	60	1480	10"-1824F
		1480	10"-1824DF
	65	1480	10" 1824F
		1480	10"-1824DF
	70	1480	10" 1824F
		1480	10"-1824DF
	75	1480	10" 1824F
		1480	10" 1824DF
	80	1480	10" 1824F
		1480	10" 1824DF
	85	1480	10" 1824F
		1480	10" 1824DF
	90	1480	10" 1824F
1480		10" 1824DF	
94	1480	10"-1824DF	
95	1480	10"-1824F	
97	1480	10"-1824F	

SELECTION TABLES
Horizontal Split Case
50Hz Electric Motor Driven

Section 912 Page 600P
 Date December 19, 2017
 Supersedes March 14, 2016

GPM	Rated Pressure (PSI)	Speed (RPM)	Pump Size & Model
4000	63	1480	10"-2825AF
	64	1480	10"-1824DF
	65	1480	10"-2825AF
		1840	10"-1824DF
	70	1480	10"-1824DF
		1480	10"-2825AF
	75	1480	10"-1824DF
		1480	10"-2825AF
	80	1480	10"-1824DF
		1480	10"-2825AF
	85	1480	10"-1824DF
		1480	10"-2825AF
	90	1480	10"-1824DF
		1480	10"-2825AF
	92	1480	10"-1824DF
	95	1480	10"-2825AF
	100	1480	10"-2825AF
105	1480	10"-2825AF	
110	1480	10"-2825AF	
115	1480	10"-2825AF	
120	1480	10"-2825AF	
125	1480	10"-2825AF	
130	1480	10"-2825AF	
134	1480	10"-2825AF	
4500	75	1480	10"-2825AF
	80	1480	10"-2825AF
	85	1480	10"-2825AF
	90	1480	10"-2825AF
	95	1480	10"-2825AF
	100	1480	10" 2825AF
	105	1480	10" 2825AF
	110	1480	10" 2825AF
	115	1480	10" 2825AF
	120	1480	10" 2825AF
	125	1480	10" 2825AF
130	1480	10" 2825AF	
133	1480	10" 2825AF	
5000	95	1480	10" 2825AF
	100	1480	10" 2825AF
	105	1480	10" 2825AF
	110	1480	10" 2825AF
	115	1480	10" 2825AF
	120	1480	10" 2825AF
	125	1480	10" 2825AF
	130	1480	10" 2825AF
132	1480	10" 2825AF	

