

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 301P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

<b>Diesel Driven</b>				
<b>Flow GPM</b>	<b>Pressure</b>		<b>Speed (RPM)</b>	<b>Pump Size &amp; Model</b>
	<b>PSI</b>	<b>TDH</b>		
<b>2 5 0  G P M</b>	40	92	3000	3"-1824F
	45	104	3000	3"-1824F
	50	115	3000	3"-1824F
	52	120	3000	2-1/2"-1823BF
	55	127	3000	2-1/2"-1823BF
			3000	3"-1824F
	60	139	3000	2-1/2"-1823BF
			3000	3"-1824F
	65	150	3000	2-1/2"-1823BF
			3000	3"-1824F
	70	162	3000	2-1/2"-1823BF
			3000	3"-1824F
	75	173	3000	2-1/2"-1823BF
			3000	3"-1824F
	80	185	3000	2-1/2"-1823BF
			3000	3"-1824F
	85	196	3000	2-1/2"-1823BF
			3000	3"-1824F
	90	208	3000	2-1/2"-1823BF
			3000	3"-1824F
95	219	3000	2-1/2"-1823BF	
		3000	3"-1824F	
100	231	3000	2-1/2"-1823BF	
		3000	3"-1824F	
105	242	3000	2-1/2"-1823BF	
		3000	3"-1824F	
110	254	3000	2-1/2"-1823BF	
		3000	2-1/2"-1823BF	
115	265	3000	3"-1824F	
		3000	3"-1824F	
120	277	3000	3"-1824F	
121	279	3000	3"-1824F	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 302P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>400 GPM</b>	67	155	2100	5"-1823AF
	70	162	2100	5"-1823AF
	75	173	2100	5"-1823AF
	77	178	2250	5"-1823AF
	80	185	2100	5"-1823AF
			2250	5"-1823AF
	84	194	2350	5"-1823AF
			2100	5"-1823AF
	85	196	2250	5"-1823AF
			2350	5"-1823AF
			2100	5"-1823AF
	90	208	2250	5"-1823AF
			2350	5"-1823AF
			2100	5"-1823AF
	95	219	2250	5"-1823AF
			2350	5"-1823AF
			2100	5"-1823AF
	100	231	2250	5"-1823AF
			2350	5"-1823AF
			2100	5"-1823AF
	103	238	2100	5"-1823F
	105	243	2100	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
			2350	5"-1823AF
			2600	5"-1823AF
	108	249	2800	5"-1823AF
			2100	5"-1823AF
	110	254	2100	5"-1823F
			2250	5"-1823AF
			2350	5"-1823AF
			2600	5"-1823AF
2800			5"-1823AF	
2100			5"-1823AF	
115	266	2100	5"-1823F	
		2250	5"-1823AF	
		2350	5"-1823AF	
		2600	5"-1823AF	
		2800	5"-1823AF	
120	277	2100	5"-1823AF	
		2100	5"-1823F	
		2250	5"-1823AF	
		2350	5"-1823AF	
		2600	5"-1823AF	
		2800	5"-1823AF	
125	289	2100	5"-1823AF	
		2100	5"-1823F	
		2250	5"-1823AF	
		2350	5"-1823AF	
		2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 303P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>400 GPM</b>	130	300	2100	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
			2350	5"-1823AF
			2600	5"-1823AF
			2800	5"-1823AF
	132	305	2100	5"-1823AF
			2100	5"-1823F
	135	312	2250	5"-1823AF
			2350	5"-1823AF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
	140	323	2100	5"-1823F
			2250	5"-1823AF
			2350	5"-1823AF
			2600	5"-1823AF
			2800	5"-1823AF
	142	328	3000	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
	145	335	2350	5"-1823AF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
	150	347	2250	5"-1823AF
			2350	5"-1823AF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
	155	358	2250	5"-1823AF
			2350	5"-1823AF
			2600	5"-1823AF
			2800	5"-1823AF
	160	370	3000	5"-1823AF
			2350	5"-1823AF
			2600	5"-1823AF
	165	381	2800	5"-1823AF
			2600	5"-1823AF
			2800	5"-1823AF
3000			5"-1823AF	
168	388	2350	5"-1823AF	
170	393	2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
175	404	2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
180	416	2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
185	427	2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 304P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>4 0 0 G P M</b>	190	439	2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
	195	450	2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
	200	462	2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
	205	474	2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
	210	485	2800	5"-1823AF
			3000	5"-1823AF
	215	497	2800	5"-1823AF
			3000	5"-1823AF
	220	508	2800	5"-1823AF
			3000	5"-1823AF
	225	520	2800	5"-1823AF
			3000	5"-1823AF
230	531	2800	5"-1823AF	
		3000	5"-1823AF	
235	543	2800	5"-1823AF	
		3000	5"-1823AF	
240	554	2800	5"-1823AF	
		3000	5"-1823AF	
245	566	3000	5"-1823AF	
250	578	3000	5"-1823AF	
255	589	3000	5"-1823AF	
260	601	3000	5"-1823AF	
265	612	3000	5"-1823AF	
270	624	3000	5"-1823AF	
275	635	3000	5"-1823AF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 305P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>4 5 0  G P M</b>	66	152	2100	5"-1823AF
	70	162	2100	5"-1823AF
	75	173	2100	5"-1823AF
	76	176	2250	5"-1823AF
	80	185	2100	5"-1823AF
			2250	5"-1823AF
	83	192	2350	5"-1823AF
			2100	5"-1823AF
	85	196	2250	5"-1823AF
			2350	5"-1823AF
			2100	5"-1823AF
	90	208	2250	5"-1823AF
			2350	5"-1823AF
			2100	5"-1823AF
	95	219	2250	5"-1823AF
			2350	5"-1823AF
			2100	5"-1823AF
	100	231	2250	5"-1823AF
			2350	5"-1823AF
			2100	5"-1823AF
	103	238	2100	5"-1823F
	105	243	2100	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
			2350	5"-1823AF
			2600	5"-1823AF
	108	249	2800	5"-1823AF
			2100	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
			2350	5"-1823AF
	110	254	2600	5"-1823AF
			2800	5"-1823AF
			2100	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
			2350	5"-1823AF
	115	266	2600	5"-1823AF
			2800	5"-1823AF
			2100	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
2350			5"-1823AF	
120	277	2600	5"-1823AF	
		2800	5"-1823AF	
		2100	5"-1823AF	
		2100	5"-1823F	
		2250	5"-1823AF	
		2350	5"-1823AF	
124	286	2600	5"-1823AF	
		2800	5"-1823AF	
		2100	5"-1823AF	
		2100	5"-1823F	
		2250	5"-1823AF	
		2350	5"-1823AF	
125	289	2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
		2100	5"-1823AF	
		2100	5"-1823F	
		2250	5"-1823AF	
130	300	2350	5"-1823AF	
		2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
		2100	5"-1823F	
		2100	5"-1823AF	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES  
Horizontal Split Case  
Diesel Engine Drive**

**Section 913 Page 306P**  
Date December 19, 2017  
Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>4 5 0  G P M</b>	132	305	2100	5"-1823AF
			2100	5"-1823F
	135	312	2250	5"-1823AF
			2350	5"-1823AF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			2100	5"-1823F
	140	323	2250	5"-1823AF
			2350	5"-1823AF
			2600	5"-1823AF
			2800	5"-1823AF
	142	328	3000	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
	145	335	2350	5"-1823AF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
	150	347	2250	5"-1823AF
			2350	5"-1823AF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
	153	353	2250	5"-1823AF
			2350	5"-1823AF
	155	358	2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			2350	5"-1823AF
	160	370	2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			2350	5"-1823AF
	165	381	2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			2350	5"-1823AF
	170	393	2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			2600	5"-1823AF
175	404	2800	5"-1823AF	
		3000	5"-1823AF	
		2600	5"-1823AF	
180	416	2800	5"-1823AF	
		3000	5"-1823AF	
		2600	5"-1823AF	
185	427	2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
190	439	2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
195	450	2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 307P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>4 5 0  G P M</b>	200	462	2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
	205	474	2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
	210	485	2800	5"-1823AF
			3000	5"-1823AF
	215	497	2800	5"-1823AF
			3000	5"-1823AF
	220	508	2800	5"-1823AF
			3000	5"-1823AF
	225	520	2800	5"-1823AF
			3000	5"-1823AF
	230	531	2800	5"-1823AF
			3000	5"-1823AF
	235	543	2800	5"-1823AF
			3000	5"-1823AF
	240	554	2800	5"-1823AF
			3000	5"-1823AF
245	566	3000	5"-1823AF	
250	578	3000	5"-1823AF	
255	589	3000	5"-1823AF	
260	601	3000	5"-1823AF	
265	612	3000	5"-1823AF	
270	624	3000	5"-1823AF	
275	635	3000	5"-1823AF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 308P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>500 GPM</b>	40	92	1760	4"-1823AF
	45	104	1760	4"-1823AF
	50	115	1760	4"-1823AF
	52	120	1760	4"-1823AF
	55	127	1760	4"-1823AF
			3000	4"-1823CF
	60	139	1760	4"-1824F
			3000	4"-1823CF
	63	146	3000	4"-1823DF
			1760	4"-1824F
	65	150	2100	5"-1823AF
			3000	4"-1823DF
			1470	5"-1922F
	68	157	1470	5"-1922F
	70	162	1470	5"-1922F
			1760	4"-1824F
			2100	5"-1823AF
			3000	4"-1823DF
	75	173	1470	5"-1922F
			1760	4"-1824F
			2100	5"-1823AF
			2250	5"-1823AF
			3000	4"-1823DF
	80	185	1470	5"-1922F
			1760	4"-1824F
			1760	4"-5824F
			2100	5"-1823AF
			2250	5"-1823AF
			3000	4"-1823DF
	81	187	2350	5"-1823AF
	85	196	1470	5"-1922F
			1760	4"-5824F
2100			5"-1823AF	
2250			5"-1823AF	
2350			5"-1823AF	
3000			4"-1823DF	
90	208	1470	5"-1922F	
		1760	4"-5824F	
		2100	5"-1823AF	
		2250	5"-1823AF	
		2350	5"-1823AF	
95	219	3000	4"-1823DF	
		1470	5"-1922F	
		1760	4"-5824F	
		2100	5"-1823AF	
		2250	5"-1823AF	
97	224	2350	5"-1823AF	
		2600	6"-2876AF	
		3000	4"-1823DF	
100	231	1470	5"-1922F	
		1760	4"-5824F	
		2100	5"-1823AF	
		2250	5"-1823AF	
		2350	5"-1823AF	
		2600	6"-2876AF	
103	238	2600	6"-2876AF	
		3000	4"-1823DF	
		2100	5"-1823F	
104	240	2600	5"-1823AF	





**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 309P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>500 GPM</b>	105	242	1470	5"-1922F
			1760	4"-5824F
			2100	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
			2350	5"-1823AF
			2600	5"-1823AF
			2600	6"-2876AF
	3000	4"-1823DF		
	107	247	2800	5"-1823AF
	110	254	1470	5"-1922F
			1760	4"-5824F
			2100	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
			2350	5"-1823AF
			2600	5"-1823AF
			2600	6"-2876AF
	2800	5"-1823AF		
	3000	4"-1823DF		
	115	265	1470	5"-1922F
			1760	4"-5824F
			2100	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
			2350	5"-1823AF
			2600	5"-1823AF
			2600	6"-2876AF
	2800	5"-1823AF		
	3000	4"-1823DF		
	120	277	1470	5"-1922F
			1760	4"-5824F
			2100	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
			2250	5"-1823F
			2350	5"-1823AF
			2600	5"-1823AF
	2600	6"-2876AF		
	2800	5"-1823AF		
3000	4"-1823DF			
123	284	3000	5"-1823AF	
125	289	1470	5"-1922F	
		1760	4"-5824F	
		2100	5"-1823AF	
		2100	5"-1823F	
		2250	5"-1823AF	
		2250	5"-1823F	
		2350	5"-1823AF	
		2600	5"-1823AF	
2600	6"-2876AF			
2800	5"-1823AF			
3000	5"-1823AF			
3000	4"-1823DF			



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 310P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven						
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model		
	PSI	TDH				
<b>500 GPM</b>	130	300	1470	5"-1922F		
			2100	5"-1823AF		
			2100	5"-1823F		
			2250	5"-1823AF		
			2250	5"-1823F		
			2350	5"-1823AF		
			2350	5"-1823F		
			2600	5"-1823AF		
			2600	6"-2876AF		
			2800	5"-1823AF		
			3000	5"-1823AF		
			3000	4"-1823DF		
	131	303	2100	5"-1823AF		
	132	305	1470	5"-1922F		
	135	312	1470	5"-1922F		
			2100	5"-1823F		
			2250	5"-1823AF		
			2250	5"-1823F		
			2350	5"-1823AF		
			2350	5"-1823F		
			2600	5"-1823AF		
			2600	6"-2876AF		
			2800	5"-1823AF		
			3000	5"-1823AF		
			3000	4"-1823DF		
			138	319	3000	4"-1823DF
	140	323	2100	5"-1823F		
			2250	5"-1823AF		
			2250	5"-1823F		
			2350	5"-1823AF		
			2350	5"-1823F		
			2600	5"-1823AF		
			2600	6"-2876AF		
			2800	5"-1823AF		
			3000	5"-1823AF		
			142	328	2100	5"-1823F
			145	335	2250	5"-1823AF
					2250	5"-1823F
	2350	5"-1823AF				
	2350	5"-1823F				
	2600	5"-1823AF				
	2800	5"-1823AF				
	3000	5"-1823AF				
	148	342	2800	6"-2876AF		
	150	347	1760	4"-1922F		
			2250	5"-1823AF		
			2250	5"-1823F		
			2350	5"-1823AF		
2350			5"-1823F			
2600			5"-1823AF			
2800			5"-1823AF			
2800			6"-2876AF			
3000	5"-1823AF					
152	351	2250	5"-1823AF			
155	358	1760	4"-1922F			
		2250	5"-1823F			
		2350	5"-1823AF			
		2350	5"-1823F			
		2600	5"-1823AF			
		2800	6"-2876AF			
		2800	5"-1823AF			
3000	5"-1823AF					



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 311P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>500 GPM</b>	157	363	3000	6"-2876AF
	160	369	1760	4"-1922F
			2250	5"-1823F
			2350	5"-1823AF
			2350	5"-1823F
			2600	5"-1823AF
			2800	5"-1823AF
			2800	6"-2876AF
			3000	5"-1823AF
	3000	6"-2876AF		
	164	379	2800	6"-2876AF
	165	381	1760	4"-1922F
			2350	5"-1823AF
			2350	5"-1823F
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
	3000	6"-2876AF		
	168	388	2350	5"-1823AF
	170	392	1760	4"-1922F
			2350	5"-1823F
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
	3000	6"-2876AF		
	174	402	2350	5"-1823F
	175	404	1760	4"-1922F
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-2876AF
	180	415	1760	4"-1922F
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-2876AF
	185	427	1760	4"-1922F
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
3000			6"-2876AF	
190	439	1760	4"-1922F	
		2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
		3000	6"-2876AF	
195	450	1760	4"-1922F	
		2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
200	462	1760	4"-1922F	
		2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
		3000	5"-1924F	
205	473	1760	4"-1922F	
		2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
		3000	5"-1924F	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 312P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>500 GPM</b>	210	485	1760	4"-1922F
			2800	5"-1823AF
			3000	5"-1823AF
	215	497	3000	5"-1924F
			2350	6"-1923F
			2800	5"-1823AF
			3000	5"-1823AF
	220	508	3000	5"-1924F
			2350	6"-1923F
			2800	5"-1823AF
	225	520	3000	5"-1823AF
			2350	6"-1923F
			2800	5"-1823AF
	230	531	3000	5"-1823AF
			2350	6"-1923F
			2800	5"-1823AF
	235	543	3000	5"-1823AF
			2350	6"-1923F
			2800	5"-1823AF
	238	550	2800	6"-1923F
	240	554	2350	5"-1823AF
			3000	5"-1823AF
	245	566	2350	6"-1923F
			3000	5"-1823AF
			3000	5"-1924F
	250	578	2350	6"-1923F
			3000	5"-1823AF
	255	589	2350	6"-1923F
			3000	5"-1823AF
			3000	5"-1924F
	260	601	2350	6"-1923F
			3000	5"-1823AF
3000			5"-1924F	
265	612	2350	6"-1923F	
		3000	5"-1823AF	
		3000	5"-1924F	
270	624	2350	6"-1923F	
		3000	5"-1823AF	
275	635	2350	6"-1923F	
		3000	5"-1823AF	
		3000	5"-1924F	
280	647	2350	6"-1923F	
285	658	2350	6"-1923F	
		3000	5"-1924F	
290	670	2350	6"-1923F	
295	681	2350	6"-1923F	
		3000	5"-1924F	
300	693	2350	6"-1923F	
		3000	5"-1924F	
305	704	2350	6"-1923F	
		3000	5"-1924F	
310	716	2350	6"-1923F	
		3000	5"-1924F	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 313P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>500 GPM</b>	315	728	2350	6"-1923F
			3000	5"-1924F
	320	739	2350	6"-1923F
			3000	5"-1924F
	325	751	2350	6"-1923F
			3000	5"-1924F
	330	762	2350	6"-1923F
	335	774	2350	6"-1923F
	340	785	2350	6"-1923F
	345	797	2350	6"-1923F
	350	809	2350	6"-1923F
	355	820	2350	6"-1923F
	360	832	2350	6"-1923F
	365	843	2350	6"-1923F
	370	855	2350	6"-1923F
	375	866	2350	6"-1923F
	380	878	2350	6"-1923F
	385	889	2350	6"-1923F
388	897	2350	6"-1923F	
395	912	2350	6"-1923F	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 314P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>7 5 0  G P M</b>	40	92	1760	4"-1823AF
	45	104	1760	4"-1823AF
	47	109	1760	4"-1823AF
	50	115	1760	4"-1823AF
			1760	5"-1823F
	55	127	1760	4"-2823CF
			1760	5"-1823F
	58	134	2100	5"-1823AF
	60	139	1760	4"-2823CF
			1760	5"-1823F
			2100	5"-1823AF
			2100	4"-2823CF
	65	150	1760	4"-2823CF
			1760	5"-1823F
			2100	5"-1823AF
	67	155	3000	4"-2873AF
			2250	5"-1823AF
	68	157	1760	4"-2823CF
	70	162	1760	5"-1823F
			2100	5"-1823AF
			2100	4"-2823CF
			2250	5"-1823AF
			3000	4"-2873AF
	71	164	1760	4"-1824F
	73	169	2350	4"-2823CF
	74	171	2350	5"-1823AF
	75	173	1760	4"-1824F
			1760	4"-2823CF
			2100	4"-2823CF
			2100	5"-1823AF
			2250	5"-1823AF
			2350	5"-1823AF
80	185	2350	4"-2823CF	
		1470	6"-1922AF	
		1760	4"-1824F	
		1760	4"-2823CF	
		2100	4"-2823CF	
		2100	5"-1823AF	
85	196	2250	5"-1823AF	
		2350	5"-1823AF	
		2350	5"-1823AF	
		2350	4"-2823CF	
		1470	6"-1922AF	
		1760	4"-1824F	
90	208	1760	4"-2823CF	
		1760	4"-2823CF	
		1760	5"-2824AF	
		2100	4"-2823CF	
		2100	5"-1823AF	
		2250	5"-1823AF	
		2350	5"-1823AF	
		2350	4"-2823CF	
91	210	1760	4"-5824F	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 315P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>7 5 0  G P M</b>	94	217	2100	5"-2824AF
	95	219	1470	6"-1922AF
			1760	4"-1824F
			1760	4"-5824F
			1760	5"-2824AF
			2100	4"-2823CF
			2100	5"-2824AF
			2100	5"-1823AF
			2250	5"-1823AF
			2350	5"-1823AF
			2350	4"-2823CF
	96	222	3000	4"-2876AF
	97	224	2600	5"-1823AF
	100	231	1470	6"-1922AF
			1760	4"-5824F
			1760	5"-2824AF
			2100	4"-2823CF
			2100	5"-2824AF
			2100	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
			2350	5"-1823AF
			2350	4"-2823CF
			2600	5"-1823AF
			3000	4"-2876AF
			101	233
	105	243	1470	6"-1922AF
			1760	4"-5824F
			1760	5"-2824AF
			2100	4"-2823CF
			2100	5"-2824AF
			2100	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
			2350	5"-1823AF
			2350	4"-2823CF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	4"-2876AF
			3000	5"-1822CF
	110	254	1470	6"-1922AF
			1760	4"-5824F
1760			5"-2824AF	
2100			4"-2823CF	
2100			5"-2824AF	
2100			5"-1823AF	
2100			5"-1823F	
2250			5"-1823AF	
2350			5"-1823AF	
2350			4"-2823CF	
2600			5"-1823AF	
2800			5"-1823AF	
3000			4"-2876AF	
3000			5"-1822CF	
113	261	2350	5"-2824AF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 316P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>7 5 0 G P M</b>	115	265	1470	6"-1922AF
			1760	4"-5824F
			1760	5"-2824AF
			2100	4"-2823CF
			2100	5"-2824AF
			2100	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
			2350	5"-1823AF
			2350	4"-2823CF
			2350	5"-2824AF
			2600	5"-1823AF
	2800	5"-1823AF		
	3000	4"-2876AF		
	3000	5"-1822CF		
	2250	5"-1823F		
	3000	5"-1823AF		
	118	273	1760	4"-5824F
	119	275	1470	6"-1922AF
	120	277	1470	6"-1922AF
			1760	4"-5824F
			1760	5"-2824AF
			2100	4"-2823CF
			2100	5"-2824AF
			2100	5"-1823AF
			2100	5"-1823F
			2250	5"-1823AF
			2250	5"-1823F
			2350	5"-1823AF
			2350	4"-2823CF
			2350	5"-2824AF
	2600	5"-1823AF		
	2800	5"-1823AF		
	3000	5"-1823AF		
	3000	4"-2876AF		
	3000	5"-1822CF		
	124	286	2100	5"-1823AF
	125	289	1470	6"-1922AF
			1760	4"-5824F
			1760	5"-2824AF
2100			4"-2823CF	
2100			5"-2824AF	
2100			5"-1823F	
2250			5"-1823AF	
2250			5"-1823F	
2350			5"-1823AF	
2350			4"-2823CF	
2350			5"-2824AF	
2600			5"-1823AF	
2800	5"-1823AF			
3000	5"-1823AF			
3000	4"-2876AF			
3000	5"-1822CF			
128	296	3000	4"-2876CF	
129	298	2350	5"-1823F	





**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 317P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>7 5 0  G P M</b>	130	300	1470	6"-1922AF
			1760	5"-2824AF
			2100	4"-2823CF
			2100	5"-2824AF
			2100	5"-1823F
			2250	5"-1823AF
			2250	5"-1823F
			2350	5"-1823AF
			2350	5"-1823F
			2350	5"-2824AF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	4"-2876AF
	3000	4"-2876CF		
	3000	5"-1822CF		
	132	305	2800	6"-2876AF
	135	312	1470	6"-1922AF
			1760	5"-2824AF
			2100	5"-2824AF
			2350	4"-2823CF
			2350	5"-2824AF
			2100	5"-1823F
			2250	5"-1823AF
			2250	5"-1823F
			2350	5"-1823AF
			2350	5"-1823F
			2600	5"-1823AF
			2800	6"-2876AF
			2800	5"-1823AF
			3000	5"-1823AF
	3000	4"-2876AF		
	3000	4"-2876CF		
	3000	5"-1822CF		
	138	319	2100	5"-1823F
	139	319	3000	4"-2876CF
	140	323	1470	6"-1922AF
			1760	5"-2824AF
			1760	6"-1922AF
			2100	5"-2824AF
			2250	5"-1823AF
			2250	5"-1823F
			2350	4"-2823CF
			2350	5"-2824AF
2350			5"-1823AF	
2350			5"-1823F	
2600			5"-1823AF	
2800			5"-1823AF	
3000			5"-1823AF	
2800			6"-2876AF	
3000	4"-2876AF			
3000	4"-2876CF			
3000	5"-1822CF			
141	326	1760	5"-2824AF	
142	328	1760	5"-2824AF	
		3000	6"-2876AF	
143	330	1760	5"-2824AF	
144	333	2250	5"-1823AF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 318P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven					
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model	
	PSI	TDH			
<b>750 GPM</b>	145	335	1470	6"-1922AF	
			1760	6"-1922AF	
			2100	5"-2824AF	
			2250	5"-1823F	
			2350	4"-2823CF	
			2350	5"-2824AF	
			2350	5"-1823AF	
			2350	5"-1823F	
			2600	5"-1823AF	
			2800	5"-1823AF	
			3000	5"-1823AF	
			2800	6"-2876AF	
			3000	4"-2876AF	
			3000	5"-1822CF	
			3000	6"-2876AF	
	148	342	2800	6"-2876AF	
	149	344	2800	6"-2876AF	
	150	347	1470	6"-1922AF	
			1760	6"-1922AF	
			2100	5"-2824AF	
			2250	5"-1823F	
			2350	5"-1823AF	
			2350	5"-1823F	
			2350	4"-2823CF	
			2350	5"-2824AF	
			2600	5"-1823AF	
			2800	5"-1823AF	
			3000	5"-1823AF	
			3000	4"-2876AF	
			3000	5"-1822CF	
			3000	6"-2876AF	
			155	358	1470
	1760	6"-1922AF			
	2100	5"-2824AF			
	2250	5"-1823F			
	2350	5"-1823AF			
	2350	5"-1823F			
	2350	4"-2823CF			
	2350	5"-2824AF			
	2600	5"-1823AF			
	2800	5"-1823AF			
	3000	5"-1823AF			
3000	6"-2876AF				
159	367	2350			5"-1823AF
160	370	1470			6"-1922AF
		1760			6"-1922AF
		2100	5"-2824AF		
		2250	5"-1823F		
		2350	5"-1823F		
		2350	4"-2823CF		
		2350	5"-2824AF		
		2600	5"-1823AF		
		2800	5"-1823AF		
		3000	5"-1823AF		
		3000	6"-2876AF		
		161	372	2250	5"-1823F



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 319P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>7 5 0  G P M</b>	165	381	1470	6"-1922AF
			1760	6"-1922AF
			2100	5"-2824AF
			2350	5"-2824AF
			2350	5"-1823F
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
	3000	6"-2876AF		
	170	392	1470	6"-1922AF
			1760	6"-1922AF
			2100	5"-2824AF
			2350	5"-1823F
			2350	5"-2824AF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
	3000	6"-2876AF		
	175	404	1760	6"-1922AF
			2100	5"-2824AF
			2350	5"-2824AF
			2350	5"-1823F
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-2876AF
	176	407	2350	5"-1823F
	180	416	1760	6"-1922AF
			2100	5"-2824AF
			2350	5"-2824AF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-2876AF
			1760	6"-1922AF
	185	427	2100	5"-2824AF
			2350	5"-2824AF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-2876AF
			1760	6"-1922AF
			2100	5"-2824AF
	190	439	2350	5"-2824AF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-2876AF
1760			6"-1922AF	
2100			5"-2824AF	
2350			5"-2824AF	
193	445	2600	6"-1924F	
195	450	1760	6"-1922AF	
		2100	5"-2824AF	
		2350	5"-2824AF	
		2600	6"-1924F	
		2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
		3000	6"-2876AF	
200	462	1760	6"-1922AF	
		2100	5"-2824AF	
		2350	5"-2824AF	
		2600	6"-1924F	
		2800	5"-1823AF	
		3000	5"-1823AF	
		3000	6"-2876AF	
		3000	5"-1823AF	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 320P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>7 5 0  G P M</b>	205	474	1760	6"-1922AF
			2350	5"-2824AF
			2600	6"-1924F
			2800	5"-1823AF
			3000	5"-1823AF
	206	476	2350	6"-1923F
	208	476	3000	6"-1924F
	209	483	2250	6"-1923BF
	210	485	1760	6"-1922AF
			2250	6"-1923BF
			2350	5"-2824AF
			2350	6"-1923F
			2600	6"-1924F
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-1924F
	212	490	2100	6"-1923BF
	215	497	1760	6"-1922AF
			2100	6"-1923BF
			2250	6"-1923BF
			2350	5"-2824AF
			2350	6"-1923F
			2600	6"-1924F
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-1924F
			220	508
	2100	6"-1923BF		
	2250	6"-1923BF		
	2350	5"-2824AF		
	2350	6"-1923F		
	2600	6"-1924F		
	2800	5"-1823AF		
	3000	5"-1823AF		
	225	520	1760	6"-1922AF
			2100	6"-1923BF
			2250	6"-1923BF
			2350	5"-2824AF
			2350	6"-1923F
			2600	6"-1924F
2800			5"-1823AF	
3000			5"-1823AF	
229	529	3000	6"-1924F	
		2350	6"-1923BF	
230	531	1760	6"-1922AF	
		2100	6"-1923BF	
		2250	6"-1923BF	
		2350	5"-2824AF	
		2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1924F	
		2800	5"-1823AF	
		3000	5"-1823AF	
		3000	6"-1924F	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 321P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>7 5 0  G P M</b>	235	543	1760	6"-1922AF
			2100	6"-1923BF
			2250	6"-1923BF
			2350	5"-2824AF
			2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1924F
			3000	5"-1823AF
	3000	6"-1924F		
	240	554	1760	6"-1922AF
			2100	6"-1923BF
			2250	6"-1923BF
			2350	5"-2824AF
			2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1924F
	3000	5"-1823AF		
	244	564	2350	5"-2824AF
	245	565	1760	6"-1922AF
			2100	6"-1923BF
			2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1924F
	3000	5"-1823AF		
	248	573	2600	6"-1924F
	250	577	2100	6"-1923BF
			2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			3000	5"-1823AF
			3000	6"-1924F
	255	588	2100	6"-1923BF
			2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			3000	5"-1823AF
			3000	6"-1924F
	260	600	2100	6"-1923BF
			2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
3000			5"-1823AF	
3000			6"-1924F	
265	611	2100	6"-1923BF	
		2250	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
		3000	5"-1823AF	
		3000	6"-1924F	
270	623	2100	6"-1923BF	
		2250	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
		3000	6"-1924F	
275	634	2100	6"-1923BF	
		2250	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
		3000	6"-1924F	



**SELECTION TABLES  
Horizontal Split Case  
Diesel Engine Drive**

**Section 913 Page 322P**  
Date December 19, 2017  
Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>7 5 0  G P M</b>	280	646	2100	6"-1923BF
			2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			3000	6"-1924F
	285	657	2100	6"-1923BF
			2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			3000	6"-1924F
	290	669	2100	6"-1923BF
			2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			3000	6"-1924F
	294	678	2100	6"-1923BF
	295	681	2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			3000	6"-1924F
			2250	6"-1923BF
	300	692	2350	6"-1923F
			2350	6"-1923BF
			3000	6"-1924F
			2250	6"-1923BF
			2350	6"-1923F
	305	704	2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			3000	6"-1924F
			2250	6"-1923BF
	310	715	2350	6"-1923F
			2350	6"-1923BF
			3000	6"-1924F
			2250	6"-1923BF
			2350	6"-1923F
315	727	2350	6"-1923BF	
		3000	6"-1924F	
		2250	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
320	738	3000	6"-1924F	
		2250	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
		3000	6"-1924F	
325	750	2250	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
		2250	6"-1923BF	
		2350	6"-1923F	
330	761	2250	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1923BF	
		2600	6"-1923BF	
331	764	2600	6"-1923BF	
335	773	2250	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1923BF	
		2250	6"-1923BF	
340	784	2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1923BF	
		2250	6"-1923BF	
		2350	6"-1923F	
343	791	2250	6"-1923BF	
345	797	2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1923BF	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 323P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>7 5 0  G P M</b>	350	809	2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
	355	820	2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
	360	832	2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
	365	843	2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
	370	855	2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
	375	866	2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
	376	867	2350	6"-1923BF
	380	878	2350	6"-1923F
2600			6"-1923BF	
385	889	2350	6"-1923F	
		2600	6"-1923BF	
390	900	2600	6"-1923BF	
395	911	2600	6"-1923BF	
400	923	2600	6"-1923BF	
405	934	2600	6"-1923BF	
410	946	2600	6"-1923BF	
415	957	2600	6"-1923BF	
420	969	2600	6"-1923BF	
423	976	2600	6"-1923BF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 324P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1000 GPM</b>	40	92	1760	6"-1822F
	45	104	1760	6"-1822F
	50	116	1760	5"-1823F
	51	118	1760	5"-2823AF
	55	127	1760	5"-1823F
			1760	5"-2823AF
	60	139	1760	5"-1823F
			1760	5"-2823AF
	65	150	1760	5"-1823F
			1760	5"-2823AF
	69	159	2600	6"-1822HHF
			1760	5"-1823F
	70	162	1760	5"-2823AF
			2600	6"-1822HHF
	74	171	2100	5"-2823AF
			1760	5"-1823F
	75	173	1760	5"-2823AF
			2100	5"-2823AF
			2600	6"-1822HHF
			2600	6"-1823HHF
			2100	6"-1823HHF
	77	178	1470	6"-1824CF
			1760	5"-1823F
	80	185	1760	5"-2823AF
			2100	5"-2823AF
			2100	6"-1823HHF
			2600	6"-1822HHF
			2600	6"-1823HHF
			1470	6"-1824CF
	85	196	1760	5"-1823F
			1760	5"-2823AF
			1760	5"-2824AF
2100			5"-2823AF	
2100			6"-1823HHF	
2600			6"-1822HHF	
2600			6"-1823HHF	
88	203	1760	5"-2823AF	
		2100	5"-2824AF	
90	208	1470	6"-1824CF	
		1760	5"-1823F	
		1760	5"-1824F	
		1760	5"-2824AF	
		2100	5"-2823AF	
		2100	5"-2824AF	
		2100	6"-1823HHF	
2600	6"-1822HHF			
2600	6"-1823HHF			
91	210	2800	5"-1823AF	
92	213	2600	5"-1823AF	





**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 325P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 0 0 0 G P M</b>	95	219	1470	6"-1824CF
			1760	5"-1824F
			1760	5"-2824AF
			2100	4"-2823CF
			2100	5"-2823AF
			2100	5"-2824AF
			2100	6"-1823HHF
			2350	4"-2823CF
			2350	5"-2823AF
			2600	6"-1822HHF
			2600	6"-1823HHF
			2600	5"-1823AF
	2800	5"-1823AF		
	96	221	2350	5"-2823AF
	97	224	2100	5"-1823F
			3000	5"-1822CF
	99	229	3000	6"-1822HHF
	100	231	1470	6"-1824CF
			1760	5"-1824F
			1760	5"-2824AF
			2100	4"-2823CF
			2100	5"-2823AF
			2100	5"-2824AF
			2100	6"-1823HHF
			2100	5"-1823F
			2600	5"-1823AF
			2800	5"-1823AF
			2350	4"-2823CF
			2350	5"-2823AF
			2350	6"-1823HHF
			2600	6"-1822HHF
			2600	6"-1823HHF
			3000	5"-1822CF
			3000	6"-1822HHF
			105	242
	1760	5"-1824F		
	1760	5"-2824AF		
	2100	4"-2823CF		
	2100	5"-2823AF		
	2100	5"-2824AF		
	2100	6"-1823HHF		
	2100	5"-1823F		
2350	4"-2823CF			
2350	5"-2823AF			
2350	6"-1823HHF			
2600	5"-1823AF			
2600	6"-1822HHF			
2600	6"-1823HHF			
2800	5"-1823AF			
3000	5"-1822CF			
3000	6"-1822HHF			
3000	6"-1823HHF			
108	249	1470	6"-1824CF	
		3000	5"-1823AF	
109	252	2350	5"-2824AF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 326P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 0 0 0 G P M</b>	110	254	1760	5"-1824F
			1760	5"-2824AF
			2100	4"-2823CF
			2100	5"-2823AF
			2100	5"-2824AF
			2100	6"-1823HHF
			2100	5"-1823F
			2350	4"-2823CF
			2350	5"-2823AF
			2350	5"-2824AF
			2350	6"-1823HHF
			2600	6"-1823HHF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	5"-1822CF
			3000	6"-1822HHF
			3000	6"-1823HHF
	114	263	2250	5"-1823F
			2600	6"-1822HHF
			1760	5"-1824F
			1760	5"-2824AF
			2100	4"-2823CF
			2100	5"-2823AF
			2100	5"-2824AF
			2100	6"-1823HHF
			2100	5"-1823F
			2250	5"-1823F
			2350	4"-2823CF
			2350	5"-2823AF
			2350	5"-2824AF
			2350	6"-1823HHF
			2600	6"-1822HHF
			2600	6"-1823HHF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	5"-1822CF
			3000	6"-1822HHF
			3000	6"-1823HHF
			1760	5"-1824F
			1760	5"-2824AF
		2100	4"-2823CF	
		2100	5"-2823AF	
		2100	5"-2824AF	
		2100	6"-1823HHF	
		2100	5"-1823F	
		2250	5"-1823F	
		2350	4"-2823CF	
		2350	5"-2823AF	
		2350	5"-2824AF	
		2350	6"-1823HHF	
		2600	6"-1823HHF	
		2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
		3000	5"-1822CF	
		3000	6"-1822HHF	
		3000	6"-1823HHF	
		1760	5"-1824F	
		1760	5"-2824AF	
		2100	4"-2823CF	
		2100	5"-2823AF	
		2100	5"-2824AF	
		2100	6"-1823HHF	
		2100	5"-1823F	
		2250	5"-1823F	
		2350	4"-2823CF	
		2350	5"-2823AF	
		2350	5"-2824AF	
		2350	6"-1823HHF	
		2600	6"-1823HHF	
		2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
		3000	5"-1822CF	
		3000	6"-1822HHF	
		3000	6"-1823HHF	
	123	284	2100	4"-2823CF



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 327P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 0 0 0 G P M</b>	124	286	1760	5"-1824F
			1760	5"-1824F
	125	289	1760	5"-2824AF
			2100	5"-2823AF
			2100	5"-2824AF
			2100	6"-1823HHF
			2100	5"-1823F
			2250	5"-1823F
			2350	5"-1823F
			2350	4"-2823CF
			2350	5"-2823AF
			2350	5"-2824AF
			2350	6"-1823HHF
			2600	6"-1823HHF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	5"-1822CF
			3000	6"-1822HHF
	3000	6"-1823HHF		
	127	294	2100	6"-1823HHF
	130	300	1760	5"-2824AF
			1760	6"-1922AF
			2100	5"-2824AF
			2100	6"-1823HHF
			2100	5"-1823F
			2250	5"-1823F
			2350	5"-1823F
			2350	4"-2823CF
			2350	5"-2823AF
			2350	5"-2824AF
			2350	6"-1823HHF
			2600	6"-1823HHF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	5"-1822CF
			3000	6"-1822HHF
	3000	6"-1823HHF		
	135	312	1760	5"-2824AF
			1760	6"-1922AF
			2100	5"-2824AF
			2100	5"-1823F
			2250	5"-1823F
			2350	5"-1823F
			2350	4"-2823CF
			2350	5"-2823AF
2350			5"-2824AF	
2350			6"-1823HHF	
2600			6"-1823HHF	
2600			5"-1823AF	
2800			5"-1823AF	
3000			5"-1823AF	
3000	5"-1822CF			
3000	6"-1822HHF			
3000	6"-1823HHF			
136	314	2100	5"-1823F	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 328P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 0 0 0  G P M</b>	140	323	1760	6"-1922AF
			2100	5"-2824AF
			2250	5"-1823F
			2350	5"-1823F
			2350	4"-2823CF
			2350	5"-2823AF
			2350	5"-2824AF
			2350	6"-1823HHF
			2600	6"-1823HHF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	5"-1822CF
			3000	6"-1822HHF
	3000	6"-1823HHF		
	145	335	1760	6"-1922AF
			2100	5"-2824AF
			2250	5"-1823F
			2350	5"-1823F
			2350	4"-2823CF
			2350	5"-2823AF
			2350	5"-2824AF
			2350	6"-1823HHF
			2600	6"-1823HHF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	5"-1822CF
			3000	6"-1822HHF
	3000	6"-1823HHF		
	146	337	3000	5"-1822CF
	150	347	1760	6"-1923F
			1760	6"-1922AF
			2100	5"-2824AF
			2250	5"-1823F
			2350	5"-1823F
			2350	4"-2823CF
			2350	5"-2823AF
			2350	5"-2824AF
			2350	6"-1823HHF
			2600	6"-1823HHF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-1822HHF
	3000	6"-1823HHF		
	151	349	2350	5"-2823AF
	153	353	2350	4"-2823CF
155	357	1760	6"-1923F	
		1760	6"-1922AF	
		2100	5"-2824AF	
		2250	5"-1823F	
		2350	5"-1823F	
		2350	5"-2824AF	
		2350	6"-1823HHF	
		2600	6"-1823HHF	
		2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
		3000	6"-1823HHF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 329P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 0 0 0  G P M</b>	159	368	2250	5"-1823F
			1760	6"-1923F
	160	370	1760	6"-1922AF
			2100	5"-2824AF
			2350	5"-2824AF
			2350	6"-1823HHF
			2350	5"-1823F
			2600	5"-1823AF
			2600	6"-1823HHF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-1823HHF
	165	381	1760	6"-1923F
			1760	6"-1922AF
			2100	5"-2824AF
			2350	5"-1823F
			2350	5"-2824AF
			2600	6"-1823HHF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-1823HHF
	170	393	1760	6"-1923F
			1760	6"-1922AF
			2100	5"-2824AF
			2350	5"-1823F
			2350	5"-2824AF
			2600	6"-1823HHF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-1823HHF
	174	402	2350	5"-1823F
	175	404	1760	6"-1923F
			1760	6"-1922AF
			2100	5"-2824AF
			2350	5"-2824AF
			2600	6"-1823HHF
			2600	5"-1823AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-1823HHF
			180	416
	1760	6"-1922AF		
	2100	5"-2824AF		
	2350	5"-2824AF		
	2600	6"-1823HHF		
	2600	5"-1823AF		
2800	5"-1823AF			
3000	5"-1823AF			
3000	6"-1823HHF			
185	427	1760		
		1760	6"-1922AF	
		2100	5"-2824AF	
		2350	5"-2824AF	
		2600	6"-1823HHF	
		2600	5"-1823AF	
		2800	5"-1823AF	
		3000	5"-1823AF	
3000	6"-1823HHF			



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 330P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1000 GPM</b>	190	439	1760	6"-1923F
			1760	6"-1922AF
			2100	5"-2824AF
			2350	5"-2824AF
			2600	6"-1823HHF
			2800	5"-1823AF
			3000	5"-1823AF
	194	448	3000	6"-1823HHF
			2350	6"-1923F
	195	450	1760	6"-1923F
			1760	6"-1922AF
			2100	5"-2824AF
			2350	5"-2824AF
			2600	6"-1823HHF
			2800	5"-1823AF
			3000	5"-1823AF
	196	453	3000	6"-1823HHF
			2250	6"-1923BF
	197	455	2100	5"-2824AF
	199	460	2100	6"-1923BF
			2350	6"-1923F
			2600	6"-1823HHF
	200	462	1760	6"-1922AF
			2100	5"-2824AF
			2100	6"-1923BF
			2250	6"-1923BF
			2350	5"-2824AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-1823HHF
	203	469	2600	6"-1823HHF
	204	471	2350	6"-1923F
			2800	6"-1923F
	205	474	1760	6"-1922AF
			2100	6"-1923BF
			2250	6"-1923BF
			2350	5"-2824AF
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-1823HHF
	208	480	2600	6"-1923BF
	209	483	2350	6"-1923F
210	485	1760	6"-1922AF	
		2100	6"-1923BF	
		2250	6"-1923BF	
		2350	5"-2824AF	
		2600	6"-1923BF	
		2800	6"-1923F	
		2800	5"-1823AF	
		3000	5"-1823AF	
214	494	3000	6"-1823HHF	
		2350	6"-1923F	
		1760	6"-1922AF	
215	497	2100	6"-1923BF	
		2250	6"-1923BF	
		2350	5"-2824AF	
		2600	6"-1923BF	
		2800	6"-1923F	
		2800	5"-1823AF	
		3000	5"-1823AF	
		3000	6"-1823HHF	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 331P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1000 GPM</b>	217	501	2100	6"-1923F
			2350	6"-1923BF
	219	505	2100	6"-1923F
			2350	6"-1923F
	220	508	1760	6"-1922AF
			2100	6"-1923BF
			2250	6"-1923BF
			2350	5"-2824AF
			2350	6"-1923BF
			2600	6"-1923BF
			2800	6"-1923F
			2800	5"-1823AF
			3000	5"-1823AF
			3000	6"-1823HHF
	225	520	1760	6"-1922AF
			2100	6"-1923F
			2100	6"-1923BF
			2250	6"-1923BF
			2350	5"-2824AF
			2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
			2800	6"-1923F
			3000	5"-1823AF
	230	531	3000	6"-1823HHF
			1760	6"-1922AF
			2100	6"-1923BF
			2250	6"-1923BF
			2350	5"-2824AF
			2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
			2800	6"-1923F
			3000	5"-1823AF
	235	543	3000	6"-1823HHF
			1760	6"-1922AF
			2100	6"-1923F
			2100	6"-1923BF
			2250	6"-1923BF
			2350	5"-2824AF
			2350	6"-1923F
			2350	6"-1923BF
2600			6"-1923BF	
2800			6"-1923F	
239	552	3000	5"-1823AF	
		3000	6"-1823HHF	
240	555	2350	5"-2824AF	
		2350	6"-1923F	
		1760	6"-1922AF	
		2100	6"-1923F	
		2100	6"-1923BF	
		2250	6"-1923BF	
		2350	5"-2824AF	
		2350	6"-1923BF	
		2600	6"-1923BF	
		2800	6"-1923F	
242	559	3000	5"-1823AF	
		3000	6"-1823HHF	
244	564	2350	5"-2824AF	
		2350	6"-1923F	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 332P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1000 GPM</b>	245	566	2100	6"-1923F
			2100	6"-1923BF
			2250	6"-1923BF
			2350	6"-1923BF
			2600	6"-1923BF
			2800	6"-1923F
			3000	5"-1823AF
	3000	6"-1823HHF		
	249	575	2350	6"-1923F
	250	578	2100	6"-1923F
			2100	6"-1923BF
			2250	6"-1923BF
			2350	6"-1923BF
			2600	6"-1923BF
			2800	6"-1923F
			3000	5"-1823AF
	3000	6"-1823HHF		
	251	580	2600	6"-1923F
	254	587	2100	6"-1923F
			2350	6"-1923F
	255	588	2100	6"-1923BF
			2250	6"-1923BF
			2350	6"-1923BF
			2600	6"-1923F
			2600	6"-1923BF
			2800	6"-1923F
			3000	5"-1823AF
	3000	6"-1823HHF		
	259	598	2350	6"-1923F
	260	601	2100	6"-1923F
			2100	6"-1923BF
			2250	6"-1923BF
			2350	6"-1923BF
			2600	6"-1923F
			2600	6"-1923BF
			2800	6"-1923F
3000	6"-1823HHF			
264	610	2100	6"-1923F	
		2350	6"-1923F	
		3000	6"-1823HHF	
265	611	2100	6"-1923BF	
		2250	6"-1923BF	
		2350	6"-1923BF	
		2600	6"-1923F	
		2600	6"-1923BF	
		2800	6"-1923F	
		3000	6"-1823HHF	
269	621	2100	6"-1923F	
270	623	2350	6"-1923F	
		2100	6"-1923BF	
		2250	6"-1923BF	
		2350	6"-1923BF	
		2600	6"-1923F	
		2600	6"-1923BF	
274	633	2100	6"-1923F	
		2350	6"-1923F	
		2350	6"-1923F	





**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 333P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 0 0 0  G P M</b>	275	634	2100	6"-1923BF
			2250	6"-1923BF
			2350	6"-1923BF
			2600	6"-1923F
			2600	6"-1923BF
			2800	6"-1923F
	279	644	2100	6"-1923F
			2100	6"-1923BF
			2600	6"-1923F
	280	646	2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
	2800	6"-1923F		
	283	654	2100	6"-1923F
	284	656	2600	6"-1923F
	285	657	2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
	2800	6"-1923F		
	289	668	2350	6"-1923F
			2600	6"-1923F
	290	670	2100	6"-1923F
			2250	6"-1923BF
			2350	6"-1923BF
			2600	6"-1923BF
	2800	6"-1923F		
	294	679	2350	6"-1923F
			2600	6"-1923F
	295	681	2250	6"-1923BF
			2350	6"-1923BF
			2600	6"-1923BF
			2800	6"-1923F
	300	692	2250	6"-1923BF
			2350	6"-1923F
2350			6"-1923BF	
2600			6"-1923F	
2600			6"-1923BF	
2800	6"-1923F			
305	704	2250	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1923F	
2600	6"-1923BF			
2800	6"-1923F			
309	714	2600	6"-1923F	
2600	6"-1923BF			
310	715	2250	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1923BF	
2800	6"-1923F			
315	727	2250	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1923F	
		2600	6"-1923BF	
2800	6"-1923F			
319	737	2600	6"-1923F	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 334P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1000 GPM</b>	320	738	2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
			2800	6"-1923F
	324	748	2600	6"-1923F
	325	750	2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
	2800	6"-1923F		
	329	760	2800	6"-1923F
	330	761	2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923F
	2600	6"-1923BF		
	332	766	2250	6"-1923BF
	335	774	2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923F
			2600	6"-1923BF
	340	785	2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923F
			2600	6"-1923BF
	345	797	2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923F
			2600	6"-1923BF
	350	809	2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923F
			2600	6"-1923BF
	355	820	2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923F
			2600	6"-1923BF
	360	832	2350	6"-1923F
			2350	6"-1923BF
2600			6"-1923F	
2600			6"-1923BF	
362	835	2350	6"-1923BF	
365	843	2350	6"-1923F	
		2600	6"-1923F	
		2600	6"-1923BF	
370	855	2600	6"-1923F	
		2600	6"-1923BF	
375	866	2600	6"-1923F	
		2600	6"-1923BF	
380	878	2600	6"-1923F	
		2600	6"-1923BF	
384	887	2600	6"-1923F	
385	888	2600	6"-1923BF	
389	899	2600	6"-1923F	
390	900	2600	6"-1923BF	
394	910	2600	6"-1923F	
395	911	2600	6"-1923BF	
399	922	2600	6"-1923F	
400	923	2600	6"-1923BF	
403	931	2600	6"-1923F	
405	934	2600	6"-1923BF	
410	946	2600	6"-1923BF	
414	955	2600	6"-1923BF	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 335P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 2 5 0  G P M</b>	43	99	1760	8"-1822F
	45	104	1760	8"-1822F
	50	115	1760	8"-1822F
	52	120	1760	8"-1822F
	55	127	1760	6"-1823F
			1760	6"-1823CF
	60	139	1760	6"-1823F
			1760	6"-1823CF
	65	150	1760	6"-1823F
			1760	6"-1823CF
	70	162	1760	6"-1823F
			1760	6"-1823CF
	75	173	1760	5"-2823AF
			1760	6"-1823F
			1760	6"-1823CF
	78	180	1470	6"-1824CF
			1470	6"-1824CF
	80	185	1760	5"-2823AF
			1760	6"-1823F
			1760	6"-1823CF
	84	194	1760	5"-2823AF
			1470	6"-1824CF
	85	196	1760	6"-1823F
			1760	6"-1823CF
			1760	6"-1825F
	87	201	2350	6"-1823HHF
			1470	6"-1824CF
	90	208	1470	8"-1825F
			1760	6"-1823F
			1760	6"-1823CF
			1760	6"-1825F
			2350	6"-1823HHF
	94	217	1760	6"-1823F
			1760	6"-1823CF
			2100	5"-2823AF
			2100	6"-1823HHF
95	219	1470	6"-1824CF	
		1470	8"-1825F	
		1760	6"-1823F	
		1760	6"-1823CF	
		1760	6"-1825F	
		2100	5"-2823AF	
		2100	6"-1823HHF	
96	222	2350	6"-1823HHF	
		2600	6"-1822HHF	
		1470	6"-1824CF	
100	231	1470	8"-1825F	
		1760	6"-1824BF	
		1760	6"-1825F	
		2100	5"-2823AF	
		2100	6"-1823HHF	
		2350	6"-1823HHF	
		2600	6"-1822HHF	
102	236	3000	6"-1822HHF	
105	243	1470	6"-1824CF	
		1470	8"-1825F	
		1760	6"-1824BF	
		1760	6"-1825F	
		2100	5"-2823AF	
		2100	6"-1823HHF	
		2350	6"-1823HHF	
		3000	6"-1822HHF	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 336P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 2 5 0 G P M</b>	107	247	2250	5"-1823F
	109	252	2600	6"-1822HHF
	110	254	1470	8"-1825F
			1760	6"-1824BF
			1760	6"-1825F
			2100	5"-2823AF
			2100	6"-1823HHF
			2250	5"-1823F
			2350	6"-1823HHF
			2600	6"-1822HHF
			3000	6"-1822HHF
	113	261	3000	6"-1823HHF
	114	263	2350	5"-2823AF
	115	265	1470	8"-1825F
			1760	6"-1824BF
			1760	6"-1825F
			2100	5"-2823AF
			2100	6"-1823HHF
			2250	5"-1823F
			2350	5"-2823AF
			2350	6"-1823HHF
			3000	6"-1822HHF
	119	275	2350	5"-1823F
	120	277	1470	8"-1825F
			1760	6"-1824BF
			1760	6"-1825F
			2100	5"-2823AF
			2100	6"-1823HHF
			2250	5"-1823F
			2350	5"-1823F
			2350	5"-2823AF
			2350	6"-1823HHF
			3000	6"-1822HHF
	121	279	2100	5"-2823AF
	122	282	2600	6"-1823HHF
	124	287	2100	6"-1823HHF
	125	289	1470	8"-1825F
			1760	6"-1824BF
			1760	6"-1825F
			2250	5"-1823F
			2350	5"-1823F
			2350	5"-2823AF
2350			6"-1823HHF	
2600			6"-1823HHF	
3000			6"-1822HHF	
3000			6"-1823HHF	
130	300	1470	8"-1825F	
		1760	6"-1824BF	
		1760	6"-1825F	
		2100	6"-1823HHF	
		2250	5"-1823F	
		2350	5"-1823F	
		2350	5"-2823AF	
		2350	6"-1823HHF	
		2600	6"-1823HHF	
		3000	6"-1822HHF	
3000	6"-1823HHF			



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 337P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven						
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model		
	PSI	TDH				
<b>1 2 5 0  G P M</b>	135	312	1470	8"-1825F		
			1760	6"-1824BF		
			1760	6"-1825F		
			1760	6"-1923F		
			2250	5"-1823F		
			2350	5"-1823F		
			2350	5"-2823AF		
			2350	6"-1823HHF		
			2600	6"-1823HHF		
			3000	6"-1822HHF		
			3000	6"-1823HHF		
			136	314	1760	8"-1825F
	140	323	1470	8"-1825F		
			1760	6"-1825F		
			1760	6"-1923F		
			1760	8"-1825F		
			2250	5"-1823F		
			2350	5"-1823F		
			2350	5"-2823AF		
			2350	6"-1823HHF		
			2600	6"-1823HHF		
			3000	6"-1822HHF		
			3000	6"-1823HHF		
			145	335	1760	6"-1825F
	1760	6"-1923F				
	1760	8"-1825F				
	2250	5"-1823F				
	2350	5"-1823F				
	2350	5"-2823AF				
	2350	6"-1823HHF				
	2600	6"-1823HHF				
	3000	6"-1822HHF				
	3000	6"-1823HHF				
	147	339			2350	5"-2823AF
	149	344			1760	6"-1923F
	150	347	1760	6"-1825F		
			1760	8"-1825F		
			2250	5"-1823F		
			2350	5"-1823F		
			2350	6"-1823HHF		
2600			6"-1823HHF			
3000			6"-1822HHF			
3000			6"-1823HHF			
154	356	1760	6"-1923F			
		2250	5"-1823F			
		2350	6"-1823HHF			
155	358	1760	6"-1825F			
		1760	8"-1825F			
		2350	6"-1823HHF			
		2350	5"-1823F			
		2600	6"-1823HHF			
156	360	3000	6"-1823HHF			
159	367	2350	6"-1823HHF			
160	370	1760	6"-1923F			
		1760	6"-1825F			
		1760	8"-1825F			
		2350	5"-1823F			
164	379	2600	6"-1823HHF			
		3000	6"-1823HHF			
		1760	6"-1825F			
		1760	8"-1825F			



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 338P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 2 5 0  G P M</b>	165	381	1760	6"-1923F
			1760	8"-1825F
			2350	5"-1823F
			2600	6"-1823HHF
			3000	6"-1823HHF
	169	390	2350	5"-1823F
	170	393	1760	6"-1923F
			1760	8"-1825F
			2600	6"-1823HHF
			3000	6"-1823HHF
	175	404	1760	6"-1923F
			1760	8"-1825F
			2600	6"-1823HHF
	179	413	3000	6"-1823HHF
	180	416	1760	6"-1923F
			1760	8"-1825F
	183	423	2600	6"-1823HHF
			3000	6"-1823HHF
			2350	6"-1923F
	185	427	1760	6"-1923F
			1760	8"-1825F
			2350	6"-1923F
			2600	6"-1823HHF
	189	437	3000	6"-1823HHF
			2350	6"-1923F
			1760	8"-1825F
	190	439	2600	6"-1823HHF
			2600	6"-1923BF
			3000	6"-1823HHF
			2800	6"-1923F
	193	446	1760	8"-1825F
	195	450	2350	6"-1923F
2600			6"-1823HHF	
2600			6"-1923BF	
2800			6"-1923F	
3000			6"-1823HHF	
2100			6"-1923BF	
197	454	2600	6"-1823HHF	
		2350	6"-1923BF	
200	461	2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1823HHF	
		2600	6"-1923BF	
		2800	6"-1923F	
		3000	6"-1823HHF	
		2100	6"-1923F	
205	474	2100	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1923BF	
		2800	6"-1923F	
209	482	3000	6"-1823HHF	
		2100	6"-1923F	
		2100	6"-1923BF	
210	484	2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1923BF	
		2800	6"-1923F	
		3000	6"-1823HHF	
214	494	2100	6"-1923F	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 339P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 2 5 0 G P M</b>	215	496	2100	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
			2800	6"-1923F
	219	506	2100	6"-1823HHF
			2100	6"-1923F
			2100	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
	220	508	2600	6"-1923BF
			2800	6"-1923F
			3000	6"-1823HHF
			2100	6"-1923F
			2100	6"-1923BF
	224	517	2350	6"-1923F
			2100	6"-1923BF
	225	519	2350	6"-1923BF
			2600	6"-1923BF
			2800	6"-1923F
			3000	6"-1823HHF
			2100	6"-1923F
	229	529	2350	6"-1923F
			2100	6"-1923BF
	230	531	2350	6"-1923BF
			2600	6"-1923BF
			2800	6"-1923F
			3000	6"-1823HHF
			2100	6"-1923F
	235	543	2100	6"-1923BF
			2100	6"-1923BF
			2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
			2800	6"-1923F
	3000	6"-1823HHF		
	239	552	2600	6"-1923F
	240	554	2100	6"-1923F
			2100	6"-1923BF
2250			6"-1923BF	
2350			6"-1923F	
2350			6"-1923BF	
2600			6"-1923BF	
2800			6"-1923F	
3000	6"-1823HHF			
244	564	2600	6"-1923F	
245	566	2100	6"-1923F	
		2100	6"-1923BF	
		2250	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1923BF	
		2800	6"-1923F	
3000	6"-1823HHF			
250	578	2100	6"-1923F	
		2100	6"-1923BF	
		2250	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1923F	
		2600	6"-1923BF	
		2800	6"-1923F	
3000	6"-1823HHF			



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 340P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 2 5 0  G P M</b>	254	587	2350	6"-1923F
			2600	6"-1923F
	255	589	2100	6"-1923F
			2100	6"-1923BF
			2250	6"-1923BF
			2350	6"-1923BF
			2600	6"-1923BF
			2800	6"-1923F
			3000	6"-1823HHF
	259	598	2100	6"-1923F
			2100	6"-1923BF
			2350	6"-1923F
	260	600	2600	6"-1923F
			2600	6"-1923BF
			2350	6"-1923BF
			2600	6"-1923BF
			2800	6"-1923F
	264	610	3000	6"-1823HHF
			2600	6"-1923F
	265	612	2100	6"-1923F
			2250	6"-1923BF
			2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
	269	621	2800	6"-1923F
			2100	6"-1923F
			2350	6"-1923F
	270	623	2600	6"-1923F
			2250	6"-1923BF
			2350	6"-1923BF
			2600	6"-1923BF
	274	633	2800	6"-1923F
			2600	6"-1923F
2100			6"-1923F	
275	635	2250	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1923BF	
		2800	6"-1923F	
276	638	2100	6"-1923F	
		2250	6"-1923BF	
280	646	2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1923F	
		2600	6"-1923BF	
		2800	6"-1923F	
285	657	2250	6"-1923BF	
		2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1923F	
		2600	6"-1923BF	
289	668	2800	6"-1923F	
		2350	6"-1923F	
290	669	2250	6"-1923BF	
		2350	6"-1923BF	
		2600	6"-1923F	
		2600	6"-1923BF	
			2800	6"-1923F



**PENTAIR**

**FAIRBANKS NIJHUIS™**



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 341P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 2 5 0  G P M</b>	293	676	2600	6"-1923BF
	294	679	2350	6"-1923F
	295	681	2250	6"-1923BF
			2350	6"-1923BF
			2600	6"-1923F
			2600	6"-1923BF
	299	691	2800	6"-1923F
			2600	6"-1923F
			2250	6"-1923BF
	300	692	2350	6"-1923F
			2350	6"-1923BF
			2600	6"-1923BF
			2800	6"-1923F
	304	702	2350	6"-1923F
			2600	6"-1923F
	305	704	2250	6"-1923BF
			2350	6"-1923BF
			2600	6"-1923BF
			2800	6"-1923F
	309	714	2350	6"-1923F
			2250	6"-1923BF
			2350	6"-1923BF
			2600	6"-1923F
			2600	6"-1923BF
	312	720	2800	6"-1923F
			2250	6"-1923BF
			2350	6"-1923F
	314	725	2600	6"-1923F
			2350	6"-1923BF
	315	727	2600	6"-1923BF
			2800	6"-1923F
			2600	6"-1923BF
	317	732	2800	6"-1923F
319	737	2350	6"-1923F	
320	738	2350	6"-1923BF	
		2600	6"-1923F	
		2600	6"-1923BF	
324	748	2350	6"-1923F	
325	750	2350	6"-1923BF	
		2600	6"-1923F	
		2600	6"-1923BF	
329	760	2600	6"-1923F	
		2350	6"-1923F	
		2350	6"-1923BF	
330	762	2600	6"-1923BF	
		2350	6"-1923BF	
		2600	6"-1923BF	
335	774	2350	6"-1923F	
		2350	6"-1923BF	
		2600	6"-1923F	
		2600	6"-1923BF	
339	783	2600	6"-1923F	
		2350	6"-1923F	
340	785	2350	6"-1923BF	
		2600	6"-1923BF	
343	791	2350	6"-1923BF	
344	795	2600	6"-1923F	
345	797	2350	6"-1923F	
		2600	6"-1923BF	
349	806	2600	6"-1923F	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 342P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 2 5 0  G P M</b>	350	809	2350	6"-1923F
			2600	6"-1923BF
	354	818	2600	6"-1923F
			2600	6"-1923BF
	355	819	2600	6"-1923BF
			2600	6"-1923F
	359	829	2600	6"-1923F
			2600	6"-1923BF
	360	831	2600	6"-1923BF
			2600	6"-1923F
	364	841	2600	6"-1923F
			2600	6"-1923BF
	365	842	2600	6"-1923BF
			2600	6"-1923F
	369	852	2600	6"-1923F
			2600	6"-1923BF
	370	854	2600	6"-1923BF
			2600	6"-1923F
	374	864	2600	6"-1923F
			2600	6"-1923BF
375	865	2600	6"-1923BF	
		2600	6"-1923F	
380	878	2600	6"-1923F	
		2600	6"-1923BF	
385	889	2600	6"-1923F	
		2600	6"-1923BF	
390	901	2600	6"-1923F	
		2600	6"-1923BF	
395	911	2600	6"-1923BF	
		2600	6"-1923F	
397	916	2600	6"-1923BF	
		2600	6"-1923F	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 343P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1500 GPM</b>	40	92	1760	8"-1822F
	45	104	1760	8"-1822F
	50	115	1760	8"-1822F
	51	115	1760	6"-1823F
	55	127	1760	6"-1823F
	60	139	1760	6"-1823F
	65	150	1760	6"-1823F
	70	162	1760	6"-1823F
	71	164	1760	6"-1823CF
	75	173	1470	6"-1824CF
			1760	6"-1823F
			1760	6"-1823CF
	76	175	1760	6"-2823CF
	79	183	1760	6"-2823CF
	80	185	1470	6"-1824CF
			1760	6"-1823F
			1760	6"-1823CF
			1760	6"-1825F
	84	194	1760	6"-2823CF
			2100	6"-2823CF
			1470	6"-1824CF
			1760	6"-1823F
			1760	6"-1825F
	85	196	1760	6"-1823CF
			1760	6"-1825F
			1760	6"-2823CF
			2100	6"-2823CF
			1760	6"-2823CF
			2100	6"-2823CF
	86	199	1760	6"-2823CF
	88	203	1470	8"-1825F
			1900	6"-2823CF
2350			6"-2823CF	
89	206	1760	6"-1823F	
		1900	6"-2823CF	
		1470	6"-1824CF	
90	208	1470	8"-1825F	
		1760	6"-1823F	
		1760	6"-1823CF	
		1760	6"-1825F	
		1900	6"-2823CF	
		2100	6"-2823CF	
		2350	6"-2823CF	
		1760	6"-1823CF	
91	210	1760	6"-1823CF	
95	219	1470	6"-1824CF	
		1470	8"-1825F	
		1760	6"-1824BF	
		1760	6"-1825F	
		1900	6"-2823CF	
		2100	6"-2823AF	
		2100	6"-2823CF	
		2350	6"-2823CF	
96	222	2350	6"-2823AF	
100	231	1470	6"-1824CF	
		1470	8"-1825F	
		1760	6"-1824BF	
		1760	6"-1825F	
		1900	6"-2823CF	
		2100	6"-2823AF	
		2100	6"-2823CF	
		2350	6"-2823AF	
2350	6"-2823CF			
102	236	1470	6"-1824CF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 344P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 5 0 0  G P M</b>	105	242	1470	8"-1825F
			1760	6"-1824BF
			1760	6"-1825F
			2100	6"-2823AF
			2100	6"-2823CF
			2350	6"-2823AF
	110	254	2350	6"-2823CF
			1470	8"-1825F
			1760	6"-1824BF
			1760	6"-1825F
			2100	6"-2823AF
			2100	6"-2823CF
	115	265	2350	6"-2823AF
			2350	6"-2823CF
			1470	8"-1825F
			1760	6"-1824BF
			1760	6"-1825F
			2100	6"-2823AF
	119	275	2100	6"-2823CF
			2100	6"-2823CF
			1470	8"-1825F
			1760	6"-1824BF
			1760	6"-1825F
			2100	6"-2823AF
	120	277	2100	6"-2823CF
			2350	6"-2823AF
			2350	6"-2823CF
			1470	8"-1825F
			1760	6"-1824BF
			1760	6"-1825F
	125	289	2100	6"-2823AF
			2100	6"-2823CF
			2350	6"-2823AF
2350			6"-2823CF	
3000			6"-1822HHF	
1470			8"-1825F	
126	291	1760	6"-1824BF	
		1760	6"-1825F	
		2100	6"-2823AF	
		2100	6"-2823CF	
		2350	6"-2823AF	
		2350	6"-2823CF	
130	300	3000	6"-1822HHF	
		1470	8"-1825F	
		1760	6"-1824BF	
		1760	6"-1825F	
		2100	6"-2823AF	
		2350	6"-2823AF	
132	305	2350	6"-2823CF	
		3000	6"-1822HHF	
		2100	6"-2823AF	
		1470	8"-1825F	
		1760	6"-1825F	
		1760	8"-1825F	
135	312	2100	6"-2823AF	
		2350	6"-2823AF	
		2350	6"-2823CF	
		3000	6"-1822HHF	
		1470	8"-1825F	
		1760	6"-1825F	
140	323	1760	8"-1825F	
		2350	6"-2823AF	
		2350	6"-2823CF	
		3000	6"-1822HHF	
		2600	6"-1823HHF	
		3000	6"-1822HHF	
142	328	2600	6"-1823HHF	
144	333	3000	6"-1822HHF	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 345P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1500 GPM</b>	145	335	1760	6"-1825F
			1760	8"-1825F
			2350	6"-2823AF
			2350	6"-2823CF
			2600	6"-1823HHF
	150	347	1760	6"-1825F
			1760	8"-1825F
			2350	6"-2823AF
			2350	6"-2823CF
			2600	6"-1823HHF
	151	349	2350	6"-2823CF
	155	358	1760	6"-1825F
			1760	8"-1825F
			2350	6"-2823AF
			2600	6"-1823HHF
			3000	6"-1823HHF
	160	369	1760	6"-1825F
			1760	8"-1825F
			2350	6"-2823AF
			2600	6"-1823HHF
			3000	6"-1823HHF
	164	379	2350	6"-2823AF
	165	381	1760	6"-1825F
			1760	8"-1825F
			2600	6"-1823HHF
			3000	6"-1823HHF
	170	392	1760	8"-1825F
			2350	6"-1923F
			2600	6"-1823HHF
			3000	6"-1823HHF
	175	404	1760	8"-1825F
			2350	6"-1923F
			2600	6"-1823HHF
			3000	6"-1823HHF
179	413	2350	6"-1923F	
180	415	1760	8"-1825F	
		2600	6"-1823HHF	
		3000	6"-1823HHF	
184	425	2350	6"-1923F	
185	427	1760	8"-1825F	
		2600	6"-1823HHF	
		3000	6"-1823HHF	
189	437	2350	6"-1923F	
190	439	1760	8"-1825F	
		2600	6"-1823HHF	
		3000	6"-1823HHF	
192	444	2100	6"-1923F	
194	448	1760	8"-1825F	
		2350	6"-1923F	
195	450	2100	6"-1923F	
		3000	6"-1823HHF	
		2100	6"-1923F	
199	460	2350	6"-1923F	
		3000	6"-1823HHF	
200	461	3000	6"-1823HHF	
204	471	2350	6"-1923F	
205	473	2100	6"-1923F	
		3000	6"-1823HHF	
209	483	2350	6"-1923F	
210	485	2100	6"-1923F	
		3000	6"-1823HHF	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES  
Horizontal Split Case  
Diesel Engine Drive**

**Section 913 Page 346P**  
Date December 19, 2017  
Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 5 0 0  G P M</b>	215	497	2100	6"-1923F
			2350	6"-1923F
			3000	6"-1823HHF
	220	508	2100	6"-1923F
			2350	6"-1923F
			3000	6"-1823HHF
	224	517	2600	6"-1923F
	225	520	2100	6"-1923F
			2350	6"-1923F
			3000	6"-1823HHF
	229	529	2600	6"-1923F
	230	531	2100	6"-1923F
			2350	6"-1923F
			3000	6"-1823HHF
	234	541	2600	6"-1923F
	235	543	2100	6"-1923F
			2350	6"-1923F
			3000	6"-1823HHF
	239	552	2350	6"-1923F
			2600	6"-1923F
			2100	6"-1923F
	240	554	3000	6"-1823HHF
			2600	6"-1923F
			564	2600
	245	566	2100	6"-1923F
			2350	6"-1923F
			3000	6"-1823HHF
	250	578	2100	6"-1923F
			2350	6"-1923F
			2600	6"-1923F
			3000	6"-1823HHF
	255	589	2100	6"-1923F
			2350	6"-1923F
			2600	6"-1923F
			3000	6"-1823HHF
	259	598	2600	6"-1923F
	260	601	2100	6"-1923F
			2350	6"-1923F
			3000	6"-1823HHF
	262	605	2100	6"-1923F
264	610	2600	6"-1923F	
265	612	2350	6"-1923F	
269	621	2600	6"-1923F	
270	624	2350	6"-1923F	
		2350	6"-1923F	
		2600	6"-1923F	
275	635	2350	6"-1923F	
		2600	6"-1923F	
		2350	6"-1923F	
280	647	2600	6"-1923F	
		2350	6"-1923F	
		2350	6"-1923F	
285	658	2600	6"-1923F	
		2600	6"-1923F	
289	668	2600	6"-1923F	
290	670	2350	6"-1923F	
294	679	2600	6"-1923F	
295	681	2350	6"-1923F	
299	691	2600	6"-1923F	
300	693	2350	6"-1923F	
304	702	2600	6"-1923F	
305	705	2350	6"-1923F	
310	716	2350	6"-1923F	
		2600	6"-1923F	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 347P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>1 5 0 0 G P M</b>	315	728	2350	6"-1923F
			2600	6"-1923F
	319	737	2600	6"-1923F
	320	739	2350	6"-1923F
	325	751	2350	6"-1923F
			2600	6"-1923F
	330	762	2350	6"-1923F
			2600	6"-1923F
	334	772	2600	6"-1923F
	335	774	2350	6"-1923F
	344	795	2600	6"-1923F
	349	806	2600	6"-1923F
	354	818	2600	6"-1923F
	360	832	2600	6"-1923F
	364	841	2600	6"-1923F
	370	855	2600	6"-1923F
374	864	2600	6"-1923F	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 348P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>2000 GPM</b>	52	120	1470	8"-1824BF
	53	122	1760	8"-1824BF
	55	127	1470	8"-1824BF
			1760	8"-1824BF
	60	138	1470	8"-1824BF
			1760	8"-1824BF
	65	150	1470	8"-1824BF
			1760	8"-1824BF
	70	161	1470	8"-1824BF
			1760	8"-1824BF
	75	173	1470	8"-1824BF
			1760	8"-1824BF
	80	185	1470	8"-1824BF
			1760	6"-1823BF
			1760	8"-1824BF
	82	189	1470	8"-1825F
			1470	8"-1824BF
	85	196	1470	8"-1825F
			1760	6"-1823BF
			1760	8"-1824BF
	89	206	2100	6"-2823AF
			2350	6"-2823AF
			1470	8"-1824BF
	90	208	1470	8"-1825F
			1760	6"-1823BF
			1760	6"-2824CF
			1760	8"-1824BF
			2100	6"-2823AF
			2350	6"-2823AF
	93	215	1470	8"-1824BF
	94	217	1470	8"-1824BF
	95	219	1470	8"-1825F
1760			6"-1823BF	
1760			6"-2824CF	
1760			8"-1824BF	
2100			6"-2823AF	
100	231	2350	6"-2823AF	
		1470	8"-1825F	
		1760	6"-1823BF	
		1760	6"-1824CF	
		1760	6"-2824CF	
		1760	8"-1824BF	
105	242	2100	6"-1823BF	
		2100	6"-2823AF	
		2350	6"-2823AF	
		1470	8"-1825F	
		1760	6"-1824CF	
		1760	6"-2824CF	
		1760	6"-2825AF	
		1760	8"-1824BF	
2100	6"-1823BF			
2100	6"-2823AF			
2100	6"-2824CF			
2350	6"-2823AF			





**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 349P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>2000 GPM</b>	110	254	1470	8"-1825F
			1470	8"-1826F
			1760	6"-1824CF
			1760	6"-2824CF
			1760	6"-2825AF
			1760	8"-1824BF
			2100	6"-1823BF
			2100	6"-2823AF
			2100	6"-2824CF
	2350	6"-2823AF		
	115	265	1470	8"-1825F
			1470	8"-1826F
			1760	6"-1824CF
			1760	6"-2824CF
			1760	6"-2825AF
			1760	8"-1824BF
			2100	6"-1823BF
			2100	6"-2823AF
			2100	6"-2824CF
	2350	6"-2823AF		
	120	277	1470	8"-1825F
			1470	8"-1826F
			1760	6"-1824CF
			1760	6"-2824CF
			1760	6"-2825AF
			1760	8"-1824BF
			2100	6"-1823BF
			2100	6"-2823AF
			2100	6"-2824CF
	2350	6"-2823AF		
	125	289	1470	8"-1825F
			1470	8"-1826F
			1760	6"-1824CF
			1760	6"-1825F
			1760	6"-2824CF
			1760	6"-2825AF
			1760	8"-1824BF
			2100	6"-1823BF
			2100	6"-2823AF
	2100	6"-2824CF		
	2350	6"-2823AF		
	130	300	1470	8"-1825F
			1470	8"-1826F
			1760	6"-1824CF
1760			6"-1825F	
1760			6"-2824CF	
1760			6"-2825AF	
1760			8"-1825F	
2100			6"-2823AF	
2100			6"-2824CF	
2350	6"-2823AF			
132	305	2100	6"-2823AF	
		2100	6"-2825AF	
134	310	1760	6"-2824CF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 350P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>2000 GPM</b>	135	312	1470	8"-1826F
			1760	6"-1824CF
			1760	6"-1825F
			1760	6"-2825AF
			1760	8"-1825F
			2100	6"-2824CF
			2100	6"-2825AF
			2350	6"-2823AF
	140	323	1470	8"-1826F
			1760	6"-1825F
			1760	6"-2825AF
			1760	8"-1825F
			2100	6"-2824CF
			2100	6"-2825AF
	145	335	1470	8"-1826F
			1760	6"-1825F
			1760	6"-2825AF
			1760	8"-1825F
			2100	6"-2824CF
			2100	6"-2825AF
	149	344	1470	8"-1826F
			1760	6"-1825F
			1760	6"-2825AF
			1760	8"-1825F
			2100	6"-2824CF
			2100	6"-2825AF
	150	347	1470	8"-1826F
			1760	6"-1825F
			1760	6"-2825AF
			1760	8"-1825F
			2100	6"-2824CF
			2100	6"-2825AF
152	351	1470	8"-1826F	
		1760	6"-1825F	
		1760	6"-2825AF	
		1760	8"-1825F	
		2100	6"-2824CF	
		2100	6"-2825AF	
155	358	1470	8"-1826F	
		1760	6"-1825F	
		1760	6"-2825AF	
		1760	8"-1825F	
		2100	6"-2824CF	
		2100	6"-2825AF	
157	363	1470	8"-1826F	
		1760	6"-1825F	
		1760	6"-2825AF	
		1760	8"-1825F	
		2100	6"-2824CF	
		2100	6"-2825AF	
160	370	1470	8"-1826F	
		1760	6"-1825F	
		1760	6"-2825AF	
		1760	8"-1825F	
		2100	6"-2824CF	
		2100	6"-2825AF	
165	381	1470	8"-1826F	
		1760	6"-1825F	
		1760	6"-2825AF	
		1760	8"-1825F	
		2100	6"-2824CF	
		2100	6"-2825AF	
170	393	1470	8"-1826F	
		1760	6"-1825F	
		1760	6"-2825AF	
		1760	8"-1826F	
		2100	6"-2824CF	
		2100	6"-2825AF	
173	400	1470	8"-1826F	
		1760	6"-1825F	
		1760	6"-2825AF	
		1760	8"-1826F	
		2100	6"-2824CF	
		2100	6"-2825AF	
175	404	1470	8"-1826F	
		1760	6"-1825F	
		1760	6"-2825AF	
		1760	8"-1826F	
		2100	6"-2824CF	
		2100	6"-2825AF	
180	415	1470	8"-1826F	
		1760	6"-1825F	
		1760	6"-2825AF	
		1760	8"-1826F	
		2100	6"-2824CF	
		2100	6"-2825AF	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 351P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>2 0 0 0 G P M</b>	185	427	1760	8"-1825F
			1760	8"-1826F
			2100	6"-2825AF
	190	439	1760	8"-1825F
			1760	8"-1826F
			2100	6"-2825AF
	195	450	1760	8"-1826F
			2100	6"-2825AF
	200	462	1760	8"-1826F
			2100	6"-2825AF
	205	474	1760	8"-1826F
			2100	6"-2825AF
	210	485	1760	8"-1826F
			2100	6"-2825AF
	214	494	1760	8"-1826F

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 352P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>2500 GPM</b>	50	115	1760	8"-2823AF
	55	127	1760	8"-2823AF
	60	139	1760	8"-2823AF
	63	146	1470	10"-1824DF
	65	150	1470	10"-1824F
			1470	10"-1824DF
			1760	8"-2823AF
	70	162	1470	10"-1824F
			1470	10"-1824DF
			1760	8"-2823AF
	72	166	2100	8"-2823AF
	75	173	1470	10"-1824F
			1470	10"-1824DF
			1760	8"-1824BF
			1760	8"-2823AF
			1760	8"-2824AF
	80	185	2100	8"-2823AF
			1470	10"-1824F
			1470	10"-1824DF
			1760	8"-1824BF
			1760	8"-2823AF
	84	194	1760	8"-2824AF
			1760	8"-2823AF
			1470	10"-1824F
			1470	10"-1824DF
			1760	8"-1824BF
	85	196	1760	8"-2824AF
			1760	8"-2823AF
			2100	8"-2823AF
			2100	8"-2823AF
	88	203	2350	8"-2823AF
	90	208	1470	10"-1824F
1470			10"-1824DF	
1760			8"-1824BF	
1760			8"-2824AF	
2100			8"-2823AF	
94	217	2350	8"-2823AF	
		1470	10"-1824DF	
		1470	10"-1824F	
		1470	10"-1824DF	
		1760	8"-1824BF	
95	219	1760	8"-2824AF	
		1760	8"-2823AF	
		2100	8"-2823AF	
		2350	8"-2823AF	
100	231	1470	10"-1824F	
		1760	8"-1824BF	
		1760	8"-2824AF	
		2100	8"-2823AF	
		2350	8"-2823AF	
105	242	1760	8"-1824BF	
		1760	8"-2824AF	
		2100	8"-2823AF	
		2350	8"-2823AF	
110	254	1760	8"-2823AF	
		1760	8"-1824BF	
		1760	8"-2824AF	
		2100	8"-2823AF	
			2350	8"-2823AF



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 353P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>2500 GPM</b>	115	266	1470	8"-1826F
			1760	8"-1824BF
			1760	8"-2824AF
			2100	8"-1824BF
			2100	8"-2823AF
			2350	8"-2823AF
	119	275	2100	8"-2823AF
	120	277	1470	8"-1825AF
			1470	8"-1826F
			1760	8"-1824BF
			1760	8"-2824AF
			2100	8"-1824BF
			2350	8"-2823AF
	124	286	1470	8"-1825AF
	125	289	1470	8"-1825AF
			1470	8"-1826F
			1760	8"-1824BF
			1760	8"-2824AF
			2100	8"-1824BF
			2350	8"-2823AF
	128	296	1760	8"-1824BF
	130	300	1470	8"-1826F
			1760	8"-1824BF
			1760	8"-1825AF
			1760	8"-2824AF
			2100	8"-1824BF
			2350	8"-2823AF
	135	312	1470	8"-1826F
			1760	8"-1825AF
			1760	8"-2824AF
			2100	8"-1824BF
	137	316	2350	8"-2823AF
2100			8"-2824AF	
139	321	1760	8"-2824AF	
140	323	1470	8"-1826F	
		1760	8"-1825AF	
		1760	8"-2824AF	
		2100	8"-1824BF	
		2100	8"-2824AF	
		2350	8"-2823AF	
141	326	1760	8"-2824AF	
144	333	2350	8"-2823AF	
145	335	1470	8"-1826F	
		1760	8"-1825AF	
		2100	8"-1824BF	
		2100	8"-2824AF	
150	347	1470	8"-1826F	
		1760	8"-1825AF	
		2100	8"-2824AF	
155	358	1470	8"-1826F	
		1760	8"-1825AF	
		2100	8"-2824AF	
160	370	1470	8"-1826F	
		1760	8"-1825AF	
		1760	8"-1826F	
		2100	8"-2824AF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 354P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>2 5 0 0 G P M</b>	165	381	1470	8"-1826F
			1760	8"-1825AF
			1760	8"-1826F
			2100	8"-2824AF
	170	392	1760	8"-1825AF
			1760	8"-1826F
			2100	8"-2824AF
	171	395	2100	8"-2824AF
	175	404	1760	8"-1825AF
			1760	8"-1826F
	180	415	1760	8"-1825AF
			1760	8"-1826F
	185	427	1760	8"-1825AF
			1760	8"-1826F
	187	432	1760	8"-1825AF
	188	434	1760	8"-1825AF
	190	439	1760	8"-1826F
195	450	1760	8"-1826F	
200	462	1760	8"-1826F	
205	474	1760	8"-1826F	
210	485	1760	8"-1826F	
214	494	1760	8"-1826F	



**SELECTION TABLES  
Horizontal Split Case  
Diesel Engine Drive**

**Section 913 Page 355P**  
Date December 19, 2017  
Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>3000 GPM</b>	61	141	1470	10"-1824F
			1470	10"-1824DF
	65	150	1470	10"-1824F
			1470	10"-1824DF
	70	162	1470	10"-1824F
			1470	10"-1824DF
	75	173	1470	10"-1824F
			1470	10"-1824DF
	80	185	1470	10"-1824F
			1470	10"-1824DF
	85	196	1470	10"-1824F
			1470	10"-1824DF
	90	208	1470	10"-1824F
			1470	10"-1824DF
			1760	10"-1824DF
	91	210	2100	8"-2823AF
	95	219	1470	10"-1824F
			1470	10"-1824DF
			1760	10"-1824DF
			2100	8"-2823AF
	98	226	1470	10"-1824F
			1760	10"-1824F
			1760	10"-1824DF
	100	231	1760	10"-5824F
			2100	8"-2823AF
			2350	10"-1823CF
			1760	8"-2824AF
	103	238	1760	10"-1824F
	105	242	1760	10"-1824DF
			1760	10"-5824F
			1760	8"-2824AF
			2100	8"-2823AF
			2350	10"-1823CF
110	254	1760	10"-1824F	
		1760	10"-1824DF	
		1760	10"-5824F	
		1760	8"-2824AF	
		2100	8"-2823AF	
112	259	2350	10"-1823CF	
		2100	8"-2823AF	
		1760	10"-1824F	
115	265	1760	10"-1824DF	
		1760	10"-5824F	
		1760	8"-2824AF	
116	268	2100	8"-2823AF	
120	277	1760	10"-1824F	
		1760	10"-1824DF	
		1760	10"-5824F	
		1760	8"-2824AF	
125	289	1760	10"-1824F	
		1760	10"-1824DF	
		1760	10"-5824F	
		1760	8"-2824AF	
130	300	1760	10"-1824F	
		1760	10"-1824DF	
		1760	10"-5824F	
		2100	8"-2824AF	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 356P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>3 0 0 0 G P M</b>	134	310	1760	10"-1824DF
			1760	10"-1824F
	135	312	1760	10"-1824DF
			1760	10"-5824F
			2100	8"-2824AF
	140	323	1760	10"-1824F
			1760	10"-5824F
			2100	8"-2824AF
	145	334	1760	10"-1824F
			1760	10"-5824F
			2100	8"-2824AF
	150	347	1760	10"-5824F
			2100	8"-2824AF
	153	353	1760	10"-5824F
	155	358	2100	8"-2824AF
160	370	2100	8"-2824AF	
165	381	2100	8"-2824AF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 357P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>3500 GPM</b>	59	136	1470	10"-1824DF
	60	139	1470	10"-1824DF
	62	143	1470	10"-1824F
	65	150	1470	10"-1824F
			1470	10"-1824DF
	70	162	1470	10"-1824F
			1470	10"-1824DF
	75	173	1470	10"-1824F
			1470	10"-1824DF
	80	185	1470	10"-1824F
			1470	10"-1824DF
	85	196	1470	10"-1824F
			1470	10"-1824DF
	88	203	1760	10"-1824DF
	90	208	1470	10"-1824F
			1470	10"-1824DF
			1760	10"-1824DF
	92	213	1470	10"-1824DF
	94	217	1470	10"-1824DF
	95	219	1470	10"-1824F
			1760	10"-1824DF
	96	222	1470	10"-1824F
	100	231	1760	10"-1824F
			1760	10"-1824DF
			1760	10"-5824F
	105	242	1760	10"-1824F
			1760	10"-1824DF
			1760	10"-5824F
	110	254	1760	10"-1824F
			1760	10"-1824DF
1760			10"-5824F	
115	265	1760	10"-1824F	
		1760	10"-1824DF	
		1760	10"-5824F	
120	277	1760	10"-1824F	
		1760	10"-1824DF	
		1760	10"-5824F	
125	289	1760	10"-1824F	
		1760	10"-1824DF	
		1760	10"-5824F	
130	300	1760	10"-1824F	
		1760	10"-1824DF	
		1760	10"-5824F	
134	310	1760	10"-1824DF	
135	312	1760	10"-1824F	
		1760	10"-1824DF	
		1760	10"-5824F	
140	323	1760	10"-1824F	
		1760	10"-5824F	
145	335	1760	10"-5824F	
150	347	1760	10"-5824F	
151	349	1760	10"-5824F	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 358P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>4000 GPM</b>	63	146	1470	10"-2825AF
	64	148	1470	10"-1824DF
	65	150	1470	10"-1824DF
			1470	10"-2825AF
	70	162	1470	10"-1824DF
			1470	10"-2825AF
	75	173	1470	10"-1824DF
			1470	10"-2825AF
	80	185	1470	10"-1824DF
			1470	10"-2825AF
	85	196	1470	10"-1824DF
			1470	10"-2825AF
			1760	10"-1824DF
	90	208	1470	10"-1824DF
			1470	10"-2825AF
			1760	10"-1824DF
	91	210	1470	10"-1824DF
	92	213	1470	10"-1824DF
	94	217	1760	10"-2825AF
	95	219	1470	10"-2825AF
			1760	10"-1824F
			1760	10"-1824DF
			1760	10"-2825AF
	100	231	1470	10"-2825AF
			1760	10"-1824F
			1760	10"-1824DF
			1760	10"-2825AF
	105	242	1470	10"-2825AF
			1760	10"-1824F
			1760	10"-1824DF
	110	254	1760	10"-2825AF
			1760	10"-1824F
1760			10"-1824DF	
1760			10"-2825AF	
1900			10"-2825AF	
115	266	1470	10"-2825AF	
		1760	10"-1824DF	
		1760	10"-2825AF	
120	277	1900	10"-2825AF	
		1470	10"-2825AF	
		1760	10"-1824DF	
125	289	1760	10"-1824DF	
		1760	10"-2825AF	
		1900	10"-2825AF	
		1900	10"-2825AF	
130	300	1760	10"-1824DF	
		1760	10"-2825AF	
		1900	10"-2825AF	
132	306	1470	10"-2825AF	
133	307	1760	10"-1824DF	
134	310	1470	10"-2825AF	
		1760	10"-1824DF	
135	312	1760	10"-2825AF	
		1900	10"-2825AF	



**PENTAIR**

**FAIRBANKS NIJHUIS™**

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 359P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>4 0 0 0 G P M</b>	140	323	1760	10"-2825AF
			1900	10"-2825AF
	145	335	1760	10"-2825AF
			1900	10"-2825AF
	150	347	1760	10"-2825AF
			1900	10"-2825AF
	155	358	1760	10"-2825AF
			1900	10"-2825AF
	160	370	1760	10"-2825AF
			1900	10"-2825AF
	165	381	1760	10"-2825AF
			1900	10"-2825AF
	170	393	1760	10"-2825AF
			1900	10"-2825AF
	175	404	1760	10"-2825AF
			1900	10"-2825AF
	180	416	1760	10"-2825AF
			1900	10"-2825AF
	185	427	1760	10"-2825AF
			1900	10"-2825AF
190	439	1760	10"-2825AF	
		1900	10"-2825AF	
193	447	1760	10"-2825AF	
195	450	1900	10"-2825AF	
198	457	1760	10"-2825AF	
200	462	1900	10"-2825AF	
205	474	1900	10"-2825AF	
210	485	1900	10"-2825AF	
215	497	1900	10"-2825AF	
220	508	1900	10"-2825AF	
225	520	1900	10"-2825AF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 360P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>4 5 0 0  G P M</b>	80	185	1470	10"-2825AF
	81	187	1760	10"-1824DF
	85	196	1470	10"-2825AF
			1760	10"-1824DF
	90	208	1470	10"-2825AF
			1760	10"-1824DF
			1760	10"-2825AF
	95	219	1470	10"-2825AF
			1760	10"-1824DF
			1760	10"-2825AF
	100	231	1470	10"-2825AF
			1760	10"-1824DF
			1760	10"-2825AF
	105	243	1470	10"-2825AF
			1760	10"-1824DF
			1760	10"-2825AF
	106	245	1900	10"-2825AF
	110	254	1470	10"-2825AF
			1760	10"-1824DF
			1760	10"-2825AF
			1900	10"-2825AF
	115	266	1470	10"-2825AF
			1760	10"-1824DF
			1760	10"-2825AF
			1900	10"-2825AF
	120	277	1470	10"-2825AF
			1760	10"-1824DF
			1760	10"-2825AF
			1900	10"-2825AF
	125	289	1470	10"-2825AF
			1760	10"-1824DF
			1760	10"-2825AF
1900			10"-2825AF	
130	300	1470	10"-2825AF	
		1760	10"-1824DF	
		1760	10"-2825AF	
		1900	10"-2825AF	
132	304	1760	10"-1824DF	
135	312	1760	10"-2825AF	
		1900	10"-2825AF	
136	314	1470	10"-2825AF	
140	323	1760	10"-2825AF	
		1900	10"-2825AF	
145	335	1760	10"-2825AF	
		1900	10"-2825AF	
150	347	1760	10"-2825AF	
		1900	10"-2825AF	
155	358	1760	10"-2825AF	
		1900	10"-2825AF	
160	370	1760	10"-2825AF	
		1900	10"-2825AF	
165	381	1760	10"-2825AF	
		1900	10"-2825AF	
170	393	1760	10"-2825AF	
		1900	10"-2825AF	
175	404	1760	10"-2825AF	
		1900	10"-2825AF	



**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 361P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

<b>Diesel Driven</b>				
<b>Flow GPM</b>	<b>Pressure</b>		<b>Speed (RPM)</b>	<b>Pump Size &amp; Model</b>
	<b>PSI</b>	<b>TDH</b>		
<b>4</b>	180	416	1760	10"-2825AF
			1900	10"-2825AF
<b>5</b>	185	427	1760	10"-2825AF
			1900	10"-2825AF
<b>0</b>	190	439	1760	10"-2825AF
			1900	10"-2825AF
<b>0</b>	195	450	1760	10"-2825AF
			1900	10"-2825AF
<b>G</b>	200	462	1900	10"-2825AF
			1900	10"-2825AF
<b>P</b>	205	474	1900	10"-2825AF
			1900	10"-2825AF
<b>M</b>	210	485	1900	10"-2825AF
			1900	10"-2825AF
	215	497	1900	10"-2825AF
			1900	10"-2825AF
	220	508	1900	10"-2825AF
			1900	10"-2825AF
	223	515	1900	10"-2825AF

**SELECTION TABLES**  
**Horizontal Split Case**  
**Diesel Engine Drive**

**Section 913 Page 362P**  
 Date December 19, 2017  
 Supersedes September 1, 2016

Diesel Driven				
Flow GPM	Pressure		Speed (RPM)	Pump Size & Model
	PSI	TDH		
<b>5 0 0 0  G P M</b>	91	210	1760	10"-1824DF
	95	219	1470	10"-2825AF
			1760	10"-1824DF
	100	231	1470	10"-2825AF
			1760	10"-1824DF
	102	236	1900	10"-2825AF
	105	243	1470	10"-2825AF
			1760	10"-1824DF
			1900	10"-2825AF
	110	254	1470	10"-2825AF
			1760	10"-1824DF
			1760	10"-2825AF
			1900	10"-2825AF
	115	266	1470	10"-2825AF
			1760	10"-1824DF
			1760	10"-2825AF
			1900	10"-2825AF
	120	277	1470	10"-2825AF
			1760	10"-1824DF
			1760	10"-2825AF
			1900	10"-2825AF
	125	289	1470	10"-2825AF
			1760	10"-1824DF
			1760	10"-2825AF
			1900	10"-2825AF
	129	297	1760	10"-1824DF
	130	300	1470	10"-2825AF
			1760	10"-1824DF
			1760	10"-2825AF
			1900	10"-2825AF
	132	305	1470	10"-2825AF
	135	312	1760	10"-2825AF
1900			10"-2825AF	
140	323	1760	10"-2825AF	
		1900	10"-2825AF	
145	335	1760	10"-2825AF	
		1900	10"-2825AF	
150	347	1760	10"-2825AF	
		1900	10"-2825AF	
155	358	1760	10"-2825AF	
		1900	10"-2825AF	
160	370	1760	10"-2825AF	
		1900	10"-2825AF	
165	381	1760	10"-2825AF	
		1900	10"-2825AF	
170	393	1760	10"-2825AF	
		1900	10"-2825AF	
175	404	1760	10"-2825AF	
		1900	10"-2825AF	
180	416	1760	10"-2825AF	
		1900	10"-2825AF	
185	427	1900	10"-2825AF	
187	432	1760	10"-2825AF	
		1760	10"-2825AF	
190	439	1900	10"-2825AF	
		1900	10"-2825AF	
195	450	1900	10"-2825AF	
200	462	1900	10"-2825AF	
205	474	1900	10"-2825AF	
210	485	1900	10"-2825AF	
215	497	1900	10"-2825AF	
220	508	1900	10"-2825AF	
221	511	1900	10"-2825AF	



**PENTAIR**

**FAIRBANKS NIJHUIS™**