

250 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **401**

Date **June 1999**

Supersedes Section 912 Page 401


Dated December 1992

SIZE : 2.5-481-10B / 2.5-483-10B

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 3560




**52
to
167
P.S.I.**

SIZE : 3-481-10 / 3-483-10

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 3560



**40
to
100
P.S.I.**

500 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

SIZE : 3-492-10A


MODEL: 492

IMPELLER : Enclosed

R. P. M. : 3535

IMP. PATT. NO. 444A725

CASE PATT. NO. 190A041 UPPER
190A040 LOWER



PC-168435

**125
to
165
P.S.I.**

500 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **403**

Date **January 2001**

Supersedes Section 912 Page 403


Dated October 2000

SIZE : 3-481-10 / 3-483-10

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 3560




**50
to
150
P.S.I.**

SIZE : 4-481-11A / 4-483-11A

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770



**40
to
55
P.S.I.**

500 G.P.M. 912 SERIES


ELECTRIC MOTOR DRIVE

SIZE : 4-481-15 / 4-483-15

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




PC-117426

SIZE : 4-485-15

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770



PC-117428

500 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **405**

Date **JULY 2007**

Supersedes Section 912 Page 405


Dated July 2001

SIZE : 5-485-12

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 3550




228
to
476
P.S.I.

SIZE : 3-491-9C

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 3560



95
to
140
P.S.I.

500 G.P.M. 912 SERIES


ELECTRIC MOTOR DRIVE

SIZE : 4-492-10

MODEL: 492

IMPELLER : Enclosed

R. P. M. : 3550




SIZE : 4-492-14

MODEL: 492

IMPELLER : Enclosed

R. P. M. : 1770



500 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **407**

Date **April 2000**

Supersedes Section 912 Page 407


Dated June 1999

SIZE : 4-492-18

MODEL: 492

IMPELLER : Enclosed

R. P. M. : 1770




**76
to
125
P.S.I.**

SIZE : 6-491-12A

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 3565



**191
to
278
P.S.I.**

750 G.P.M. 912 SERIES


ELECTRIC MOTOR DRIVE

SIZE : 4-481-11A / 4-483-11A

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




PC-117429

SIZE : 4-481-11C / 4-483-11C

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 3560



PC-148512

40
to
50
P.S.I.

65
to
192
P.S.I.

750 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **409**

Date **July 2007**

Supersedes Section 912 Page 409


Dated June 2007

SIZE : 4-481-11D/4-483-11D

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 3560



**83
to
192
P.S.I.**

750 G.P.M. 912 SERIES


ELECTRIC MOTOR DRIVE

SIZE : 4-481-15 / 4-483-15

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




SIZE : 5-481-15 / 5-483-15

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770



750 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **410.1**

Date **June 2008**

Supersedes Section 912 Page 410.1


Dated July 2001

SIZE : 6-485-12

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 3550




310
to
506
P.S.I.

SIZE: 6-485-16

MODEL: 485

IMPELLER : Enclosed

R. P. M. : 1780



158
to
211
P.S.I.



AURORA®

750 G.P.M. 912 SERIES


ELECTRIC MOTOR DRIVE

SIZE: 6-485-16B

MODEL: 485

IMPELLER : Enclosed

R. P. M. : 1770



PC-204621

**158
to
203
P.S.I.**

750 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **411**

Date **June 1999**

Supersedes Section 912 Page 411


Dated June 1992

SIZE : 6-485-17A

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




**140
to
245
P.S.I.**

SIZE : 4-491-11A

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 3550



**100
to
143
P.S.I.**

750 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

SIZE : 4-491-11A


MODEL: 491

IMPELLER : Enclosed

R. P. M. : 3550

IMP. PATT. NO. 444A723

CASE PATT. NO. 190A010 UPPER
190A009 LOWER



PC-168442

SIZE : 4-491-11A


MODEL: 491

IMPELLER : Enclosed

R. P. M. : 3550

IMP. PATT. NO. 444A723

CASE PATT. NO. 190A010 UPPER
190A009 LOWER



PC-168780

144
to
221
P.S.I.

225
P.S.I.

750 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **413**

Date **April 2000**

Supersedes Section 912 Page 413


Dated June 1999

SIZE : 4-491-11C

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 3550



PC-168441


**145
to
200
P.S.I.**

SIZE : 4-491-14C

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 1770



PC-168443

**55
to
90
P.S.I.**



AURORA®

750 G.P.M. 912 SERIES


ELECTRIC MOTOR DRIVE

SIZE : 4-492-18

MODEL: 492

IMPELLER : Enclosed

R. P. M. : 1770




SIZE : 5-495-15

MODEL: 495

IMPELLER : Enclosed

R. P. M. : 1770



750 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **415**

Date **April 2000**

Supersedes Section 912 Page 415


Dated June 1999

SIZE : 5-491-18A

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 1770



PC-168446


**90
to
140
P.S.I.**

SIZE : 6-491-12A

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 3565



PC-168447

**180
to
266
P.S.I.**



AURORA®

Section **912** Page **416**

Date **April 2000**

Supersedes Section 912 Page 416

Dated June 1999

THIS PAGE LEFT INTENTIONALLY BLANK

1000 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **417**

Date **June 2002**

Supersedes Section 912 Page 417


Dated November 2001

SIZE : 5-481-11B / 5-483-11B

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 3560




120
to
200
P.S.I.

SIZE : 5-481-11C / 5-483-11C

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 3560



90
to
160
P.S.I.

1000 G.P.M. 912 SERIES


ELECTRIC MOTOR DRIVE

SIZE : 5-481-15 / 5-483-15

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




50
to
90
P.S.I.

SIZE : 5-481-17 / 5-483-17

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




90
to
125
P.S.I.

SIZE : 6-481-11HH

MODEL: 480 IMPELLER : Enclosed

R. P. M. : 3560




**88
to
218
P.S.I.**

SIZE : 6-481-14HH

MODEL: 480 IMPELLER : Enclosed

R. P. M. : 3560



**154
to
287
P.S.I.**

THIS PAGE LEFT INTENTIONALLY BLANK

1000 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **419**

Date **June 2008**

Supersedes Section 912 Page 419


Dated June 1999

SIZE : 6-481-11 / 6-483-11

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




40
to
50
P.S.I.

SIZE: 6-485-16

MODEL: 485

IMPELLER : Enclosed

R. P. M. : 1780



149
to
202
P.S.I.

1000 G.P.M. 912 SERIES


ELECTRIC MOTOR DRIVE

SIZE: 6-485-16B

MODEL: 485

IMPELLER : Enclosed

R. P. M. : 1770




PC-204622

SIZE : 6-485-17A

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770



PC-153363

THIS PAGE LEFT INTENTIONALLY BLANK

1000 G.P.M. 912 SERIES


ELECTRIC MOTOR DRIVE

SIZE : 5-492-18

MODEL: 492

IMPELLER : Enclosed

R. P. M. : 1770




PC-168448

SIZE : 5-491-18A

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 1770



PC-168449

50
to
125
P.S.I.

85
to
135
P.S.I.

1000 G.P.M. 912 SERIES
ELECTRIC MOTOR DRIVE

Section **912** Page **421**

Date **April 2000**

Supersedes Section 912 Page 421


Dated June 1999

SIZE : 6-495-17

MODEL: 495

IMPELLER : Enclosed

R. P. M. : 1770



**144
to
244
P.S.I.**

Section **912** Page **422**

Date **April 2000**

Supersedes Section 912 Page 422


Dated June 1999

THIS PAGE LEFT INTENTIONALLY BLANK

SIZE : 6-481-11HH

MODEL: 480 IMPELLER : Enclosed

R. P. M. : 3560




**132
to
216
P.S.I.**

SIZE : 6-481-14HH

MODEL: 480 IMPELLER : Enclosed

R. P. M. : 3560



**145
to
287
P.S.I.**

THIS PAGE LEFT INTENTIONALLY BLANK

1250 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **423**

Date **April 2003**

Supersedes Section 912 Page 423


Dated April 2000

SIZE : 6-481-15 / 6-483-15

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




55
to
96
P.S.I.

SIZE : 6-481-15C / 6-483-15C

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770



55
to
95
P.S.I.



AURORA®

1250 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE


SIZE: 6-485-16

MODEL: 485

IMPELLER : Enclosed

R. P. M. : 1780

IMP. PATT. NO. 444S490 & 444S491
 CASE PATT. NO. Upper Patt. No : 180A511
 Lower Patt. No : 180A512



PC- 200248

139
to
189
P.S.I.

THIS PAGE LEFT INTENTIONALLY BLANK

1250 G.P.M. 912 SERIES


ELECTRIC MOTOR DRIVE

SIZE : 6-481-18B / 6-483-18B

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




SIZE : 6-481-20 / 6-483-20

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770



1250 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **425**

Date **April 2003**

Supersedes Section 912 Page 425


Dated April 2000

SIZE : 8-481-12 / 8-483-12

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




45
to
53
P.S.I.

SIZE : 8-481-21

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1775



136
to
195
P.S.I.

1250 G.P.M. 912 SERIES


ELECTRIC MOTOR DRIVE

SIZE : 5-491-14A

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 1780




PC-168451

SIZE : 5-491-18A

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 1780



PC-168529


64
to
84
P.S.I.

119
to
134
P.S.I.

SIZE : 6-481-11HH

MODEL: 480 IMPELLER : Enclosed

R. P. M. : 3560




**142
to
216
P.S.I.**

SIZE : 6-481-14HH

MODEL: 480 IMPELLER : Enclosed

R. P. M. : 3560



**158
to
283
P.S.I.**

THIS PAGE LEFT INTENTIONALLY BLANK

1500 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **427**

Date **April 2003**

Supersedes Section 912 Page 427


Dated April 2000

SIZE : 6-481-15 / 6-483-15

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




50
to
90
P.S.I.

SIZE : 6-481-15C / 6-483-15C

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770



71
to
91
P.S.I.

1500 G.P.M. 912 SERIES


ELECTRIC MOTOR DRIVE

SIZE : 6-481-18B / 6-483-18B

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




95
to
130
P.S.I.

SIZE : 6-481-20 / 6-483-20

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770



80
to
165
P.S.I.

1500 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **429**
Date **April 2003**


Supersedes Section 912 Page 429
Dated April 2000

SIZE : 8-481-12 / 8-483-12

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




**40
to
50
P.S.I.**

SIZE : 8-481-21

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770



**135
to
195
P.S.I.**

1500 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

SIZE : 6-492-10


MODEL: 492

IMPELLER : Enclosed

R. P. M. : 3550

IMP. PATT. NO. 444A711

CASE PATT. NO. 190A022 UPPER
190A021 LOWER




**100
to
175
P.S.I.**

SIZE : 6-481-15B / 6-483-15B

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




**80
to
100
P.S.I.**

SIZE : 6-481-18C / 6-483-18C

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770



**100
to
140
P.S.I.**

2000 G.P.M. 912 SERIES


ELECTRIC MOTOR DRIVE

SIZE : 6-481-20 / 6-483-20

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




123
to
150
P.S.I.

SIZE : 8-481-17B / 8-483-17B

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770



53
to
130
P.S.I.

2000 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **433**

Date **June 2008**

Supersedes Section 912 Page 433


Dated April 2000

SIZE : 8-481-21

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770



**130
to
195
P.S.I.**


SIZE: 8-481-24

MODEL: 480

TYPE : ELECTRIC

IMPELLER : Enclosed

R. P. M. : 1770



**167
to
214
P.S.I.**



AURORA®

SIZE : 6-491-19A


MODEL: 491

IMPELLER : Enclosed

R. P. M. : 1770

IMP. PATT. NO. 444A722

CASE PATT. NO. 190A038 UPPER
190A037 LOWER



PC-168455

115
to
155
P.S.I.

2500 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **435**

Date **June 2008**

Supersedes Section 912 Page 435


Dated June 1999

SIZE : 8-481-17B / 8-483-17B

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770




75
to
130
P.S.I.

SIZE : 8-481-21A

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1770



123
to
193
P.S.I.




AURORA®

2500 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

SIZE: 8-481-24 MODEL: 480 TYPE : ELECTRIC IMPELLER : Enclosed R. P. M. : 1770

IMP. PATT. NO. 444A797
 CASE PATT. NO. 180A509 UPPER (481)
 180A510 LOWER (481)



PC- 196155

158
to
215
P.S.I.

THIS PAGE LEFT INTENTIONALLY BLANK

2500 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

SIZE : 8-491-14A


MODEL: 491

IMPELLER : Enclosed

R. P. M. : 1770

IMP. PATT. NO. 444A719

CASE PATT. NO. 190A032 UPPER
190A031 LOWER



50
P.S.I.

SIZE : 8-491-14A


MODEL: 491

IMPELLER : Enclosed

R. P. M. : 1770

IMP. PATT. NO. 444A719

CASE PATT. NO. 190A032 UPPER
190A031 LOWER



55
to
75
P.S.I.

2500 G.P.M. 912 SERIES
ELECTRIC MOTOR DRIVE

Section **912** Page **437**

Date **April 2000**

Supersedes Section 912 Page 437


Dated June 1999

SIZE : 8-491-18A

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 1770



135
P.S.I.

3000 G.P.M. 912 SERIES


ELECTRIC MOTOR DRIVE

SIZE : 10-481-18

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1775




PC-126288B

SIZE : 8-491-14A

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 1770



PC-168556

99
to
145
P.S.I.

60
to
80
P.S.I.

3000 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **439**

Date **April 2000**

Supersedes Section 912 Page 439


Dated June 1999

SIZE : 8-491-18A

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 1770




SIZE : 8-491-18A

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 1770



AURORA®

3000 G.P.M. 912 SERIES


ELECTRIC MOTOR DRIVE

SIZE : 8-491-18A

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 1770




130
P.S.I.

SIZE : 10-481-18D

MODEL: 480 IMPELLER : Enclosed

R. P. M. : 1770




90
to
138
P.S.I.

SIZE : 10-492-18

MODEL: 492

IMPELLER : Enclosed

R. P. M. : 1770



**100
to
153
P.S.I.**

THIS PAGE LEFT INTENTIONALLY BLANK

3500 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **441**

Date **February 2005**

Supersedes Section 912 Page 441


Dated May 2004

SIZE : 10-481-18

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1775




PC-126289B

98
to
140
P.S.I.

SIZE : 10-481-18D

MODEL: 480 IMPELLER : Enclosed

R. P. M. : 1770



PC - 186076

88
to
135
P.S.I.



AURORA®

3500 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

SIZE : 10-492-18


MODEL: 492

IMPELLER : Enclosed

R. P. M. : 1770

IMP. PATT. NO. 444A721

CASE PATT. NO. 190A036 UPPER
190A035 LOWER



PC-168464

94
to
151
P.S.I.

4000 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

Section **912** Page **443**

Date **July 2007**

Supersedes Section 912 Page 443


Dated February 2005

SIZE : 10-481-18

MODEL: 480

IMPELLER : Enclosed

R. P. M. : 1775




95
to
110
P.S.I.

SIZE : 10-481-18D

MODEL: 480 IMPELLER : Enclosed

R. P. M. : 1770



85
to
134
P.S.I.

4000 G.P.M. 912 SERIES

ELECTRIC MOTOR DRIVE

SIZE : 10-491-20


MODEL: 491

IMPELLER : Enclosed

R. P. M. : 1785

IMP. PATT. NO. 444A732

CASE PATT. NO. 190A049 UPPER
190A048 LOWER




PC-168636

**94
to
198
P.S.I.**

SIZE : 10-481-18D

MODEL: 480 IMPELLER : Enclosed

R. P. M. : 1770



PC - 186078


**81
to
132
P.S.I.**

SIZE : 10-491-20

MODEL: 491

IMPELLER : Enclosed


R. P. M. : 1785




PC-168637

**90
to
195
P.S.I.**

**91
to
130
P.S.I.**



**88
to
109
P.S.I.**



5000 G.P.M. 912 SERIES
ELECTRIC MOTOR DRIVE


Section **912** Page **447**
Date **February 2005**

SIZE : 10-491-20

MODEL: 491

IMPELLER : Enclosed

R. P. M. : 1785



**110
to
195
P.S.I.**

THIS PAGE LEFT INTENTIONALLY BLANK