

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 301P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
2 5 0 G P M	40	92	3560	3"-1824F
	45	104	3560	3"-1824F
	50	115	3560	3"-1824F
	51	118	3560	2-1/2"-1823BF
	55	127	3560	2-1/2"-1823BF
			3560	3"-1824F
	60	139	3560	2-1/2"-1823BF
			3560	3"-1824F
	65	150	3560	2-1/2"-1823BF
			3560	3"-1824F
	70	162	3560	2-1/2"-1823BF
			3560	3"-1824F
	75	173	3560	2-1/2"-1823BF
			3560	3"-1824F
	80	185	3560	2-1/2"-1823BF
			3560	3"-1824F
	85	196	3560	2-1/2"-1823BF
			3560	3"-1824F
	90	208	3560	2-1/2"-1823BF
			3560	3"-1824F
	95	219	3560	2-1/2"-1823BF
			3560	3"-1824F
	100	231	3560	2-1/2"-1823BF
			3560	3"-1824F
	105	242	3560	2-1/2"-1823BF
			3560	3"-1824F
	110	254	3560	2-1/2"-1823BF
			3560	3"-1824F
	115	265	3560	2-1/2"-1823BF
	120	277	3560	2-1/2"-1823BF
	125	288	3560	2-1/2"-1823BF
	130	300	3560	2-1/2"-1823BF
	135	312	3560	2-1/2"-1823BF
	140	323	3560	2-1/2"-1823BF
	145	335	3560	2-1/2"-1823BF
	150	347	3560	2-1/2"-1823BF
	155	358	3560	2-1/2"-1823BF
	160	370	3560	2-1/2"-1823BF
	164	379	3560	2-1/2"-1823BF
	167	386	3560	2-1/2"-1823BF
4 0 0 G P M	47	109	1770	5"-1823AF
	50	116	1770	5"-1823AF
	55	127	1770	5"-1823AF
	60	139	1770	5"-1823AF
	65	150	1770	5"-1823AF
	70	162	1770	5"-1823AF
	75	173	1770	5"-1823AF
	80	185	1770	5"-1823AF
	85	196	1770	5"-1823AF
	90	208	1770	5"-1823AF
	93	215	1770	5"-1823AF
4 5 0 G P M	46	106	1770	5"-1823AF
	50	116	1770	5"-1823AF
	55	127	1770	5"-1823AF
	60	139	1770	5"-1823AF
	65	150	1770	5"-1823AF
	70	162	1770	5"-1823AF
	75	173	1770	5"-1823AF
	80	185	1770	5"-1823AF
	85	196	1770	5"-1823AF
	90	208	1770	5"-1823AF
	92	213	1770	5"-1823AF



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 302P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
500 GPM	40	92	1770	4"-1823AF
	45	104	1770	5"-1823AF
	45	104	1770	4"-1823AF
	50	115	1770	4"-1823AF
			1770	5"-1823AF
			3560	3"-1824F
	53	122	1770	4"-1823AF
	55	127	1770	4"-1823AF
			1770	5"-1823AF
			3560	3"-1824F
	60	139	1770	4"-1824F
			1770	5"-1823AF
			3560	3"-1824F
	65	150	1770	4"-1824F
			1770	5"-1823AF
			3560	3"-1824F
	66	152	3560	3"-2874AF
	70	162	1770	4"-1824F
			1770	5"-1823AF
			3560	3"-1824F
			3560	3"-2874AF
	72	166	3570	HGT1-100.250/822435
	75	173	1770	4"-1824F
			1770	5"-1823AF
			3560	3"-1824F
			3560	3"-2874AF
			3570	HGT1-100.250/822435
	80	185	1770	4"-1824F
			1770	4"-5824F
			1770	5"-1823AF
			3560	3"-1824F
			3560	3"-2874AF
			3570	HGT1-100.250/822435
	85	196	1770	4"-5824F
			3560	3"-1824F
			1770	5"-1823AF
			3560	3"-2874AF
			3570	HGT1-100.250/822435
	90	208	1770	4"-5824F
			1770	5"-1823AF
			3560	3"-1824F
			3560	3"-2874AF
			3570	HGT1-100.250/822435
	91	210	3560	3"-2874CF
	92	213	1770	5"-1823AF
	95	219	3560	3"-2874CF
			1770	4"-5824F
			3560	3"-2874CF
			3560	3"-1824F
			3560	3"-2874AF
	100	231	3570	HGT1-100.250/822435
			1770	4"-5824F
			3560	3"-1824F
			3560	3"-2874AF
			3560	3"-2874CF
	105	242	3570	HGT1-100.250/822435
			1770	4"-5824F
			3560	3"-1824F
			3560	3"-2874AF
			3560	3"-2874CF
			3570	HGT1-100.250/822435



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 303P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
5 0 0 G P M	110	254	1770	4"-5824F
			3560	3"-1824F
			3560	3"-2874CF
			3560	3"-2874AF
			3570	HGT1-100.250/822435
	111	256	3570	HGT1-100.250/822435
	115	265	1770	4"-5824F
			3560	3"-2874CF
			3560	3"-1824F
			3560	3"-2874AF
	120	277	1770	4"-5824F
			3560	3"-1824F
			3560	3"-2874AF
			3560	3"-2874CF
	125	289	1770	4"-5824F
			3560	3"-1824F
			3560	3"-2874CF
			3560	3"-2874AF
	130	300	3560	3"-2874CF
			3560	3"-1824F
			3560	3"-2874AF
	135	312	3560	3"-1824F
			3560	3"-2874AF
			3560	3"-2874CF
	139	321	3560	3"-2874CF
	140	323	3560	3"-1824F
			3560	3"-2874AF
			3560	3"-2874CF
	142	328	3560	3"-2874CF
	145	335	3560	3"-1824F
			3560	3"-2874AF
	146	337	3560	3"-2874AF
	150	347	1770	4"-1922F
			3560	3"-1824F
	155	358	1770	4"-1922F
	160	369	1770	4"-1922F
	165	381	1770	4"-1922F
	170	392	1770	4"-1922F
	175	404	1770	4"-1922F
	180	416	1770	4"-1922F
	185	427	1770	4"-1922F
	190	439	1770	4"-1922F
	191	441	3560	6"-2876AF
	195	450	1770	4"-1922F
			3560	6"-2876AF
	200	462	1770	4"-1922F
			3560	6"-2876AF



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 304P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
5 0 0 G P M	205	473	1770	4"-1922F
			3560	6"-2876AF
	210	485	1770	4"-1922F
			3560	6"-2876AF
	215	496	3560	6"-2876AF
	220	508	3560	6"-2876AF
	225	519	3560	6"-2876AF
	230	531	3560	5"-1924F
			3560	6"-2876AF
	235	543	3560	5"-1924F
			3560	6"-2876AF
	240	554	3560	6"-2876AF
	245	566	3560	5"-1924F
			3560	6"-2876AF
	250	578	3560	5"-1924F
			3560	6"-2876AF
	255	589	3560	5"-1924F
			3560	6"-2876AF
	260	600	3560	6"-2876AF
	265	612	3560	5"-1924F
			3560	6"-2876AF
	270	624	3560	5"-1924F
			3560	6"-2876AF
	275	635	3560	5"-1924F
			3560	6"-2876AF
	277	640	3560	6"-2876AF
	280	647	3560	5"-1924F
	285	658	3560	5"-1924F
	290	670	3560	5"-1924F
	295	681	3560	5"-1924F
	305	704	3560	5"-1924F
	315	728	3560	5"-1924F
	325	751	3560	5"-1924F
	335	774	3560	5"-1924F
	345	797	3560	5"-1924F
	350	809	3560	5"-1924F
	355	820	3560	5"-1924F
	360	832	3560	5"-1924F
	365	843	3560	5"-1924F
	375	866	3560	5"-1924F
	385	889	3560	5"-1924F
	395	912	3560	5"-1924F
	405	936	3560	5"-1924F
	415	959	3560	5"-1924F
	425	982	3560	5"-1924F
	435	1005	3560	5"-1924F
	445	1028	3560	5"-1924F
	455	1051	3560	5"-1924F
	465	1074	3560	5"-1924F



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 305P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
7 5 0 G P M	40	92	1770	4"-1823AF
	45	104	1770	4"-1823AF
	48	111	1770	4"-1823AF
	50	115	1770	4"-1823AF
			1770	5"-1823F
	55	127	1770	4"-2823CF
			1770	5"-1823F
	60	139	1770	4"-2823CF
			1770	5"-1823F
	65	150	1770	4"-2823CF
			1770	5"-1823F
			3560	4"-1823CF
	70	162	1770	4"-2823CF
			1770	5"-1823F
			3560	4"-1823CF
			3560	4"-2873AF
	71	164	1770	4"-1824F
	75	173	1770	4"-1824F
			1770	4"-2823CF
			3560	4"-1823CF
			3560	4"-2873AF
	80	185	1770	4"-1824F
			1770	4"-2823CF
			3560	4"-1823CF
			3560	4"-2873AF
	81	187	3560	4"-1823DF
	85	196	1770	4"-1824F
			1770	4"-2823CF
			3560	4"-1823DF
			3560	4"-2873AF
	90	208	1770	4"-1824F
			1770	4"-2823CF
			1770	5"-2824AF
			3560	4"-1823DF
	95	219	3560	4"-2873AF
			1770	4"-1824F
			1770	4"-5824F
			1770	5"-2824AF
	100	231	3560	4"-1823DF
			3560	4"-2876AF
			3560	4"-2873AF
			3560	4"-2873AF
	105	243	1770	4"-5824F
			1770	5"-2824AF
			3560	4"-1823DF
			3560	4"-2876AF
	110	254	3560	4"-2873AF
			1770	4"-5824F
			1770	5"-2824AF
			3560	4"-1823DF
	115	265	3560	4"-2876AF
			1770	4"-5824F
			1770	5"-2824AF
			3560	4"-1823DF
			3560	4"-2876AF



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 306P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
7 5 0 G P M	120	277	1770	4"-5824F
			1770	5"-2824AF
			3560	4"-1823DF
			3560	4"-2876AF
	125	289	1770	4"-5824F
			1770	5"-2824AF
			3560	4"-1823DF
			3560	4"-2876AF
	130	300	1770	5"-2824AF
			3560	4"-1823DF
			3560	4"-2876AF
	135	312	1770	5"-2824AF
			3560	4"-1823DF
			3560	4"-2876AF
	140	323	1770	5"-2824AF
			1770	6"-1922AF
			3560	4"-1823DF
			3560	4"-2876AF
	142	328	1770	5"-2824AF
	143	330	1770	5"-2824AF
			3560	4"-2876CF
	145	335	1770	6"-1922AF
			3560	4"-1823DF
			3560	4"-2876AF
			3560	4"-2876CF
	149	344	1780	HG1-125.500/835081
	150	347	1770	6"-1922AF
			1780	HG1-125.500/835081
			3560	4"-1823DF
			3560	4"-2876CF
	155	358	3560	4"-2876AF
			1770	6"-1922AF
			1780	HG1-125.500/835081
			3560	4"-2876CF
	158	365	3560	4"-1823DF
			3560	4"-2876AF
			3560	4"-2876CF
			1770	6"-1923BF
	160	369	1770	6"-1923BF
			1770	6"-1922AF
			1780	HG1-125.500/835081
			3560	4"-1823DF
			3560	4"-2876AF
	165	381	3560	4"-2876CF
			1770	6"-1923BF
			1770	6"-1922AF
			1780	HG1-125.500/835081
			3560	4"-1823DF
	170	392	3560	4"-2876AF
			3560	4"-2876CF
			1770	6"-1923BF
			1770	6"-1922AF
			1780	HG1-125.500/835081
	175	404	3560	4"-1823DF
			3560	4"-2876CF
			3560	4"-2876AF
			1770	6"-1923BF
			1770	6"-1922AF



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 307P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
7 5 0 G P M	180	415	1770	6"-1923BF
			1770	6"-1922AF
			1780	HG1-125.500/835081
			3560	4"-1823DF
			3560	4"-2876CF
			3560	6"-2876AF
	185	427	3560	4"-2876AF
			1770	6"-1923BF
			1770	6"-1922AF
			1780	HG1-125.500/835081
			3560	4"-1823DF
			3560	4"-2876AF
	190	438	3560	4"-2876CF
			3560	6"-2876AF
			1770	6"-1923BF
			1770	6"-1922AF
			1780	HG1-125.500/835081
			3560	4"-1823DF
	191	441	1780	HG1-125.500/835081
		443	3560	4"-1823CF
	195	450	1770	6"-1923BF
			1770	6"-1922AF
			3560	4"-2876AF
			3560	4"-2876CF
	200	461	3560	6"-2876AF
			1770	6"-1923BF
			1770	6"-1922AF
			3560	4"-2876AF
	203	468	3560	4"-2876CF
			3560	6"-2876AF
			1770	6"-1923BF
	205	474	1770	6"-1922AF
			3560	4"-2876AF
			3560	4"-2876CF
			3560	6"-2876AF
	209	483	3560	4"-2876CF
			1770	6"-1922AF
			3560	6"-2876AF
	210	485	3560	4"-2876AF
			1770	6"-1922AF
			3560	6"-2876AF
	215	497	1770	6"-1922AF
			3560	6"-2876AF
			3560	4"-2876AF
	220	508	1770	6"-1922AF
			3560	4"-2876AF
			3560	6"-2876AF
	225	520	1770	6"-1922AF
			3560	4"-2876AF
			3560	6"-2876AF
	230	531	1770	6"-1922AF
			3560	4"-2876AF
			3560	6"-2876AF
	235	543	1770	6"-1922AF
			3560	6"-2876AF
	240	554	1770	6"-1922AF
			3560	6"-2876AF
	245	566	1770	6"-1922AF
			3560	6"-2876AF



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 308P
Date December 19, 2017
Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
7 5 0 G P M	250	578	3560	6"-2876AF
	255	591	3560	6"-2876AF
	260	601	3560	6"-2876AF
	265	612	3560	6"-2876AF
	305	704	3560	6"-1924F
	310	716	3560	6"-1924F
	315	728	3560	6"-1924F
	320	739	3560	6"-1924F
	325	751	3560	6"-1924F
	330	762	3560	6"-1924F
	335	774	3560	6"-1924F
	340	785	3560	6"-1924F
	345	797	3560	6"-1924F
	350	809	3560	6"-1924F
	355	820	3560	6"-1924F
	360	832	3560	6"-1924F
	365	843	3560	6"-1924F
	370	855	3560	6"-1924F
	375	866	3560	6"-1924F
	380	878	3560	6"-1924F
	385	889	3560	6"-1924F
	390	901	3560	6"-1924F
	395	912	3560	6"-1924F
	400	924	3560	6"-1924F
	405	936	3560	6"-1924F
	410	947	3560	6"-1924F
	415	959	3560	6"-1924F
	420	970	3560	6"-1924F
	425	982	3560	6"-1924F
	430	993	3560	6"-1924F
	435	1005	3560	6"-1924F
	440	1016	3560	6"-1924F
	445	1028	3560	6"-1924F
	450	1040	3560	6"-1924F
	455	1051	3560	6"-1924F
	460	1063	3560	6"-1924F
	465	1074	3560	6"-1924F
	470	1086	3560	6"-1924F
	475	1097	3560	6"-1924F
	480	1109	3560	6"-1924F
	485	1120	3560	6"-1924F
	490	1132	3560	6"-1924F



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 309P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
1 0 0 0 G P M	40	92	1770	6"-1822F
	45	104	1770	6"-1822F
	50	116	1770	5"-1823F
			1770	6"-1822F
	51	118	1770	5"-2823AF
	55	127	1770	5"-1823F
			1770	5"-2823AF
	60	139	1770	5"-1823F
			1770	5"-2823AF
	65	150	1770	5"-1823F
			1770	5"-2823AF
	70	162	1770	5"-1823F
			1770	5"-2823AF
	75	173	1770	5"-1823F
			1770	5"-2823AF
	80	185	1770	5"-1823F
			1770	5"-2823AF
	85	196	1770	5"-1823F
			1770	5"-2823AF
			1770	5"-2824AF
	88	203	1770	5"-2823AF
			3560	6"-1822HHF
			1770	5"-1824F
			1770	5"-1823F
	90	208	1770	5"-2824AF
			3560	5"-1822CF
			3560	6"-1822HHF
			1770	5"-1824F
	95	219	1770	5"-2824AF
			3560	5"-1822CF
			3560	6"-1822HHF
			1770	5"-1824F
	100	231	1770	5"-2824AF
			3560	5"-1822CF
			3560	6"-1822HHF
			1770	5"-1824F
	105	242	1770	5"-2824AF
			3560	5"-1822CF
			3560	6"-1822HHF
			1770	5"-1824F
	110	254	1770	5"-2824AF
			3560	5"-1822CF
			3560	6"-1822HHF
			1770	5"-1824F
	115	265	1770	5"-2824AF
			3560	5"-1822CF
			3560	6"-1822HHF
			1770	5"-1824F
	120	277	1770	5"-2824AF
			3560	5"-1822CF
			3560	5"-1822BF
			3560	6"-1822HHF
	125	289	1770	5"-2824AF
			1770	5"-1824F
			3560	5"-1822CF
			3560	5"-1822BF
	130	300	3560	6"-1822HHF
			1770	6"-1922AF
			1770	5"-2824AF
			3560	5"-1822BF
			3560	5"-1822CF
			3560	6"-1822HHF



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 310P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
1 0 0 0 G P M	135	312	1770	6"-1922AF
			1770	5"-2824AF
			3560	5"-1822BF
			3560	5"-1822CF
			3560	6"-1822HHF
	140	323	1770	6"-1922AF
			3560	5"-1822BF
			3560	5"-1822CF
			3560	6"-1822HHF
	144	332	1770	6"-1923BF
	145	335	1770	6"-1923BF
			1770	6"-1922AF
			3560	5"-1822BF
			3560	5"-1822CF
			3560	6"-1822HHF
	149	344	1770	6"1923F
	150	347	1770	6"-1923BF
			1770	6"1923F
			1770	6"-1922AF
			3560	5"-1822CF
			3560	5"-1822BF
	154	356	3560	6"-1823HHF
	155	358	1770	6"-1923BF
			1770	6"1923F
			1770	6"-1922AF
			3560	5"-1822BF
			3560	5"-1822CF
	160	370	3560	6"-1822HHF
			3560	6"-1823HHF
			1770	6"1923F
			1770	6"-1923BF
			1770	6"-1922AF
	165	381	3560	5"-1822BF
			3560	5"-1822CF
			3560	6"-1822HHF
			3560	6"-1823HHF
			1770	6"-1923BF
	170	392	1770	6"-1922AF
			1770	6"1923F
			3560	5"-1822BF
			3560	6"-1822HHF
			3560	6"-1823HHF
	175	404	1770	6"-1923BF
			1770	6"1923F
			1770	6"-1922AF
			3560	5"-1822BF
			3560	6"-1822HHF
	180	415	3560	6"-1823HHF
			1770	6"-1923BF
			1770	6"1923F
			1770	6"-1922AF
			3560	5"-1822BF
			3560	6"-1822HHF
			3560	6"-1823HHF
			1770	6"-1923BF
			1770	6"1923F



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 311P
Date December 19, 2017
Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
1 0 0 0 G P M	185	427	1770	6"-1923F
			1770	6"-1923BF
			1770	6"-1922AF
			3560	5"-1822BF
			3560	6"-1822HHF
			3560	6"-1823HHF
	188	434	1770	6"-1923BF
	190	439	1770	6"-1923F
			1770	6"-1922AF
			3560	5"-1822BF
			3560	6"-1822HHF
			3560	6"-1823HHF
	195	450	1770	6"-1923F
			1770	6"-1922AF
			3560	5"-1822BF
			3560	6"-1822HHF
			3560	6"-1823HHF
	199	460	1770	6"-1923F
	200	462	1770	6"-1923F
			1770	6"-1922AF
			3560	5"-1822BF
			3560	6"-1822HHF
			3560	6"-1823HHF
	205	474	1770	6"-1922AF
			3560	6"-1822HHF
			3560	6"-1823HHF
	210	485	1770	6"-1922AF
			3560	6"-1822HHF
			3560	6"-1823HHF
	215	497	1770	6"-1922AF
			3560	6"-1822HHF
			3560	6"-1823HHF
	219	506	3560	6"-1822HHF
	220	508	1770	6"-1922AF
			3560	6"-1823HHF
	225	520	1770	6"-1922AF
			3560	6"-1823HHF
	230	531	1770	6"-1922AF
			3560	6"-1823HHF
	235	543	1770	6"-1922AF
			3560	6"-1823HHF
	240	555	1770	6"-1922AF
			3560	6"-1823HHF
	245	566	3560	6"-1823HHF
	250	578	3560	6"-1823HHF
	255	589	3560	6"-1823HHF
	260	601	3560	6"-1823HHF
	265	612	3560	6"-1823HHF
	270	624	3560	6"-1823HHF
	275	635	3560	6"-1823HHF
	280	647	3560	6"-1823HHF
	285	658	3560	6"-1823HHF
	287	663	3560	6"-1823HHF



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 312P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
1 2 5 0 G P M	45	104	1770	8"-1822F
	50	115	1770	8"-1822F
	52	120	1770	8"-1822F
	55	127	1770	6"-1823CF
			1770	6"-1823F
	60	139	1770	6"-1823F
			1770	6"-1823CF
	65	150	1770	6"-1823CF
			1770	6"-1823F
	70	162	1770	6"-1823F
			1770	6"-1823CF
	75	173	1770	5"-2823AF
			1770	6"-1823CF
			1770	6"-1823F
	80	185	1770	5"-2823AF
			1770	6"-1823F
			1770	6"-1823CF
	84	194	1770	5"-2823AF
			1770	6"-1823F
	85	196	1770	6"-1823CF
			1770	6"-1825F
	88	203	1750	HGT1-150.400A/836414
			1750	HGT1-150.400A/836414
	90	208	1770	6"-1823CF
			1770	6"-1823F
			1770	6"-1825F
	95	219	1750	HGT1-150.400A/836414
			1770	6"-1823CF
			1770	6"-1823F
			1770	6"-1825F
	100	231	1750	HGT1-150.400A/836414
			1770	6"-1824BF
			1770	6"-1825F
	105	243	1750	HGT1-150.400A/836414
			1770	6"-1824BF
			1770	6"-1825F
	110	254	1750	HGT1-150.400A/836414
			1770	6"-1824BF
			1770	6"-1825F
	115	265	1750	HGT1-150.400A/836414
			1770	6"-1824BF
			1770	6"-1825F
	120	277	1750	HGT1-150.400A/836414
			1770	6"-1824BF
			1770	6"-1825F
	125	289	1750	HGT1-150.400A/836414
			1770	6"-1824BF
			1770	6"-1825F
	128	296	1750	HGT1-150.400A/836414
	130	300	1770	6"-1824BF
			1770	6"-1825F
	132	305	3560	6"-1822HHF
	135	312	1770	6"-1824BF
			1770	6"-1825F
			3560	6"-1822HHF



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 313P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
1 2 5 0 G P M	136	314	1770	8"-1825F
	138	319	1770	6"1923F
	139	321	1770	6"1923F
	140	323	1770	6"-1824BF
			1770	6"-1825F
			1770	8"-1825F
			3560	6"-1822HHF
	144	333	1770	6"1923F
	145	335	1770	6"-1825F
			1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	149	344	1770	6"1923F
	150	347	1770	6"-1825F
			1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	154	355	1770	6"1923F
	155	358	1770	6"-1825F
			1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	159	367	1770	6"1923F
	160	370	1770	6"-1825F
			1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	164	378	1770	6"1923F
	165	381	1770	6"-1825F
			1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	168	388	1770	6"-1825F
	170	393	1770	6"1923F
			1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	174	401	1770	6"1923F
	175	404	1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	179	413	1770	6"1923F
	180	416	1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	184	425	1770	6"1923F
	185	427	1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	187	432	1770	6"1923F
	188	435	1770	6"1923F
	189	437	1770	6"1923F
	190	439	1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 314P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
1 2 5 0 G P M	195	450	1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	197	455	1770	8"-1825F
			3560	6"-1822HHF
	200	462	3560	6"-1823HHF
			3560	6"-1822HHF
	205	474	3560	6"-1822HHF
			3560	6"-1823HHF
	210	485	3560	6"-1822HHF
			3560	6"-1823HHF
	215	495	3560	6"-1822HHF
			3560	6"-1823HHF
	216	499	3560	6"-1822HHF
	220	508	3560	6"-1823HHF
	225	520	3560	6"-1823HHF
	230	531	3560	6"-1823HHF
	235	543	3560	6"-1823HHF
	240	554	3560	6"-1823HHF
	245	566	3560	6"-1823HHF
	250	578	3560	6"-1823HHF
	255	589	3560	6"-1823HHF
	260	601	3560	6"-1823HHF
	265	612	3560	6"-1823HHF
	270	624	3560	6"-1823HHF
	275	635	3560	6"-1823HHF
	280	647	3560	6"-1823HHF
	285	658	3560	6"-1823HHF
	287	663	3560	6"-1823HHF



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 315P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
1 5 0 0 G P M	40	92	1770	8"-1822F
	45	104	1770	8"-1822F
	50	115	1770	8"-1822F
	60	139	1770	6"-1823F
	65	150	1770	6"-1823F
	70	162	1770	6"-1823F
	71	164	1770	6"-1823CF
	75	173	1770	6"-1823F
			1770	6"-1823CF
	76	175	1770	6"-2823CF
	80	185	1770	6"-1823F
			1770	6"-1823CF
			1770	6"-1825F
			1770	6"-2823CF
	84	194	1750	HGT1-150.400A/836414
			1750	HGT1-150.400A/836414
	85	196	1770	6"-1823CF
			1770	6"-2823CF
			1770	6"-1823F
			1770	6"-1825F
			1770	6"-2823CF
	86	199	1770	6"-2823CF
	90	208	1750	HGT1-150.400A/836414
			1770	6"-1823CF
			1770	6"-1823F
			1770	6"-1825F
	91	210	1770	6"-1823CF
	95	219	1750	HGT1-150.400A/836414
			1770	6"-1824BF
			1770	6"-1825F
	100	231	1750	HGT1-150.400A/836414
			1770	6"-1824BF
			1770	6"-1825F
	105	242	1750	HGT1-150.400A/836414
			1770	6"-1824BF
			1770	6"-1825F
	110	254	1750	HGT1-150.400A/836414
			1770	6"-1824BF
			1770	6"-1825F
	115	265	1750	HGT1-150.400A/836414
			1770	6"-1824BF
			1770	6"-1825F
	120	277	1750	HGT1-150.400A/836414
			1770	6"-1824BF
			1770	6"-1825F
	124	286	1750	HGT1-150.400A/836414
	125	289	1770	6"-1824BF
			1770	6"-1825F
	130	300	1770	6"-1824BF
			1770	6"-1825F
	134	310	1770	6"-1824BF
	135	312	1770	6"-1825F
			1770	8"-1825F
	140	323	1770	6"-1825F
			1770	8"-1825F
	142	328	3560	6"-1822HHF
	145	335	1770	6"-1825F
			3560	6"-1822HHF



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 316P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
1 5 0 0 G P M	150	347	1770	6"-1825F
			1770	8"-1825F
			3560	6"-1822HHF
	155	358	1770	6"-1825F
			1770	8"-1825F
			3560	6"-1822HHF
	158	365	3560	6"-1823HHF
	160	369	1770	6"-1825F
			1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	165	381	1770	6"-1825F
			1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	170	392	1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	175	404	1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	180	415	1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	185	427	1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	190	439	1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	195	450	1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	200	462	1770	8"-1825F
			3560	6"-1822HHF
			3560	6"-1823HHF
	205	473	3560	6"-1823HHF
	207	478	3560	6"-1822HHF
	209	483	3560	6"-1822HHF
	210	485	3560	6"-1823HHF
	215	497	3560	6"-1823HHF
	220	508	3560	6"-1823HHF
	225	520	3560	6"-1823HHF
	230	531	3560	6"-1823HHF
	235	543	3560	6"-1823HHF
	240	554	3560	6"-1823HHF
	245	567	3560	6"-1823HHF
	250	578	3560	6"-1823HHF
	255	589	3560	6"-1823HHF
	260	601	3560	6"-1823HHF
	265	612	3560	6"-1823HHF
	270	624	3560	6"-1823HHF
	275	635	3560	6"-1823HHF
	280	647	3560	6"-1823HHF
	283	654	3560	6"-1823HHF



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 317P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
2 0 0 0 G P M	53	122	1770	8"-1824BF
	55	127	1770	8"-1824BF
	60	138	1770	8"-1824BF
	65	150	1770	8"-1824BF
	70	161	1770	8"-1824BF
	71	164	1780	HGT1-200.340/836490
	75	173	1770	8"-1824BF
			1780	HGT1-200.340/836490
			1770	6"-1823BF
	80	185	1770	8"-1824BF
			1780	HGT1-200.340/836490
			1770	6"-1823BF
	85	196	1770	8"-1824BF
			1780	HGT1-200.340/836490
			1780	HGT1-200.400/836401
			1770	6"-1823BF
	90	208	1770	6"-2824CF
			1770	8"-1824BF
			1780	HGT1-200.340/836490
			1780	HGT1-200.400/836401
			1780	HGT1-200.340/836490
	91	210	1770	6"-1823BF
	95	219	1770	6"-2824CF
			1770	8"-1824BF
			1780	HGT1-200.400/836401
			1770	6"-1823BF
	100	231	1770	6"-1824CF
			1770	6"-2824CF
			1770	8"-1824BF
			1780	HGT1-200.400/836401
			1770	6"-1824CF
	105	242	1770	6"-2824CF
			1770	6"-2825AF
			1770	8"-1824BF
			1780	HGT1-200.400/836401
	110	254	1770	6"-1824CF
			1770	6"-2824CF
			1770	6"-2825AF
			1770	8"-1824BF
			1780	HGT1-200.400/836401
	115	265	1770	6"-1824CF
			1770	6"-2824CF
			1770	6"-2825AF
			1770	8"-1824BF
			1780	HGT1-200.400/836401
	120	277	1770	6"-1824CF
			1770	6"-2824CF
			1770	6"-2825AF
			1770	8"-1824BF
			1780	HGT1-200.400/836401
	125	289	1770	6"-1824CF
			1770	6"-1825F
			1770	6"-2824CF
			1770	6"-2825AF
			1780	HGT1-200.400/836401
	130	300	1770	6"-1825F
			1770	6"-1824CF
			1770	6"-2824CF
			1770	6"-2825AF



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 318P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
2 0 0 0 G P M	300	300	1770	8"-1824BF
			1770	8"-1825F
			1780	HGT1-200.400/836401
	132	305	1770	6"-2824CF
	134	310	1770	6"-2824CF
	135	312	1750	HGT1-200.500A/836297
			1770	6"-1824CF
			1770	6"-1825F
			1770	6"-2825AF
			1770	8"-1825F
			1780	HGT1-200.400/836401
	140	323	1750	HGT1-200.500A/836297
			1770	6"-1824CF
			1770	6"-1825F
			1770	6"-2825AF
			1770	8"-1825F
			1780	HGT1-200.400/836401
	145	335	1750	HGT1-200.500A/836297
			1770	6"-1825F
			1770	6"-2825AF
			1770	8"-1825F
			1780	HGT1-200.400/836401
			1750	HGT1-200.500A/836297
	150	347	1770	6"-1825F
			1770	6"-2825AF
			1770	8"-1825F
			1770	6"-2825AF
	155	358	1750	HGT1-200.500A/836297
			1770	8"-1825F
			1770	6"-2825AF
	157	363	1770	6"-2825AF
	160	369	1750	HGT1-200.500A/836297
			1770	8"-1825F
			1750	HGT1-200.500A/836297
	165	381	1770	8"-1825F
			1770	8"-1826F
			1750	HGT1-200.500A/836297
	170	392	1770	8"-1825F
			1770	8"-1826F
			1750	HGT1-200.500A/836297
	175	404	1770	8"-1825F
			1770	8"-1826F
			1750	HGT1-200.500A/836297
	180	415	1770	8"-1825F
			1770	8"-1826F
			1750	HGT1-200.500A/836297
	185	427	1770	8"-1825F
			1770	8"-1826F
			1750	HGT1-200.500A/836297
	190	439	1770	8"-1825F
			1770	8"-1826F
			1750	HGT1-200.500A/836297
	195	450	1770	8"-1825F
			1770	8"-1826F
			1750	HGT1-200.500A/836297
	200	462	1770	8"-1826F
			1750	HGT1-200.500A/836297
	205	474	1770	8"-1826F
			1750	HGT1-200.500A/836297
	210	485	1770	8"-1826F
			1750	HGT1-200.500A/836297
	214	494	1770	8"-1826F



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 319P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
2 5 0 0 G P M	50	115	1770	8"-2823AF
	55	127	1770	8"-2823AF
	60	139	1770	8"-2823AF
	65	150	1770	8"-2823AF
	70	162	1770	8"-2823AF
	75	173	1770	8"-1824BF
			1770	8"-2824AF
			1770	8"-2823AF
	78	180	1780	HGT1-200.400/836401
	79	183	1770	8"-2823AF
	80	185	1770	8"-1824BF
			1770	8"-2823AF
			1770	8"-2824AF
			1780	HGT1-200.400/836401
	84	194	1770	8"-2823AF
	85	196	1770	8"-1824BF
			1770	8"-2824AF
			1780	HGT1-200.400/836401
	90	208	1770	8"-1824BF
			1770	8"-2824AF
			1780	HGT1-200.400/836401
	95	219	1770	8"-1824BF
			1770	8"-2824AF
			1780	HGT1-200.400/836401
	100	231	1770	8"-1824BF
			1770	8"-2824AF
			1780	HGT1-200.400/836401
	105	242	1770	8"-1824BF
			1770	8"-2824AF
			1780	HGT1-200.400/836401
	110	254	1770	8"-1824BF
			1770	8"-2824AF
			1780	HGT1-200.400/836401
	115	265	1770	8"-1824BF
			1770	8"-2824AF
			1780	HGT1-200.400/836401
	120	277	1770	8"-1824BF
			1770	8"-2824AF
			1780	HGT1-200.400/836401
	125	289	1770	8"-1824BF
			1770	8"-2824AF
			1780	HGT1-200.400/836401
	130	300	1770	8"-1824BF
			1770	8"-1825AF
			1770	8"-2824AF
	135	312	1780	HGT1-200.400/836401
			1750	HGT1-200.500B/836298
			1770	8"-1825AF
			1770	8"-2824AF
			1780	HGT1-200.400/836401
			1780	HGT1-250.500/836473



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 320P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
2 5 0 0 G P M	140	323	1750	HGT1-200.500B/836298
			1770	8"-1825AF
			1770	8"-2824AF
	141	326	1780	HGT1-250.500/836473
			1780	HGT1-200.400/836401
			1770	8"-2824AF
	145	335	1750	HGT1-200.500B/836298
			1770	8"-1825AF
			1780	HGT1-250.500/836473
	150	347	1750	HGT1-200.500B/836298
			1770	8"-1825AF
			1780	HGT1-250.500/836473
	155	358	1750	HGT1-200.500B/836298
			1770	8"-1825AF
			1780	HGT1-250.500/836473
	160	369	1750	HGT1-200.500B/836298
			1770	8"-1825AF
			1780	HGT1-250.500/836473
	165	381	1750	HGT1-200.500B/836298
			1770	8"-1825AF
			1770	8"-1826F
	170	392	1780	HGT1-250.500/836473
			1750	HGT1-200.500B/836298
			1770	8"-1825AF
	175	404	1770	8"-1826F
			1780	HGT1-250.500/836473
			1750	HGT1-200.500B/836298
	180	415	1770	8"-1825AF
			1770	8"-1826F
			1780	HGT1-250.500/836473
	185	427	1750	HGT1-200.500B/836298
			1770	8"-1825AF
			1770	8"-1826F
	190	439	1780	HGT1-250.500/836473
			1750	HGT1-200.500B/836298
			1770	8"-1826F
	193	446	1770	8"-1825AF
			1770	8"-1825AF
			1780	HGT1-250.500/836473
	195	450	1750	HGT1-200.500B/836298
			1770	8"-1826F
			1780	HGT1-250.500/836473
	200	462	1750	HGT1-200.500B/836298
			1770	8"-1826F
			1780	HGT1-250.500/836473
	205	474	1750	HGT1-200.500B/836298
			1770	8"-1826F
			1780	HGT1-250.500/836473
	210	485	1750	HGT1-200.500B/836298
			1770	8"-1826F
	215	497	1750	HGT1-200.500B/836298
			1770	8"-1826F
	219	506	1750	HGT1-200.500B/836298



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 321P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
3 0 0 0 G P M	64	148	1750	HGT1-250.400/836205
	65	150	1750	HGT1-250.400/836205
	70	162	1750	HGT1-250.400/836205
	75	173	1750	HGT1-250.400/836205
	80	185	1750	HGT1-250.400/836205
	85	196	1750	HGT1-250.400/836205
	90	208	1750	HGT1-250.400/836205
			1770	10"-1824DF
	95	214	1750	HGT1-250.400/836205
			1770	10"-1824DF
	100	231	1750	HGT1-250.400/836205
			1770	10"-5824F
			1770	10"-1824F
			1770	10"-1824DF
	105	243	1750	HGT1-250.400/836205
			1770	8"-2824AF
			1770	10"-1824F
			1770	10"-1824DF
			1770	10"-5824F
	110	254	1750	HGT1-250.400/836205
			1770	8"-2824AF
			1770	10"-5824F
			1770	10"-1824F
	115	266	1770	10"-1824DF
			1750	HGT1-250.400/836205
			1770	8"-2824AF
			1770	10"-5824F
			1770	10"-1824F
	120	277	1770	10"-1824DF
			1750	HGT1-250.500/824558
			1750	HGT1-250.400/836205
			1750	HGT1-250.500/824558
			1770	8"-2824AF
	125	289	1770	10"-1824F
			1770	10"-1824DF
			1770	10"-5824F
			1750	HGT1-250.400/836205
			1750	HGT1-250.500/824558
	126	291	1770	8"-2824AF
			1750	HGT1-250.400/836205
			1780	HGT1-250.500/836473
	130	300	1770	8"-2824AF
			1750	HGT1-250.500/824558
			1770	8"-2824AF
			1770	10"-5824F
			1770	10"-1824F
			1770	10"-1824DF
			1780	HGT1-250.500/836473



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 322P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
3 0 0 0 G P M	135	312	1750	HGT1-250.500/824558
			1770	10"-5824F
			1770	10"-1824F
			1770	10"-1824DF
			1780	HGT1-250.500/836473
	138	319	1770	10"-1824DF
			1770	10"-1824F
	140	323	1750	HGT1-250.500/824558
			1770	10"-5824F
			1770	10"-1824F
			1780	HGT1-250.500/836473
	145	335	1750	HGT1-250.500/824558
			1770	10"-1824F
			1770	10"-5824F
			1780	HGT1-250.500/836473
			1780	HGT1-250.500/836473
	150	347	1750	HGT1-250.500/824558
			1770	10"-5824F
			1780	HGT1-250.500/836473
	153	353	1770	10"-5824F
	155	358	1750	HGT1-250.500/824558
			1780	HGT1-250.500/836473
	160	370	1750	HGT1-250.500/824558
			1780	HGT1-250.500/836473
	165	381	1750	HGT1-250.500/824558
			1780	HGT1-250.500/836473
	170	393	1750	HGT1-250.500/824558
			1780	HGT1-250.500/836473
	175	404	1750	HGT1-250.500/824558
			1780	HGT1-250.500/836473
	180	416	1750	HGT1-250.500/824558
			1780	HGT1-250.500/836473
	185	427	1750	HGT1-250.500/824558
			1780	HGT1-250.500/836473
	190	439	1750	HGT1-250.500/824558
			1780	HGT1-250.500/836473
	192	444	1750	HGT1-250.500/824558
	195	450	1780	HGT1-250.500/836473
	200	462	1780	HGT1-250.500/836473



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 323P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
3 5 0 0 G P M	88	203	1770	10"-1824DF
	89	206	1780	HGT1-300.400A/836412
	90	208	1770	10"-1824DF
			1780	HGT1-300.400A/836412
	95	219	1770	10"-1824DF
			1780	HGT1-300.400A/836412
	100	231	1770	10"-1824F
			1770	10"-1824DF
			1770	10"-5824F
			1780	HGT1-300.400A/836412
	105	243	1770	10"-1824F
			1770	10"-1824DF
			1770	10"-5824F
			1780	HGT1-300.400A/836412
	110	254	1770	10"-5824F
			1770	10"-1824F
			1770	10"-1824DF
			1780	HGT1-300.400A/836412
	111	256	1750	HGT1-250.500/824558
	115	266	1750	HGT1-250.500/824558
			1770	10"-1824F
			1770	10"-1824DF
			1770	10"-5824F
	120	277	1780	HGT1-300.400A/836412
			1750	HGT1-250.500/824558
			1770	10"-5824F
			1770	10"-1824F
	125	289	1770	10"-1824DF
			1770	10"-5824F
			1780	HGT1-300.400A/836412
			1750	HGT1-250.500/824558
	129	298	1780	HGT1-300.400A/836412
	130	300	1750	HGT1-250.500/824558
			1770	10"-1824DF
			1770	10"-5824F
			1770	10"-1824F
	135	312	1750	HGT1-250.500/824558
			1770	10"-5824F
			1770	10"-1824F
			1770	10"-1824DF
	140	323	1750	HGT1-250.500/824558
			1770	10"-1824F
			1770	10"-5824F
	145	335	1750	HGT1-250.500/824558
			1770	10"-5824F
	150	347	1750	HGT1-250.500/824558
	151	349	1770	10"-5824F
	155	358	1750	HGT1-250.500/824558
	160	370	1750	HGT1-250.500/824558
	165	381	1750	HGT1-250.500/824558
	170	393	1750	HGT1-250.500/824558
	175	404	1750	HGT1-250.500/824558
	180	416	1750	HGT1-250.500/824558
	185	427	1750	HGT1-250.500/824558
	189	437	1750	HGT1-250.500/824558



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 324P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
4 0 0 0 G P M	85	196	1770	10"-1824DF
			1780	HGT1-300.400A/836412
	90	208	1770	10"-1824DF
			1780	HGT1-300.400A/836412
	94	217	1770	10"-2825AF
			1770	10"-1824F
	95	219	1770	10"-1824DF
			1770	10"-2825AF
			1780	HGT1-300.400A/836412
	100	231	1770	10"-1824F
			1770	10"-1824DF
			1770	10"-2825AF
	105	243	1780	HGT1-300.400A/836412
			1770	10"-1824F
			1770	10"-1824DF
	110	254	1770	10"-2825AF
			1780	HGT1-300.400A/836412
			1770	10"-1824F
	115	266	1770	10"-1824DF
			1770	10"-2825AF
			1780	HGT1-300.400A/836412
	120	277	1770	10"-1824DF
			1770	10"-2825AF
			1780	HGT1-300.400A/836412
	125	289	1770	10"-1824DF
			1770	10"-2825AF
			1780	HGT1-300.400A/836412
	130	300	1770	10"-1824DF
			1770	10"-2825AF
	132	305	1750	HGT1-300.500A/836316
	134	310	1770	10"-1824DF
	135	312	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	140	323	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	145	335	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	150	347	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	155	358	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	160	370	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	165	381	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	170	393	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	175	404	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	180	416	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	185	427	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	188	434	1750	HGT1-300.500A/836316
	190	439	1770	10"-2825AF
	195	450	1770	10"-2825AF
	198	457	1770	10"-2825AF



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 325P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
4 5 0 0 G P M	79	182	1780	HGT1-300.400/820384
	80	185	1780	HGT1-300.400/820384
	81	187	1770	10"-1824DF
	85	196	1770	10"-1824DF
			1780	HGT1-300.400/820384
	88	203	1780	HGT1-300.400/835454
			1770	10"-1824DF
	90	208	1770	10"-2825AF
			1780	HGT1-300.400/820384
			1780	HGT1-300.400/835454
			1770	10"-1824DF
	95	219	1770	10"-2825AF
			1780	HGT1-300.400/820384
			1780	HGT1-300.400/835454
			1770	10"-1824DF
	100	231	1770	10"-2825AF
			1780	HGT1-300.400/820384
			1780	HGT1-300.400/835454
			1770	10"-1824DF
	105	243	1770	10"-2825AF
			1780	HGT1-300.400/820384
			1780	HGT1-300.400/835454
			1770	10"-1824DF
	110	254	1770	10"-2825AF
			1780	HGT1-300.400/820384
			1780	HGT1-300.400/835454
			1780	HGT1-300.400/820384
	114	263	1780	HGT1-300.400/820384
	115	266	1770	10"-1824DF
			1770	10"-2825AF
			1780	HGT1-300.400/835454
	120	277	1770	10"-1824DF
			1770	10"-2825AF
			1780	HGT1-300.400/835454
	125	289	1770	10"-1824DF
			1770	10"-2825AF
			1780	HGT1-300.400/835454
	128	296	1750	HGT1-300.500A/836316
	130	300	1750	HGT1-300.500A/836316
			1770	10"-1824DF
			1770	10"-2825AF
			1780	HGT1-300.400/835454
	132	305	1770	10"-1824DF
	133	307	1780	HGT1-300.400/835454
	135	312	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	140	323	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	145	335	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	150	347	1750	HGT1-300.500A/836316
			1770	10"-2825AF



PENTAIR

FAIRBANKS NIJHUIS™

SELECTION TABLES
Horizontal Split Case Fire Pumps
60Hz Electric Motor Drive

Section 912 Page 326P
 Date December 19, 2017
 Supersedes September 15, 2016

Flow	Pressure		Speed (RPM)	Pump Size & Model
	PSI	Feet		
4 5 0 0 G P M	155	358	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	160	370	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	165	381	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	170	393	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	175	404	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	180	416	1750	HGT1-300.500A/836316
			1770	10"-2825AF
	183	423	1750	HGT1-300.500A/836316
	185	427	1770	10"-2825AF
	190	439	1770	10"-2825AF
	194	448	1770	10"-2825AF

5 0 0 0 G P M	91	210	1770	10"-1824DF
	95	219	1770	10"-1824DF
	100	231	1770	10"-1824DF
	105	243	1770	10"-1824DF
	110	254	1770	10"-1824DF
			1770	10"-2825AF
	115	266	1770	10"-2825AF
			1770	10"-1824DF
			1770	10"-1824DF
	120	277	1770	10"-2825AF
			1770	10"-2825AF
	125	289	1770	10"-2825AF
			1770	10"-1824DF
	130	300	1770	10"-1824DF
			1770	10"-2825AF
	135	312	1770	10"-2825AF
	140	323	1770	10"-2825AF
	145	335	1770	10"-2825AF
	150	347	1770	10"-2825AF
	155	358	1770	10"-2825AF
	160	370	1770	10"-2825AF
	165	381	1770	10"-2825AF
	170	393	1770	10"-2825AF
	175	404	1770	10"-2825AF
	180	416	1770	10"-2825AF
	185	427	1770	10"-2825AF
	190	439	1770	10"-2825AF



PENTAIR

FAIRBANKS NIJHUIS™